



► Products

► Design Resources

► Technical Info

► Global Sales

---Useful Links---

**Quick Reference**

Search by part #

Check distributor part inventory

**Stock Check**

[CLICK HERE!](#)

**Products**

Browse Products

-By Device-

-By Product Line-

-Attachment Methods-

-Interface Materials-

-Accessories-

**Useful Links**

[MSDS Safety Sheets](#)

[How to order?](#)

[Find Sales Rep](#)

[Find Distributor](#)

[Sample Request](#)

[Quote Request](#)

[Catalog Request](#)

[Building a part #](#)

[Part # Cross Ref](#)





Max Clip System™  
Max Clips







The following Max Clips meet all requirements given:

<b>MAX01</b>	
<b>VIS Number:</b> 032406	
<b>Force:</b> 22.91 N [5.15 lbs]	
<b>Width:</b> 9.9 mm [0.390 in]	
<b>Thickness:</b> 0.51 mm [0.020 in]	
<b>Attachment:</b> Max Clip Rail	
<b>MAX02</b>	
<b>VIS Number:</b> 032407	
<b>Force:</b> 27.89 N [6.27 lbs]	
<b>Width:</b> 11.9 mm [0.470 in]	
<b>Thickness:</b> 0.51 mm [0.020 in]	
<b>Attachment:</b> Max Clip Rail	
<b>MAX03</b>	
<b>VIS Number:</b> 032408	
<b>Force:</b> 35.85 N [8.06 lbs]	
<b>Width:</b> 15.0 mm [0.590 in]	
<b>Thickness:</b> 0.51 mm [0.020 in]	
<b>Attachment:</b> Max Clip Rail	
<b>MAX04</b>	

<b>VIS Number:</b> 032409	
<b>Force:</b> 47.82 N [10.75 lbs]	
<b>Width:</b> 20.1 mm [0.790 in]	
<b>Thickness:</b> 0.51 mm [0.020 in]	
<b>Attachment:</b> Max Clip Rail	
<b>MAX09</b>	
<b>VIS Number:</b> 032611	
<b>Force:</b> 44.84 N [10.08 lbs]	
<b>Width:</b> 9.9 mm [0.390 in]	
<b>Thickness:</b> 0.51 mm [0.020 in]	
<b>Attachment:</b> Max Clip Rail	
<b>MAX10</b>	
<b>VIS Number:</b> 032412	
<b>Force:</b> 39.85 N [8.96 lbs]	
<b>Width:</b> 11.9 mm [0.470 in]	
<b>Thickness:</b> 0.58 mm [0.023 in]	
<b>Attachment:</b> Max Clip Rail	
<b>MAX11</b>	
<b>VIS Number:</b> 032413	
<b>Force:</b> 39.85 N [8.96 lbs]	
<b>Width:</b> 11.9 mm [0.470 in]	
<b>Thickness:</b> 0.58 mm [0.023 in]	
<b>Attachment:</b> Max Clip Rail	
<b>MAX12</b>	
<b>VIS Number:</b> 032414	

<p><b>Force:</b> 24.91 N [5.60 lbs]</p>	
<p><b>Width:</b> 6.0 mm [0.236 in]</p>	
<p><b>Thickness:</b> 0.58 mm [0.023 in]</p>	
<p><b>Attachment:</b> Max Clip Rail</p>	
<p><b>MAX13</b></p>	
<p><b>VIS Number:</b> 032612</p>	
<p><b>Force:</b> 39.85 N [8.96 lbs]</p>	
<p><b>Width:</b> 17.0 mm [0.670 in]</p>	
<p><b>Thickness:</b> 0.51 mm [0.020 in]</p>	
<p><b>Attachment:</b> Max Clip Rail</p>	
<p><b>MAX14</b></p>	
<p><b>VIS Number:</b> 032613</p>	
<p><b>Force:</b> 19.93 N [4.48 lbs]</p>	
<p><b>Width:</b> 13.0 mm [0.510 in]</p>	
<p><b>Thickness:</b> 0.51 mm [0.020 in]</p>	
<p><b>Attachment:</b> Max Clip Rail</p>	
<p><b>MAX15</b></p>	
<p><b>VIS Number:</b> 032614</p>	
<p><b>Force:</b> 59.78 N [13.44 lbs]</p>	
<p><b>Width:</b> 18.0 mm [0.710 in]</p>	
<p><b>Thickness:</b> 0.58 mm [0.023 in]</p>	
<p><b>Attachment:</b> Max Clip Rail</p>	
<p><b>MAX16</b></p>	
<p><b>VIS Number:</b> 032774</p>	

<p><b>Force:</b> 39.85 N [8.96 lbs]</p>	
<p><b>Width:</b> 17.0 mm [0.670 in]</p>	
<p><b>Thickness:</b> 0.51 mm [0.020 in]</p>	
<p><b>Attachment:</b> Max Clip Rail</p>	
<p><b>MAX17</b></p>	
<p><b>VIS Number:</b> 032775</p>	
<p><b>Force:</b> 19.93 N [4.48 lbs]</p>	
<p><b>Width:</b> 13.0 mm [0.510 in]</p>	
<p><b>Thickness:</b> 0.51 mm [0.020 in]</p>	
<p><b>Attachment:</b> Max Clip Rail</p>	
<p><b>MAX20</b></p>	
<p><b>VIS Number:</b> 032615</p>	
<p><b>Force:</b> 49.82 N [11.20 lbs]</p>	
<p><b>Width:</b> 11.9 mm [0.470 in]</p>	
<p><b>Thickness:</b> 0.58 mm [0.023 in]</p>	
<p><b>Attachment:</b> Max Clip Rail</p>	
<p><b>MAX23</b></p>	
<p><b>VIS Number:</b> 032616</p>	
<p><b>Force:</b> 72.72 N [16.35 lbs]</p>	
<p><b>Width:</b> 18.0 mm [0.710 in]</p>	
<p><b>Thickness:</b> 0.58 mm [0.023 in]</p>	
<p><b>Attachment:</b> Max Clip Rail</p>	
<p><b>MAX01-H</b></p>	
<p><b>VIS Number:</b> 032617</p>	

<b>Force:</b> 59.78 N [13.44 lbs]	
<b>Width:</b> 9.9 mm [0.390 in]	
<b>Thickness:</b> 0.71 mm [0.028 in]	
<b>Attachment:</b> Max Clip Rail	
<b>MAX02-H</b>	
<b>VIS Number:</b> 032618	
<b>Force:</b> 49.82 N [11.20 lbs]	
<b>Width:</b> 13.0 mm [0.510 in]	
<b>Thickness:</b> 0.58 mm [0.023 in]	
<b>Attachment:</b> Max Clip Rail	
<b>MAX03-H</b>	
<b>VIS Number:</b> 032619	
<b>Force:</b> 59.78 N [13.44 lbs]	
<b>Width:</b> 18.0 mm [0.710 in]	
<b>Thickness:</b> 0.58 mm [0.023 in]	
<b>Attachment:</b> Max Clip Rail	