

1		2		3		4		5		6		7		8																																																																	
SHEET 1 OF 1				PACKAGING PACKAGING TYPE: Bulk		SCHEMATIC 		SPECIFICATIONS FUNCTION: 1P1T OFF-(ON), Washable RATINGS: 50mA 12VDC OPERATING FORCE: 260±70gf TRAVEL: 0.018±0.008 [0.45±0.2] CONTACT RESISTANCE: Initial: 100mΩ Max. INSULATION RESISTANCE: 100MΩ Min. at 500VDC DIELECTRIC STRENGTH: 250VAC For 1 Minute ELECTRICAL LIFE: 500,000 Cycles SHOCK RESISTANCE: Mil-Std. 202F, Method 213B VIBRATION RESISTANCE: Mil-Std. 202F, Method 201A TEMPERATURE: Operating: -25°C to 70°C Storage: -30°C to 80°C APPROVALS: <b>RoHS COMPLIANT</b> <b>LEAD FREE</b> PROCESS COMPATIBLE		A																																																																					
A										B																																																																					
B												B																																																																			
C		SUGGESTED PCB LAYOUT 								MATERIALS BODY: Polyamide 6/6 (PA66), UL94 V-0 COVER: Nickel Silver ACTUATOR: Silicone Rubber CONTACTS: Silver Clad Phosphor Bronze TERMINALS: Silver Plated Brass		C																																																																			
D										COLORS ACTUATOR: Red		D																																																																			
		<table><tr><td>BODY</td><td>A</td><td>09/09/24</td><td>CAB</td></tr><tr><td>COLORS</td><td>A</td><td>09/09/14</td><td>CAB</td></tr><tr><td>MATERIALS</td><td>A</td><td>09/09/14</td><td>CAB</td></tr><tr><td>PACKAGING</td><td>A</td><td>09/09/14</td><td>CAB</td></tr><tr><td>SPECIFICATIONS</td><td>A</td><td>09/09/14</td><td>CAB</td></tr><tr><td>REFERENCE</td><td>REV.</td><td>DATE</td><td>BY</td></tr></table>		BODY	A	09/09/24	CAB	COLORS	A	09/09/14	CAB	MATERIALS	A	09/09/14	CAB	PACKAGING	A	09/09/14	CAB	SPECIFICATIONS	A	09/09/14	CAB	REFERENCE	REV.	DATE	BY	THE INFORMATION CONTAINED IN THIS DOCUMENT IS PROPRIETARY TO E-SWITCH AND IS NOT TO BE COPIED OR TRANSFERRED		<table><tr><td>A</td><td>INITIAL RELEASE</td><td>PCRD0109</td><td>09/09/24</td><td>CAB</td></tr><tr><td>REV.</td><td>DESCRIPTION</td><td>PCR</td><td>DATE</td><td>DRAWN BY</td></tr></table>		A	INITIAL RELEASE	PCRD0109	09/09/24	CAB	REV.	DESCRIPTION	PCR	DATE	DRAWN BY	<table><tr><td colspan="2">DIMENSIONS</td></tr><tr><td colspan="2">INCHES [MILLIMETERS]</td></tr><tr><td colspan="2">GENERAL TOLERANCES</td></tr><tr><td colspan="2">±0.008 [±0.2] / ±1°</td></tr><tr><td>SCALE</td><td>PROJECTION</td></tr><tr><td>DRAWING NOT TO SCALE</td><td></td></tr></table>		DIMENSIONS		INCHES [MILLIMETERS]		GENERAL TOLERANCES		±0.008 [±0.2] / ±1°		SCALE	PROJECTION	DRAWING NOT TO SCALE		<table><tr><td colspan="2"> E-SWITCH®</td><td colspan="2"></td></tr><tr><td colspan="4">TSAMW-3.3-260-U</td></tr><tr><td colspan="2">DRAWING NUMBER</td><td colspan="2">DATE</td></tr><tr><td colspan="2">06-TSAMW33260SU</td><td colspan="2">SEPTEMBER 24, 2009</td></tr><tr><td colspan="2">REVISION</td><td colspan="2">A</td></tr></table>		E-SWITCH®				TSAMW-3.3-260-U				DRAWING NUMBER		DATE		06-TSAMW33260SU		SEPTEMBER 24, 2009		REVISION		A			
BODY	A	09/09/24	CAB																																																																												
COLORS	A	09/09/14	CAB																																																																												
MATERIALS	A	09/09/14	CAB																																																																												
PACKAGING	A	09/09/14	CAB																																																																												
SPECIFICATIONS	A	09/09/14	CAB																																																																												
REFERENCE	REV.	DATE	BY																																																																												
A	INITIAL RELEASE	PCRD0109	09/09/24	CAB																																																																											
REV.	DESCRIPTION	PCR	DATE	DRAWN BY																																																																											
DIMENSIONS																																																																															
INCHES [MILLIMETERS]																																																																															
GENERAL TOLERANCES																																																																															
±0.008 [±0.2] / ±1°																																																																															
SCALE	PROJECTION																																																																														
DRAWING NOT TO SCALE																																																																															
E-SWITCH®																																																																															
TSAMW-3.3-260-U																																																																															
DRAWING NUMBER		DATE																																																																													
06-TSAMW33260SU		SEPTEMBER 24, 2009																																																																													
REVISION		A																																																																													
1		2		3		4		5		6		7		8																																																																	