

HC-B 48-AML

Order No.: 1772175

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1772175>

HEAVYCON panel mounting base B48, with single locking latch,
height 41 mm

Commercial data

EAN	4017918036843
Pack	1 pcs.
Customs tariff	85389099
Weight/Piece	0.6417 KG
Catalog page information	Page 507 (PC-2009)

Product notes

WEEE/RoHS-compliant since:
02/17/2006



[http://
www.download.phoenixcontact.com](http://www.download.phoenixcontact.com)
Please note that the data given
here has been taken from the
online catalog. For comprehensive
information and data, please refer
to the user documentation. The
General Terms and Conditions of
Use apply to Internet downloads.

Technical data

General data

Note	For contact inserts HC-B48, DD216, M
Design	B48
Height	41 mm
Width	112 mm

Length	165 mm
Housing type	Panel mounting base, straight
Locking type	With single locking latch
Degree of protection	IP65
Ambient temperature (operation)	-40 °C ... 125 °C
Housing material	Aluminum, die-cast
Housing surface material	Powder-coated, gray
Seal material	NBR
Locking latch material	Steel, galvanized
Material grip body interlock	PA-GF
Length of the assembly cutout	82 mm
Width of the assembly cutout	120 mm

Certificates / Approvals




Certification


GOST

Diagrams/Drawings

Dimensioned drawing



Dimensional drawing



Panel cutout

Address

PHOENIX CONTACT Inc., USA
586 Fulling Mill Road
Middletown, PA 17057, USA
Phone (800) 888-7388
Fax (717) 944-1625
<http://www.phoenixcon.com>



© 2010 Phoenix Contact
Technical modifications reserved;