




KEY CONFIGURATIONS




KEY A



KEY B



KEY C










KEY D

SEE REV. COLUMN IEC NO: UAU2014-0488 DRAWN BY: 2013/11/06 CHKD: AJ APPR: VKOSHY 2013/11/19	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION STYLE	SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION
	▽=0	mm INCH	MM ONLY	4:1	METRIC	☉
	▽=0	4 PLACES ± --- ± ---	DRAWN BY DATE	TITLE		
	▽=0	3 PLACES ± --- ± ---	DGRIFITHS 05-29-03	MX150 2X8 BLADE SEALED ASSEMBLY MAT SEAL		
▽=0	2 PLACES ± 0.10 ± ---	CHECKED BY DATE	MATERIAL NO.			
	1 PLACE ± 0.3 ± ---	DGRIFITHS 05-29-03	SEE BOM			
	0 PLACE ± ±	APPROVED BY DATE	DOCUMENT NO.			
	ANGULAR ± 3 °	VKOSHY 2010/04/06	SD-33482-161			
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	SIZE D	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			
			SHEET NO. 2 OF 7			


BLADE SEALED ASSEMBLY

OPTIONAL LASER MARKING ON THIS SURFACE SEE NOTE 3g.



PRIMARY LOCK REINFORCEMENT (PLR) SHOWN IN PRE-STAGED POSITION

SECTION Z-Z



PRIMARY LOCK REINFORCEMENT (PLR) SHOWN IN FINAL-LOCK POSITION



SECTION Y-Y

SEE REV. COLUMN EEC NO: UAU2014-0488 DRAWN BY: CHYKD APPR: VKOSHY 2013/11/06 2013/11/19 DESCRIPTION:	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION STYLE	SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION
	∇=0 ∇=0 ∇=0	4 PLACES ± mm 3 PLACES ± INCH 2 PLACES ± 0.10 1 PLACE ± 0.3 0 PLACE ±	MM ONLY	4:1	METRIC	DRAWN BY: DGRIFITHS DATE: 05-29-03 CHECKED BY: DATE DGRIFITHS 05-29-03 APPROVED BY: DATE VKOSHY 2010/04/06
	ANGULAR ± 3 ° DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	MATERIAL NO.	DATE	TITLE	DOCUMENT NO.	SHEET NO.
	SEE BOM	SD-33482-161	3 OF 7	MX150 2X8 BLADE SEALED ASSEMBLY MAT SEAL		

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

20 19 18 17 16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1

SYSTEM PACKAGING



SEE REV. COLUMN IEC NO: UAU2014-0488 DRAWN BY: AJ CHKD: APPR: VKOSHY 2013/11/06 2013/11/19	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION STYLE	SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION
	∇=0 ∇=0 ∇=0	mm INCH 4 PLACES ± --- ± --- 3 PLACES ± --- ± --- 2 PLACES ± 0.10 ± --- 1 PLACE ± 0.3 ± --- 0 PLACE ± ±	MM ONLY	4:1	METRIC	DRAWN BY: DGRIFFI THS DATE: 05-29-03 CHECKED BY: DATE: APPROVED BY: VKOSHY DATE: 2010/04/06
	ANGULAR ± 3 ° DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	MATERIAL NO: SEE BOM	TITLE: MX150 2X8 BLADE SEALED ASSEMBLY MAT SEAL molex	DOCUMENT NO: SD-33482-161	SHEET NO: 4 OF 7	
	SIZE: D	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				

19 18 17 16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1

ASSEMBLY PART NUMBER	COLOR	KEYING OPTION	CAVITY TYPE & STATUS (X = PLUGGED)															
			1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
33482-1713	BLACK	A		X	X	X				X	X					X	X	
33482-1714	BLACK	A		X	X	X	X	X	X	X	X		X		X		X	X
33482-1715	BLACK	A	X	X	X	X			X	X	X	X	X			X	X	
33482-1716	BLACK	A	X	X	X	X			X	X	X	X	X				X	
33482-1717	BLACK	A	X	X	X	X	X	X	X	X				X	X	X	X	
33482-1718	BLACK	A											X	X	X	X		
33482-1719	BLACK	A	X				X	X	X		X	X			X	X		
33482-1720	BLACK	A										X		X				
33482-1721	LT.GRAY	B				X		X	X			X	X	X	X			
33482-1722	LT.GRAY	B	X	X	X	X		X	X	X	X	X	X	X	X	X		
33482-1723	BLACK	A	X	X	X	X	X	X			X			X	X	X	X	
33482-1724	BLACK	A								X					X	X	X	
33482-1725	DK.GRAY	C																
33482-1726	ST.GRAY	D																
33482-1727	DK.GRAY	C	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
33482-1728	ST.GRAY	D	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
33482-1729	BLACK	A						X	X	X				X	X	X	X	
33482-1730	BLACK	A				X	X	X	X	X	X	X	X	X	X	X	X	
33482-1731	BLACK	A								X	X	X	X	X	X	X	X	
33482-1732	LT.GRAY	B					X	X	X			X						
33482-1733	LT.GRAY	B	X	X	X	X	X	X		X	X	X	X	X	X	X	X	
33482-1734	LT.GRAY	B					X			X	X	X	X	X	X	X	X	
33482-1735	BLACK	A					X			X	X	X	X	X	X			
33482-1736	BLACK	A	X	X	X	X	X	X						X	X			
33482-1737	BLACK	A	X	X	X	X	X	X			X	X	X	X	X			
33482-1738	BLACK	A	X	X			X	X	X	X								
33482-1739	BLACK	A			X	X					X	X						
33482-1740	BLACK	A								X				X	X	X	X	
33482-1741	BLACK	A			X	X				X	X	X	X	X	X	X	X	
33482-1742	BLACK	A									X	X	X	X				
33482-1743	BLACK	A									X			X				
33482-1744	BLACK	A		X				X		X	X	X	X	X	X		X	
33482-1745	BLACK	A		X					X		X	X	X	X				
33482-1746	BLACK	A		X					X									
33482-1747	BLACK	A									X	X	X	X	X		X	
33482-1748	BLACK	A		X					X					X	X	X	X	
33482-1749	BLACK	A	X							X	X	X	X	X	X	X	X	
33482-1750	BLACK	A	X	X						X	X	X	X	X	X	X	X	
33482-1751	DK.GRAY	C							X									
33482-1752	ST.GRAY	D							X									
33482-1753	DK.GRAY	C							X	X								
33482-1754	ST.GRAY	D							X	X								
33482-1755	DK.GRAY	C	X						X	X								
33482-1756	ST.GRAY	D	X						X	X								
33482-1757	DK.GRAY	C	X						X	X							X	
33482-1758	ST.GRAY	D	X						X	X							X	
33482-1759	BLACK	A	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	

SEE REV. COLUMN EC NO: UAU2014-0488 DRAWN BY: AJ CHKD: AJ APPR: VKOSHY 2013/11/06 2013/11/19	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION STYLE	SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION
	▽=0	4 PLACES ± mm INCH	MM ONLY	DRAWN BY DATE	METRIC	MX150 2X8 BLADE SEALED ASSEMBLY MAT SEAL molex MATERIAL NO. SD-33482-161 DOCUMENT NO. SD-33482-161 SHEET NO. 7 OF 7
	▽=0	3 PLACES ± mm INCH	DGR1FF1THS	05-29-03		
	▽=0	2 PLACES ± mm INCH	CHECKED BY DATE	DGR1FF1THS	05-29-03	
▽=0	1 PLACE ± mm INCH	DGR1FF1THS	DATE	2010/04/06		
	0 PLACE ± mm INCH	ANGULAR ± 3 °	APPROVED BY			
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	VKOSHY			
			SIZE D	SEE BOM		
			THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			