







35	31.2	29	52271-3017	30
31	27.2	25	-2617	26
29	25.2	23	-2417	24
28	24.2	22	-2317	23
23	19.2	17	-1817	18
22	18.2	16	-1717	17
20	16.2	14	-1517	15
19	15.2	13	-1417	14
18	14.2	12	-1317	13
16	12.2	10	-1117	11
15	11.2	9	-1017	10
14	10.2	8	-0917	9
13	9.2	7	-0817	8
11	7.2	5	-0617	6
10	6.2	4	-0517	5
9	5.2	3	52271-0417	4
C	B	A	ENG. NO.	種数 CKT.

注記 NOTES

- △ 接点部までの嵌合長さ。
LENGTH TO CONTACT POINT.
2. 使用材料 MATERIAL
ハウジング : 46ナイロン, UL94V-0
ハウジング : 46NYLON, UL94V-0
アクチュエータ : PPS, UL94V-0
アクチュエータ : PPS, UL94V-0
ターミナル : リン青銅 (t=0.25)
ターミナル : PHOS-BRO (t=0.25)
メッキ : Sn-Pb (9:1), 下地Cu
メッキ : PLATING : Sn-Pb(9:1), Cu(UNDER PLATING)
金具 : 銅合金 (t=0.25)
金具 : FITTING NAIL : COPPER ALLOY (t=0.25)
メッキ : Sn-Pb (9:1), 下地Cu
メッキ : PLATING : Sn-Pb(9:1), Cu(UNDER PLATING)
- △ パターンはくり止め用金具。
FITTING NAIL FOR PREVENTION OF PEELING OF P.C.B. PATTERN.
4. エンボステープ梱包時は、アクチュエータがロックした状態とする。
WHEN CONNECTOR IS SHIPPED, ACTUATOR SHOULD BE LOCKED.
- △ FPC挿入深さ。
INSERTION DEPTH OF FPC
- △ パターン書き込み禁止エリア。
NO FOOT PRINT AREA.

REVISED EC NO: J2013-1404 DRAWN: TAKAHASHI 2013/05/28 CHKD: TAKAHASHI 2013/05/28 APPR: YNOGAWA 2013/07/14	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE ---	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION	
		10 UNDER	± 0.2	DRAWN BY TNIITSU	DATE 1996/10/15	TITLE 1.0 FPC CONN ZIF SMT (BOTTOM CONTACT)			
		10 OVER 30 UNDER	± 0.25	CHECKED BY MFUKUSHIMA	DATE 1997/07/14				
		30 OVER	± 0.3	APPROVED BY MFUKUSHIMA	DATE 1977/07/14				
		ANGULAR ±3 °		MATERIAL NO.					
V	REV	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE CHART		SD-52271-042		1 OF 2	
		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION							

10 9 8 7 6 5 4 3 2 1

F F


E E

D D

C C

B B

A A



下面図

SEE SHEET 1 OF 2 EC NO: J2013-1404 V DRWN: TAKAHASHI 04/2013/05/28 CHKD: KTAKAHASHI 2013/05/28 APPR: YNOGAWA 2013/07/24	DESCRIPTION REV	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE ---	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION		
		10 UNDER	± 0.2	DRAWN BY TNIITSU	DATE 1996/10/15	TITLE 1.0 FPC CONN ZIF SMT (BOTTOM CONTACT)				
		10 OVER 30 UNDER	± 0.25	CHECKED BY MFUKUSHIMA	DATE 1997/07/14					
		30 OVER	± 0.3	APPROVED BY MFUKUSHIMA	DATE 1997/07/14	molex				
		ANGULAR ±3 °		MATERIAL NO.						
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE SHEET 1 OF 2		SD-52271-042		2 OF 2		
				SIZE A3	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					

9 8 7 6 5 4 3 2

F






E

D

C

B


A



44	45.5	30	26.4	33.35	52271-2690	26
		28	24.4	31.35	-2490	24
		27	23.4	30.35	-2390	23
		22	18.4	25.35	-1890	18
		21	17.4	24.35	-1790	17
32	33.5	19	15.4	22.35	-1590	15
		18	14.4	21.35	-1490	14
		17	13.4	20.35	52271-1390	13
		(C)	(B)	(A)	MATERIAL NO.	極数 CKT.

キャリアテープ幅
CARRIER TAPE WIDTH
tb_frame_A3_J_ME_S
Rev G 2012/01/25

REVISED EC NO: J2013-1404 DRWN:MTAKAHASHI 04/2013/05/30 CHKD:K TAKAHASHI 2013/05/30 APPR:YNOGAWA 2013/07/24 REV N	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE ---	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION
		10 UNDER	± 0.2	DRAWN BY STADOKORO	DATE 1988/09/29	TITLE EMBOSSD TAPE PACKAGE FOR 52271-**17		
		10 OVER 30 UNDER	± 0.25	CHECKED BY SKUNISHI	DATE 2000/12/20			
		30 OVER	± 0.3	APPROVED BY MFUKUSHIMA	DATE 2000/12/20			
		ANGULAR ±3 °		MATERIAL NO.				
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE CHART		SD-52271-043		2 OF 3	
			SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			



REVISED
EC NO: J2013-1404
DRAWN: MTAKAHASHI 04/2013/05/30
CHKD: KTAHASHI 2013/05/30
APPR: YNOGAWA 2013/07/24
N

GENERAL TOLERANCES (UNLESS SPECIFIED)	
10 UNDER	±0.2
10 OVER 30 UNDER	±0.25
30 OVER	±0.3
ANGULAR	±3 °
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	

56		57.5		34		30.4		37.35		52271-3090		30	
キャリアテープ幅 CARRIER TAPE WIDTH		D		(C)		(B)		(A)		MATERIAL NO.		極数 CKT.	
DIMENSION STYLE MM ONLY				SCALE ---		DESIGN UNITS METRIC				THIRD ANGLE PROJECTION			
DRAWN BY STADOKORO		DATE 1988/09/29		TITLE EMBOSSED TAPE PAKEGE FOR 52271-**17									
CHECKED BY SKUNISHI		DATE 2000/12/20											
APPROVED BY MFUKUSHIMA		DATE 2000/12/20											
MATERIAL NO. SEE CHART				DOCUMENT NO. SD-52271-043								SHEET NO. 3 OF 3	
SIZE 		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											