






MATERIALS AND FINISHES

BODY BRASS
PLATED GOLD

CENTER CONTACT BERYLLIUM COPPER
PLATED GOLD

INSULATOR TEFLON



OPTION 1 PCB LAYOUT

OPTION 2 PCB LAYOUT

PS-89675-1920	ELECTRO/MECH PERFORM.
SPECIFICATION	DESCRIPTION

73415-2064	73415-2061. ONE PER BAG
73415-2063	73415-2061 WITH TAPE & REEL
73415-2062	73415-2060 WITH TAPE & REEL
73415-2061	PER COMMERCIAL REQUIREMENTS
73415-2060	PER MILITARY REQUIREMENTS
PART NO.	PLATING

CHG: UPDATE VIEWS
PS WAS -1910
DELETE INTERFACE
SPEC
UPDATE PCB LAYOUT

EC NO: URF2014-0009
2013/07/10
DRWN: JWIENER
CHKD: SSS
2013/07/10
APPR: JWIENER
2013/07/11

QUALITY
SYMBOLS
▽=0
▽=0
▽=0

GENERAL TOLERANCES
(UNLESS SPECIFIED)

	mm	INCH
4 PLACES	± ---	± ---
3 PLACES	± ---	± ---
2 PLACES	± ---	± ---
1 PLACE	± ---	± ---
0 PLACE	±	±

ANGULAR ± 2 °

DRAFT WHERE APPLICABLE
MUST REMAIN
WITHIN DIMENSIONS

DIMENSION STYLE
MM/IN

DRAWN BY	DATE
TEF	2000/04/18

CHECKED BY	DATE
SSS	2000/04/18

APPROVED BY	DATE
GMH	2000/04/18

MATERIAL NO.
SEE TABLE

SCALE
DESIGN UNITS
METRIC



THIRD ANGLE
PROJECTION

MMCX JACK, VERTICAL
PCB/SMT 50 OHMS
MMCX-J/PCB


molex

DOCUMENT NO.
SD-73415-206

SHEET NO.
1 OF 4



SECTION Z-Z



SECTION Y-Y




SEE SHEET 1
EC NO: URF2014-0009
2013/07/10
DRWN: JWIENER
CHKD: SSS
2013/07/10
APPR: JWIENER
2013/07/11
REV

QUALITY SYMBOLS
▽=0
▽=0
▽=0


GENERAL TOLERANCES (UNLESS SPECIFIED)
mm INCH
4 PLACES ± --- ± ---
3 PLACES ± --- ± ---
2 PLACES ± --- ± ---
1 PLACE ± --- ± ---
0 PLACE ± ±
ANGULAR ± 2 °
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

DIMENSION STYLE MM/IN
DRAWN BY DATE
TEF 2000/04/18
CHECKED BY DATE
SSS 2000/04/18
APPROVED BY DATE
GMH 2000/04/18
MATERIAL NO.
SEE SHEET 1
SIZE C

SCALE
DESIGN UNITS METRIC
THIRD ANGLE PROJECTION
TITLE
MMCX JACK, VERTICAL
PCB/SMT 50 OHMS
MMCX-J/PCB
molex
DOCUMENT NO.
SD-73415-206
SHEET NO.
2 OF 4
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION



1600 SET PER 13" REEL



8000 CONNECTORS PER
OUTER CARTON BOX
339 X 339 X 100 REF.

PART NO.
73415-2062/73415-2063

SEE SHEET 1 EC NO: URF2014-0009 2013/07/10 DRWN: JWIENER CHKD: SSS 2013/07/10 APPR: JWIENER 2013/07/11	DESCRIPTION REV	QUALITY SYMBOLS ▽=0 ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)				DIMENSION STYLE MM/IN		SCALE	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION		
			mm		INCH		DRAWN BY	DATE	TITLE				
			4 PLACES	±	---	±	---	TEF	2000/04/18	MMCX JACK, VERTICAL PCB/SMT 50 OHMS MMCX-J/PCB molex			
			3 PLACES	±	---	±	---	CHECKED BY	DATE				
			2 PLACES	±	---	±	---	SSS	2000/04/18				
			1 PLACE	±	---	±	---	APPROVED BY	DATE				
			0 PLACE	±		±		GMH	2000/04/18				
			ANGULAR ± 2 °				MATERIAL NO.		DOCUMENT NO.				
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				SEE SHEET 1		SD-73415-206		4 OF 4		
			A8				SIZE		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				