









PIN NO.	ASSIGNMENT
C1	Vcc (SUPPLY VOLTAGE)
C2	RST (RESET SIGNAL)
C3	CLK (CLOCK SIGNAL)
C4	RESERVED
C5	GND
C6	Vpp (VARIABLE SUPPLY VOLTAGE)
C7	I/O (DATA INPUT/OUTPUT)
C8	RESERVED
X1	NOT GND, FOR HOLD DOWN ONLY. (NOTE:X1 IS LINKED TO C1)
X2	NOT GND, FOR HOLD DOWN ONLY. (NOTE:X2 IS LINKED TO C3)

tb_frame_A3_P_AM_T
Rev. F 2009/06/18


UPDATE F. TER PROFILE EC NO: S2014-0309 DRWN:JTAN02 2013/10/16 CHKD:FCS00 2013/10/30 APPR:KHLIM 2013/11/05	DESCRIPTION	QUALITY SYMBOLS F_A=0 F_G=0 F_P=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION				
				mm	INCH	DRAWN BY JTAN02	DATE 2011/02/24	TITLE SALES DRAWING MICRO SIM CONNECTOR 1.45MM HEIGHT, PUSH PULL					
						CHECKED BY FCS00	DATE 2011/03/15						
			4 PLACES	± ---	± ---	APPROVED BY KHLIM		DATE 2011/03/16	MOLEX MOLEX INCORPORATED				
			3 PLACES	± ---	± ---								
			2 PLACES	± 0.20	± ---	DOCUMENT NO. SD-78646-001							
			1 PLACE	± ---	± ---								
			ANGULAR ± 3 °			MATERIAL NO.		SHEET NO. 2 OF 3					
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			SEE TABLE							
						SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					

PACKAGING INFORMATION




NOTES :

- LEADER & TRAILER TAPE




2. PEELING OFF FORCE OF THE TOP TAPE : 20-80gf. (PEELING DIRECTION AS SHOWN IN THE FOLLOWING FIGURE)



- TAPE & REEL SPECIFICATION IS AS PER EIA-481.
- TAPE & REEL QTY. : 1500PCS / REEL.
- THE TAPE IS TREATED FOR ANTI-STATIC.

PULL OUT DIRECTION



UPDATE F. TER PROFILE EC NO: S2014-0309 DRWN: JTan02 2013/10/16 CHKD: FCS00 2013/10/30 APPR: KHLIM 2013/11/05	DESCRIPTION	QUALITY SYMBOLS F_A=0 F_G=0 F_P=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION
				mm	INCH	DRAWN BY JTAN02	DATE 2011/02/24	TITLE SALES DRAWING MICRO SIM CONNECTOR 1.45MM HEIGHT, PUSH PULL	
			4 PLACES	± ---	± ---	CHECKED BY FCS00	DATE 2011/03/15		
			3 PLACES	± ---	± ---				
			2 PLACES	± 0.20	± ---				
			1 PLACE	± ---	± ---	APPROVED BY KHLIM	DATE 2011/03/16	 MOLEX INCORPORATED	
			ANGULAR ± 3 °		MATERIAL NO.	DOCUMENT NO.		SHEET NO.	
B	REV		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE TABLE		SD-78646-001		3 OF 3
					SIZE A3	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			