

10

9

8

7

6



5

4





3

2

1



RECOMMENDED P.C.B HOLE LAYOUT



REVISION OF DRAWING MAY BE
CHANGED DURING FINAL RELEASED
FOR PRODUCTION.

ib_frame_A3_P_AM_T
Rev. G 2012/01/11

9

8

7

6

5

4

3

2

1

NOTES:

1. MATERIAL:

HSG: LCP, GLASS-FILLED, UL94V-0,

COLOR: BLACK

PIN: 0.64MM SQ PIN, COPPER ALLOY

2. PLATING TYPE:

(1) : 0.0254 μ m GOLD FLASH OVER1.25 μ m MIN. NICKEL OVERALL.(2) : 0.025 μ m MIN. GOLD PLATE ON CONTACT AND1.88 μ m MIN. TIN ON SOLDER TAIL OVER1.25 μ m MIN. NICKEL OVERALL.(3) : 0.25 μ m MIN. GOLD PLATE ON CONTACT AND1.88 μ m MIN. TIN ON SOLDER TAIL OVER1.25 μ m MIN. NICKEL OVERALL.(4) : 0.38 μ m MIN. GOLD PLATE ON CONTACT AND1.88 μ m MIN. TIN ON SOLDER TAIL OVER1.25 μ m MIN. NICKEL OVERALL.(5) : 0.75 μ m MIN. GOLD PLATE ON CONTACT AND1.88 μ m MIN. TIN ON SOLDER TAIL OVER1.25 μ m MIN. NICKEL OVERALL(6) : 2.50 μ m MIN. TIN OVER 1.25 μ m MIN. NICKEL OVERALL.(7) : 0.38 μ m MIN. GOLD PLATE ON CONTACT AND2.50 μ m MIN. TIN ON SOLDER TAIL OVER1.25 μ m MIN. NICKEL OVERALL.(8) : 0.38 μ m MIN. GOLD PLATE ON CONTACT AND0.05 μ m MIN. GOLD FLASH ON SOLDER TAIL OVER1.25 μ m MIN. NICKEL OVERALL.(9) : 0.05 - 0.25 μ m MIN. GOLD FLASH OVER1.25 μ m MIN. NICKEL OVERALL.

3. PIN PUSHOUT FORCE: 1KG MIN IN EITHER DIRECTION

4. THE ABOVE 14 CKT IS FOR ILLUSTRATION PURPOSE ONLY.

5. FOR PACKAGING OPTION PLEASE REFER TO THE TABLE.

6. RECOMMENDED PCB THICKNESS 1.60MM.

7. PRODUCT SPECIFICATION: PS-87920-019

8. WAFER TO BE FLAT WITHIN 0.003mm/mm

9. IRREGULAR CIRCUIT CUTOFF WITHIN BREAKAWAY SECTION

IS PERMISSIBLE. CUTTING OR CHIPPING OF THE MAIN

BODY IS NOT ACCEPTABLE.

10. PARTS ARE NOT STACKABLE ON 2.54 CENTER

11. CAP TO BE PLACED AS CENTRAL OF PART AS POSSIBLE

WITH THE TOP SURFACE FLAT FOR PICK AND PLACE.

12. PACKAGING SPECIFICATION:

TRAY: PK-89990-489

BULK: PK-89990-491

SHT 7, +879140847 EC NO: S2014-0048 DRWN:ATSEE CHKD:SKANG APPR:MLONG D14	2013/07/11 2013/07/11 2013/10/09	DESCRIPTION	QUALITY SYMBOLS
			 =0
			 =0
			 =0
REV			

ib_frame_A3_P_AM_T
Rev. G 2012/01/11

9

8

7

6

5

4

3

2

1

10		9		8		7		6		5		4		3		2		1																						
PART NO FOR TRAY PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION																																
								A	B	F	M	P																												
F	87914-0411	-----	-----	-----	-----	4	-----	1	5.08	2.54	10.92	5.84	2.79	F																										
	87914-0421	-----	-----	-----	-----	4	-----	1	5.08	2.54	12.25	7.00	2.96																											
	87914-0431	-----	-----	-----	-----	4	-----	1	5.08	2.54	13.38	6.09	5.00																											
	87914-0412	-----	-----	-----	-----	4	-----	2	5.08	2.54	10.92	5.84	2.79																											
	87914-0422	-----	-----	-----	-----	4	-----	2	5.08	2.54	12.25	7.00	2.96																											
	87914-0432	-----	-----	-----	-----	4	-----	2	5.08	2.54	13.38	6.09	5.00																											
E	87914-0413	-----	-----	-----	-----	4	-----	3	5.08	2.54	10.92	5.84	2.79	E																										
	87914-0423	-----	-----	-----	-----	4	-----	3	5.08	2.54	12.25	7.00	2.96																											
	87914-0433	-----	-----	-----	-----	4	-----	3	5.08	2.54	13.38	6.09	5.00																											
	87914-0414	-----	-----	-----	-----	4	-----	4	5.08	2.54	10.92	5.84	2.79																											
	87914-0424	-----	-----	-----	-----	4	-----	4	5.08	2.54	12.25	7.00	2.96																											
	87914-0434	-----	-----	-----	-----	4	-----	4	5.08	2.54	13.38	6.09	5.00																											
D	87914-0415	-----	-----	-----	-----	4	-----	5	5.08	2.54	10.92	5.84	2.79	D																										
	87914-0425	-----	-----	-----	-----	4	-----	5	5.08	2.54	12.25	7.00	2.96																											
	87914-0435	-----	-----	-----	-----	4	-----	5	5.08	2.54	13.38	6.09	5.00																											
	87914-0416	-----	-----	-----	-----	4	-----	6	5.08	2.54	10.92	5.84	2.79																											
	87914-0426	-----	-----	-----	-----	4	-----	6	5.08	2.54	12.25	7.00	2.96																											
	87914-0436	-----	-----	-----	-----	4	-----	6	5.08	2.54	13.38	6.09	5.00																											
C														C																										
B														B																										
A	<table><tr><td rowspan="2">SHT 7, +87914/0847 EC NO: S2014-0048 DRWN:ATSEE 2013/07/11 CHKD:SKANG 2013/07/11 APPR:MLONG 2013/10/09</td><td rowspan="2">DESCRIPTION REV</td><td rowspan="2">QUALITY SYMBOLS </td><td colspan="2">GENERAL TOLERANCES (UNLESS SPECIFIED)</td><td colspan="2">DIMENSION STYLE MM ONLY</td><td>SCALE NTS</td><td>DESIGN UNITS METRIC</td><td colspan="2">THIRD ANGLE PROJECTION</td><td rowspan="2">2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H molex</td><td rowspan="2">DOCUMENT NO. SD-87914-013</td><td rowspan="2">SHEET NO. 3 OF 45</td></tr><tr><td colspan="2">DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</td><td colspan="2">SEE TABLE</td><td colspan="4">THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION</td></tr></table>																		SHT 7, +87914/0847 EC NO: S2014-0048 DRWN:ATSEE 2013/07/11 CHKD:SKANG 2013/07/11 APPR:MLONG 2013/10/09	DESCRIPTION REV	QUALITY SYMBOLS 	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION		2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H molex	DOCUMENT NO. SD-87914-013	SHEET NO. 3 OF 45	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE TABLE		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			
	SHT 7, +87914/0847 EC NO: S2014-0048 DRWN:ATSEE 2013/07/11 CHKD:SKANG 2013/07/11 APPR:MLONG 2013/10/09	DESCRIPTION REV	QUALITY SYMBOLS 	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION		2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H molex	DOCUMENT NO. SD-87914-013	SHEET NO. 3 OF 45																										
				DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE TABLE		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																
	fb_frame_A3_P_AM_T Rev. G 2012/01/11		9	8	7	6	5	4	3	2	1																													

[illegible]

10		9		8		7		6		5		4		3		2		1		
F	PART NO FOR TRAY PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION											
	A	B	F	M	P															
	87914-0009	-----	-----	-----	-----	6	-----	1	7.62	5.08	18.84	13.25	3.30							
	87914-0642	-----	-----	-----	-----	6	-----	2	7.62	5.08	18.84	13.25	3.30							
	87914-0643	-----	-----	-----	-----	6	-----	3	7.62	5.08	18.84	13.25	3.30							
	87914-0644	-----	-----	-----	-----	6	-----	4	7.62	5.08	18.84	13.25	3.30							
	87914-0645	-----	-----	-----	-----	6	-----	5	7.62	5.08	18.84	13.25	3.30							
	87914-0646	-----	-----	-----	-----	6	-----	6	7.62	5.08	18.84	13.25	3.30							
E																				
D																				
C																				
B																				
A																				
fb_frame_A3_P_AM_T Rev. G 2012/01/11		9		8		7		6		5		4		3		2		1		

SHT 7, +879140847 EC NO: SZ014-0048 DRWN:ATSEE 2013/07/11 CHKD:SKANG 2013/07/11 APPR:MLONG 2013/10/09	DESCRIPTION REV	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION			
		$\nabla_F=0$ $\nabla_E=0$ $\nabla_{FE}=0$		mm	INCH	DRAWN BY	DATE	2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H molex				
			4 PLACES	± ---	± ---	KCHO	2004/11/05					
			3 PLACES	± ---	± ---	CHECKED BY	DATE					
			2 PLACES	± 0.20	± ---	PTL IM	2004/12/08					
			1 PLACE	± ---	± ---	APPROVED BY	DATE					
		0 PLACE	±	±	MLONG	2010/09/06	DOCUMENT NO. SD-87914-013 SHEET NO. 5 OF 45					
		ANGULAR ± 3 °										
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS										
		SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION								

		10		9		8		7		6		5		4		3		2		1	
	PART NO FOR TRAY PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION												
									A	B	F	M	P	G							
F	87914-0811	-----	-----	-----	-----	8	-----	1	10.16	7.62	10.92	5.84	2.79	----							
	87914-0821	-----	-----	-----	-----	8	-----	1	10.16	7.62	12.25	7.00	2.96	----							
	87914-0831	-----	-----	-----	-----	8	-----	1	10.16	7.62	13.38	6.09	5.00	----							
	87914-0812	-----	-----	-----	-----	8	-----	2	10.16	7.62	10.92	5.84	2.79	----							
	87914-0822	-----	-----	-----	-----	8	-----	2	10.16	7.62	12.25	7.00	2.96	----							
E	87914-0832	-----	-----	-----	-----	8	-----	2	10.16	7.62	13.38	6.09	5.00	----							
	87914-0813	-----	-----	-----	-----	8	-----	3	10.16	7.62	10.92	5.84	2.79	----							
	87914-0823	-----	-----	-----	-----	8	-----	3	10.16	7.62	12.25	7.00	2.96	----							
	87914-0833	-----	-----	-----	-----	8	-----	4	10.16	7.62	13.38	6.09	5.00	----							
	87914-0814	-----	-----	-----	-----	8	-----	4	10.16	7.62	10.92	5.84	2.79	----							
D	87914-0824	-----	-----	-----	-----	8	-----	4	10.16	7.62	12.25	7.00	2.96	----							
	87914-0834	-----	-----	-----	-----	8	-----	4	10.16	7.62	13.38	6.09	5.00	----							
	87914-0815	-----	-----	-----	-----	8	-----	5	10.16	7.62	10.92	5.84	2.79	----							
	87914-0825	-----	-----	-----	-----	8	-----	5	10.16	7.62	12.25	7.00	2.96	----							
	87914-0835	-----	-----	-----	-----	8	-----	5	10.16	7.62	13.38	6.09	5.00	----							
C	87914-0816	-----	-----	-----	-----	8	-----	6	10.16	7.62	10.92	5.84	2.79	----							
	87914-0826	-----	-----	-----	-----	8	-----	6	10.16	7.62	12.25	7.00	2.96	----							
	87914-0836	-----	-----	-----	-----	8	-----	6	10.16	7.62	13.38	6.09	5.00	----							
	87914-0807	-----	-----	-----	-----	8	2,3,4,5,6,8	6	10.16	7.62	21.75	16.51	2.95	----							
B																					
A																					
fb_frame_A3_P_AM_T Rev. G 2012/01/11		9		8		7		6		5		4		3		2		1			

SHT 7, +879140847 EC NO: S2014-0048 DRWN:ATSEE 2013/07/11 CHKD:SKANG 2013/07/11 APPR:MLONG 2013/10/09 D14	REV	DESCRIPTION	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE		SCALE	DESIGN UNITS	 THIRD ANGLE PROJECTION										
				4 PLACES	mm	INCH	MM ONLY	DRAWN BY	DATE		TITLE									
												3 PLACES	CHECKED BY	DATE						
															2 PLACES	PTLIM	2004/12/08			
																		1 PLACE	APPROVED BY	DATE
				ANGULAR ± 3 °			MATERIAL NO.		DOCUMENT NO.		SHEET NO.									
				DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			SEE TABLE		SD-87914-013		6 OF 45									
							SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											

	10		9		8		7		6		5		4		3		2		1																																																								
F	PART NO FOR TRAY PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION																																																																		
									A	B	F	M	P																																																														
	87914-0841	-----	-----	-----	-----	8	-----	1	10.16	7.62	13.51	8.75	2.47																																																														
	87914-0842	-----	-----	-----	-----	8	-----	2	10.16	7.62	13.51	8.75	2.47																																																														
	87914-0843	-----	-----	-----	-----	8	-----	3	10.16	7.62	13.51	8.75	2.47																																																														
	87914-0844	-----	-----	-----	-----	8	-----	4	10.16	7.62	13.51	8.75	2.47																																																														
	87914-0845	-----	-----	-----	-----	8	-----	5	10.16	7.62	13.51	8.75	2.47																																																														
	87914-0005	-----	-----	-----	-----	8	-----	6	10.16	7.62	13.51	8.75	2.47																																																														
	E	87914-0108	-----	-----	-----	-----	8	-----	6	10.16	7.62	16.50	11.11		3.10																																																												
		87914-0847	-----	-----	-----	-----	8	-----	6	10.16	7.62	26.70	20.76		3.65																																																												
D																																																																											
C																																																																											
B																																																																											
A																																																																											
<table><tr><td rowspan="10">SHT 7, #879140847 EC NO: S2014-0048 DRWN:ATSEE 2013/07/11 CHKD:SKANG 2013/07/11 APPR:MLONG 2013/10/09 REV D14</td><td rowspan="10">QUALITY SYMBOLS =0 =0 =0</td><td rowspan="10">GENERAL TOLERANCES (UNLESS SPECIFIED) mm INCH 4 PLACES ± --- ± --- 3 PLACES ± --- ± --- 2 PLACES ± 0.20 ± --- 1 PLACE ± --- ± --- 0 PLACE ± ± ANGULAR ± 3 ° DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</td><td colspan="2">DIMENSION STYLE MM ONLY</td><td>SCALE NTS</td><td>DESIGN UNITS METRIC</td><td colspan="2">THIRD ANGLE PROJECTION</td></tr><tr><td>DRAWN BY KCHO</td><td>DATE 2004/11/05</td><td colspan="4" rowspan="2">2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H molex</td></tr><tr><td>CHECKED BY PTLIM</td><td>DATE 2004/12/08</td></tr><tr><td colspan="2">APPROVED BY MLONG</td><td>DATE 2010/09/06</td><td colspan="4" rowspan="2">DOCUMENT NO. SD-87914-013</td></tr><tr><td colspan="2">MATERIAL NO.</td><td>SHEET NO. 7 OF 45</td></tr><tr><td colspan="2">SIZE A3</td><td colspan="4">THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION</td></tr><tr><td colspan="2"></td><td colspan="4"></td></tr><tr><td colspan="2"></td><td colspan="4"></td></tr><tr><td colspan="2"></td><td colspan="4"></td></tr><tr><td colspan="2"></td><td colspan="4"></td></tr></table>																			SHT 7, #879140847 EC NO: S2014-0048 DRWN:ATSEE 2013/07/11 CHKD:SKANG 2013/07/11 APPR:MLONG 2013/10/09 REV D14	QUALITY SYMBOLS =0 =0 =0	GENERAL TOLERANCES (UNLESS SPECIFIED) mm INCH 4 PLACES ± --- ± --- 3 PLACES ± --- ± --- 2 PLACES ± 0.20 ± --- 1 PLACE ± --- ± --- 0 PLACE ± ± ANGULAR ± 3 ° DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	DIMENSION STYLE MM ONLY		SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION		DRAWN BY KCHO	DATE 2004/11/05	2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H molex				CHECKED BY PTLIM	DATE 2004/12/08	APPROVED BY MLONG		DATE 2010/09/06	DOCUMENT NO. SD-87914-013				MATERIAL NO.		SHEET NO. 7 OF 45	SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																											
SHT 7, #879140847 EC NO: S2014-0048 DRWN:ATSEE 2013/07/11 CHKD:SKANG 2013/07/11 APPR:MLONG 2013/10/09 REV D14	QUALITY SYMBOLS =0 =0 =0	GENERAL TOLERANCES (UNLESS SPECIFIED) mm INCH 4 PLACES ± --- ± --- 3 PLACES ± --- ± --- 2 PLACES ± 0.20 ± --- 1 PLACE ± --- ± --- 0 PLACE ± ± ANGULAR ± 3 ° DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	DIMENSION STYLE MM ONLY		SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION																																																																				
			DRAWN BY KCHO	DATE 2004/11/05	2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H molex																																																																						
			CHECKED BY PTLIM	DATE 2004/12/08																																																																							
			APPROVED BY MLONG		DATE 2010/09/06	DOCUMENT NO. SD-87914-013																																																																					
			MATERIAL NO.		SHEET NO. 7 OF 45																																																																						
			SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																																																						
fb_frame_A3_P_AM_T Rev. G 2012/01/11	9	8	7	6	5	4	3	2	1																																																																		

10		9		8		7		6		5		4		3		2		1		
F	PART NO FOR TRAY PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION					F						
	A	B	F	M	P															
	87914-1211	-----	-----	-----	-----	12	-----	1	15.24	12.70	10.92	5.84	2.79							
	-----	87914-1291	-----	-----	-----	12	-----	9	15.24	12.70	10.92	5.84	2.79							
	87914-1221	-----	-----	-----	-----	12	-----	1	15.24	12.70	12.25	7.00	2.96							
	87914-1231	-----	-----	-----	-----	12	-----	1	15.24	12.70	13.38	6.09	5.00							
	87914-1212	-----	-----	-----	-----	12	-----	2	15.24	12.70	10.92	5.84	2.79							
E	87914-1222	-----	-----	-----	-----	12	-----	2	15.24	12.70	12.25	7.00	2.96	E						
	87914-1232	-----	-----	-----	-----	12	-----	2	15.24	12.70	13.38	6.09	5.00							
	87914-1213	-----	-----	-----	-----	12	-----	3	15.24	12.70	10.92	5.84	2.79							
	87914-1223	-----	-----	-----	-----	12	-----	3	15.24	12.70	12.25	7.00	2.96							
	87914-1233	-----	-----	-----	-----	12	-----	3	15.24	12.70	13.38	6.09	5.00							
D	87914-1214	-----	-----	-----	-----	12	-----	4	15.24	12.70	10.92	5.84	2.79	D						
	87914-1224	-----	-----	-----	-----	12	-----	4	15.24	12.70	12.25	7.00	2.96							
	87914-1234	-----	-----	-----	-----	12	-----	4	15.24	12.70	13.38	6.09	5.00							
	87914-1215	-----	-----	-----	-----	12	-----	5	15.24	12.70	10.92	5.84	2.79							
	87914-1225	-----	-----	-----	-----	12	-----	5	15.24	12.70	12.25	7.00	2.96							
C	87914-1235	-----	-----	-----	-----	12	-----	5	15.24	12.70	13.38	6.09	5.00	C						
	87914-1216	-----	-----	-----	-----	12	-----	6	15.24	12.70	10.92	5.84	2.79							
	87914-1226	-----	-----	-----	-----	12	-----	6	15.24	12.70	12.25	7.00	2.96							
	87914-1236	-----	-----	-----	-----	12	-----	6	15.24	12.70	13.38	6.09	5.00							
B																				B
A																				A

SHT 7, +879140847 EC NO: S2014-0048 DRWN:ATSE 2013/07/11 CHKD:SKANG 2013/07/11 APPR:MLONG 2013/10/09	DESCRIPTION REV	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION				
		  	4 PLACES ± --- 3 PLACES ± --- 2 PLACES ± 0.20 1 PLACE ± --- 0 PLACE ±	mm INCH	DATE 2004/11/05 DATE 2004/12/08 DATE 2010/09/06	DRAWN BY KCHO CHECKED BY PTLIM APPROVED BY MLONG	TITLE 2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H molex						
								ANGULAR ± 3 °		DOCUMENT NO. SD-87914-013	SHEET NO. 9 OF 45		
								DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS					
								SIZE A3				THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION	

fb_frame_A3_P_AM_T Rev. G 2012/01/11		9	8	7	6	5	4	3	2	1
---	--	---	---	---	---	---	---	---	---	---

	10		9		8		7		6		5		4		3		2		1		
F	PART NO FOR TRAY PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION						F						
									A	B	F	M	P								
	87914-1251	-----	-----	-----	-----	12	-----	1	15.24	12.70	18.40	13.08	3.03								
	87914-1252	-----	-----	-----	-----	12	-----	2	15.24	12.70	18.40	13.08	3.03								
	87914-1253	-----	-----	-----	-----	12	-----	3	15.24	12.70	18.40	13.08	3.03								
	87914-1254	-----	-----	-----	-----	12	-----	4	15.24	12.70	18.40	13.08	3.03								
	87914-1255	-----	-----	-----	-----	12	-----	5	15.24	12.70	18.40	13.08	3.03								
	87914-1256	-----	-----	-----	-----	12	-----	6	15.24	12.70	18.40	13.08	3.03								
E	87914-1241	-----	-----	-----	-----	12	-----	1	15.24	12.70	12.50	6.95	3.26								
	87914-1242	-----	-----	-----	-----	12	-----	2	15.24	12.70	12.50	6.95	3.26								
	87914-1243	-----	-----	-----	-----	12	-----	3	15.24	12.70	12.50	6.95	3.26								
	87914-1244	-----	-----	-----	-----	12	-----	4	15.24	12.70	12.50	6.95	3.26								
	87914-1245	-----	-----	-----	-----	12	-----	5	15.24	12.70	12.50	6.95	3.26								
	87914-1246	-----	-----	-----	-----	12	-----	6	15.24	12.70	29.26	23.32	3.65								
D																					
C																					
B																					
A	SHT 7, +879140847 EC NO: S2014-0048 DRWN:ATSE 2013/07/11 CHKD:SKANG 2013/07/11 APPR:MLONG 2013/10/09		QUALITY SYMBOLS F=0 F=0 F=0		GENERAL TOLERANCES (UNLESS SPECIFIED) mm INCH 4 PLACES ± --- ± --- 3 PLACES ± --- ± --- 2 PLACES ± 0.20 ± --- 1 PLACE ± --- ± --- 0 PLACE ± ± ANGULAR ± 3 °			DIMENSION STYLE MM ONLY DRAWN BY DATE KCHO 2004/11/05 CHECKED BY DATE PTL IM 2004/12/08 APPROVED BY DATE MLONG 2010/09/06		SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION		2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H		molex		DOCUMENT NO. SD-87914-013		SHEET NO. 10 OF 45	
	D14		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION													
fb_frame_A3_P_AM_T Rev. G 2012/01/11		9		8		7		6		5		4		3		2		1			

10		9		8		7		6		5		4		3		2		1		
F	PART NO FOR TRAY PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION											
	A	B	F	M	P															
F	87914-1411	-----	-----	-----	-----	14	-----	1	17.78	15.24	10.92	5.84	2.79							
	87914-1421	-----	-----	-----	-----	14	-----	1	17.78	15.24	12.25	7.00	2.96							
	87914-1431	-----	-----	-----	-----	14	-----	1	17.78	15.24	13.38	6.09	5.00							
	87914-1412	-----	-----	-----	-----	14	-----	2	17.78	15.24	10.92	5.84	2.79							
	87914-1422	-----	-----	-----	-----	14	-----	2	17.78	15.24	12.25	7.00	2.96							
	87914-1432	-----	-----	-----	-----	14	-----	2	17.78	15.24	13.38	6.09	5.00							
E	87914-1413	-----	-----	-----	-----	14	-----	3	17.78	15.24	10.92	5.84	2.79							
	87914-1423	-----	-----	-----	-----	14	-----	3	17.78	15.24	12.25	7.00	2.96							
	87914-1433	-----	-----	-----	-----	14	-----	3	17.78	15.24	13.38	6.09	5.00							
D	87914-1414	-----	-----	-----	-----	14	-----	4	17.78	15.24	10.92	5.84	2.79							
	87914-1424	-----	-----	-----	-----	14	-----	4	17.78	15.24	12.25	7.00	2.96							
	87914-1434	-----	-----	-----	-----	14	-----	4	17.78	15.24	13.38	6.09	5.00							
	87914-1415	-----	-----	-----	-----	14	-----	5	17.78	15.24	10.92	5.84	2.79							
	87914-1425	-----	-----	-----	-----	14	-----	5	17.78	15.24	12.25	7.00	2.96							
	87914-1435	-----	-----	-----	-----	14	-----	5	17.78	15.24	13.38	6.09	5.00							
C	87914-1416	-----	-----	-----	-----	14	-----	6	17.78	15.24	10.92	5.84	2.79							
	87914-1426	-----	-----	-----	-----	14	-----	6	17.78	15.24	12.25	7.00	2.96							
	87914-1436	-----	-----	-----	-----	14	-----	6	17.78	15.24	13.38	6.09	5.00							
	87914-0007	-----	-----	-----	-----	14	-----	6	17.78	15.24	13.42	8.08	3.05							
B																				
A																				
fb_frame_A3_P_AM_T Rev. G 2012/01/11		9	8	7	6	5	4	3	2	1										

SHT 7, +879140847 EC NO: S2014-0048 DRM:ATSE 2013/07/11 CHKD:SKANG 2013/07/11 APPR:MLONG 2013/10/09	DESCRIPTION REV	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION	
		 		mm	INCH	DRAWN BY KCHO	DATE 2004/11/05	TITLE 2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H molex	DOCUMENT NO. SD-87914-013	SHEET NO. 11 OF 45
			4 PLACES	± ---	± ---	CHECKED BY PTLIM	DATE 2004/12/08			
			3 PLACES	± ---	± ---	APPROVED BY MLONG	DATE 2010/09/06			
			2 PLACES	± 0.20	± ---					
			1 PLACE	± ---	± ---					
		0 PLACE	±	±						
		ANGULAR ± 3 °			MATERIAL NO.					
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			SEE TABLE					
		SIZE A3			THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					

										10					9					8					7					6					5					4					3					2					1																																							
										PART NO. FOR TRAY PACKAGING					PART NO. FOR TUBE WITHOUT CAP PACKAGING					PART NO. FOR TUBE WITH CAP PACKAGING					PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING					PART NO. FOR TAPE & REEL WITH CAP PACKAGING					CKT SIZE					VOID POSITION					PLATING TYPE					DIMENSION																																												
																																																		A		B		F		M		P																																				
F										87914-1441					-----					-----					-----					-----					14					-----					1					17.78		15.24		13.42		8.08		3.05		F																																		
										87914-1442					-----					-----					-----					-----					14					-----					2					17.78		15.24		13.42		8.08		3.05																																				
										87914-1443					-----					-----					-----					-----					14					-----					3					17.78		15.24		13.42		8.08		3.05																																				
										87914-1444					-----					-----					-----					-----					14					-----					4					17.78		15.24		13.42		8.08		3.05																																				
										87914-1445					-----					-----					-----					-----					14					-----					5					17.78		15.24		13.42		8.08		3.05																																				
E																																																																																E														
D																																																																																					D									
C																																																																																					C									

10			9		8		7		6		5		4		3		2		1																										
PART NO FOR TRAY PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION																																					
								A	B	F	M	P																																	
F	87914-1611	-----	-----	-----	-----	16	----	1	20.32	17.78	10.92	5.84	2.79																																
	87914-1621	-----	-----	-----	-----	16	----	1	20.32	17.78	12.25	7.00	2.96																																
	87914-1631	-----	-----	-----	-----	16	----	1	20.32	17.78	13.38	6.09	5.00																																
	87914-1612	-----	-----	-----	-----	16	----	2	20.32	17.78	10.92	5.84	2.79																																
	87914-1622	-----	-----	-----	-----	16	----	2	20.32	17.78	12.25	7.00	2.96																																
	87914-1632	-----	-----	-----	-----	16	----	2	20.32	17.78	13.38	6.09	5.00																																
E	87914-1613	-----	-----	-----	-----	16	----	3	20.32	17.78	10.92	5.84	2.79																																
	87914-1623	-----	-----	-----	-----	16	----	3	20.32	17.78	12.25	7.00	2.96																																
	87914-1633	-----	-----	-----	-----	16	----	3	20.32	17.78	13.38	6.09	5.00																																
D	87914-1614	-----	-----	-----	-----	16	----	4	20.32	17.78	10.92	5.84	2.79																																
	87914-1624	-----	-----	-----	-----	16	----	4	20.32	17.78	12.25	7.00	2.96																																
	87914-1634	-----	-----	-----	-----	16	----	4	20.32	17.78	13.38	6.09	5.00																																
	87914-1615	-----	-----	-----	-----	16	----	5	20.32	17.78	10.92	5.84	2.79																																
	87914-1625	-----	-----	-----	-----	16	----	5	20.32	17.78	12.25	7.00	2.96																																
	87914-1635	-----	-----	-----	-----	16	----	5	20.32	17.78	13.38	6.09	5.00																																
C	87914-1616	-----	-----	-----	-----	16	----	6	20.32	17.78	10.92	5.84	2.79																																
	87914-1626	-----	-----	-----	-----	16	----	6	20.32	17.78	12.25	7.00	2.96																																
	87914-1636	-----	-----	-----	-----	16	----	6	20.32	17.78	13.38	6.09	5.00																																
	87914-1600	-----	-----	-----	-----	16	----	6	20.32	17.78	9.49	4.50	2.70																																
	87914-1637	-----	-----	-----	-----	16	----	6	20.32	17.78	15.79	10.45	3.05																																
B																																													
A	SHT 7, +879140847 EC NO: SZ014-0048 DRWN:ATSEE 2013/07/11 CHKD:SKANG 2013/07/11 APPR:MLONG 2013/10/09							QUALITY SYMBOLS 	GENERAL TOLERANCES (UNLESS SPECIFIED) <table><tr><td></td><td>mm</td><td>INCH</td></tr><tr><td>4 PLACES</td><td>± ---</td><td>± ---</td></tr><tr><td>3 PLACES</td><td>± ---</td><td>± ---</td></tr><tr><td>2 PLACES</td><td>± 0.20</td><td>± ---</td></tr><tr><td>1 PLACE</td><td>± ---</td><td>± ---</td></tr><tr><td>0 PLACE</td><td>±</td><td>±</td></tr></table>		mm	INCH	4 PLACES	± ---	± ---	3 PLACES	± ---	± ---	2 PLACES	± 0.20	± ---	1 PLACE	± ---	± ---	0 PLACE	±	±	DIMENSION STYLE MM ONLY <table><tr><td>DRAWN BY</td><td>DATE</td></tr><tr><td>KCHO</td><td>2004/11/05</td></tr><tr><td>CHECKED BY</td><td>DATE</td></tr><tr><td>PTLIM</td><td>2004/12/08</td></tr><tr><td>APPROVED BY</td><td>DATE</td></tr><tr><td>MLONG</td><td>2010/09/06</td></tr></table>	DRAWN BY	DATE	KCHO	2004/11/05	CHECKED BY	DATE	PTLIM	2004/12/08	APPROVED BY	DATE	MLONG	2010/09/06	SCALE NTS	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION	2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H	
		mm	INCH																																										
	4 PLACES	± ---	± ---																																										
	3 PLACES	± ---	± ---																																										
	2 PLACES	± 0.20	± ---																																										
	1 PLACE	± ---	± ---																																										
	0 PLACE	±	±																																										
	DRAWN BY	DATE																																											
	KCHO	2004/11/05																																											
	CHECKED BY	DATE																																											
PTLIM	2004/12/08																																												
APPROVED BY	DATE																																												
MLONG	2010/09/06																																												
SEE TABLE												DOCUMENT NO. SD-87914-013		SHEET NO. 13 OF 45																															
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS												THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																	
SIZE A3																																													

fb_frame_A3_P_AM_T Rev. G 2012/01/11			9		8		7		6		5		4		3		2		1	
---	--	--	---	--	---	--	---	--	---	--	---	--	---	--	---	--	---	--	---	--

	10		9		8		7		6		5		4		3		2		1		
	PART NO FOR TRAY PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION												
									A	B	F	M	P								
F	87914-2211	-----	-----	-----	-----	22	-----	1	27.94	25.40	10.92	5.84	2.79								F
	87914-2221	-----	-----	-----	-----	22	-----	1	27.94	25.40	12.25	7.00	2.96								
	87914-2231	-----	-----	-----	-----	22	-----	1	27.94	25.40	13.38	6.09	5.00								
	87914-2212	-----	-----	-----	-----	22	-----	2	27.94	25.40	10.92	5.84	2.79								
	87914-2222	-----	-----	-----	-----	22	-----	2	27.94	25.40	12.25	7.00	2.96								
	87914-2232	-----	-----	-----	-----	22	-----	2	27.94	25.40	13.38	6.09	5.00								
E	87914-2213	-----	-----	-----	-----	22	-----	3	27.94	25.40	10.92	5.84	2.79								E
	87914-2223	-----	-----	-----	-----	22	-----	3	27.94	25.40	12.25	7.00	2.96								
	87914-2233	-----	-----	-----	-----	22	-----	3	27.94	25.40	13.38	6.09	5.00								
	87914-2214	-----	-----	-----	-----	22	-----	4	27.94	25.40	10.92	5.84	2.79								
	87914-2224	-----	-----	-----	-----	22	-----	4	27.94	25.40	12.25	7.00	2.96								
	87914-2234	-----	-----	-----	-----	22	-----	4	27.94	25.40	13.38	6.09	5.00								
D	87914-2215	-----	-----	-----	-----	22	-----	5	27.94	25.40	10.92	5.84	2.79								D
	87914-2225	-----	-----	-----	-----	22	-----	5	27.94	25.40	12.25	7.00	2.96								
	87914-2235	-----	-----	-----	-----	22	-----	5	27.94	25.40	13.38	6.09	5.00								
	87914-2216	-----	-----	-----	-----	22	-----	6	27.94	25.40	10.92	5.84	2.79								
	87914-2226	-----	-----	-----	-----	22	-----	6	27.94	25.40	12.25	7.00	2.96								
	87914-2236	-----	-----	-----	-----	22	-----	6	27.94	25.40	13.38	6.09	5.00								
C																					C
B																					B
A	SHT 7, +879140847 EC NO: SZ014-0048 DRWN:ATSE 2013/07/11 CHKD:SKANG 2013/07/11 APPR:MLONG 2013/10/09								QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION STYLE MM ONLY		SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION				
									=0	4 PLACES	± ---	± ---	DRAWN BY KCHO	DATE 2004/11/05	2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H						
									=0	3 PLACES	± ---	± ---	CHECKED BY PTL IM	DATE 2004/12/08							
									=0	2 PLACES	± 0.20	± ---	APPROVED BY MLONG	DATE 2010/09/06	molex						
										1 PLACE	± ---	± ---	MATERIAL NO.							DOCUMENT NO.	SHEET NO.
										0 PLACE	±	±	SEE TABLE		SD-87914-013		16 OF 45				
									ANGULAR ± 3 °												
									DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			SIZE A3	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION								
fb_frame_A3_P_AM_T Rev. G 2012/01/11		9		8		7		6		5		4		3		2		1			

10		9		8		7		6		5		4		3		2		1																																																																																												
PART NO FOR TRAY PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION																																																																																																						
								A	B	F	M	P																																																																																																		
F	87914-2411	-----	-----	-----	-----	24	-----	1	30.48	27.94	10.92	5.84	2.79																																																																																																	
	87914-2421	-----	-----	-----	-----	24	-----	1	30.48	27.94	12.25	7.00	2.96																																																																																																	
	87914-2431	-----	-----	-----	-----	24	-----	1	30.48	27.94	13.38	6.09	5.00																																																																																																	
	87914-2412	-----	-----	-----	-----	24	-----	2	30.48	27.94	10.92	5.84	2.79																																																																																																	
	87914-2422	-----	-----	-----	-----	24	-----	2	30.48	27.94	12.25	7.00	2.96																																																																																																	
	87914-2432	-----	-----	-----	-----	24	-----	2	30.48	27.94	13.38	6.09	5.00																																																																																																	
E	87914-2413	-----	-----	-----	-----	24	-----	3	30.48	27.94	10.92	5.84	2.79																																																																																																	
	87914-2423	-----	-----	-----	-----	24	-----	3	30.48	27.94	12.25	7.00	2.96																																																																																																	
	87914-2433	-----	-----	-----	-----	24	-----	3	30.48	27.94	13.38	6.09	5.00																																																																																																	
	87914-2414	-----	-----	-----	-----	24	-----	4	30.48	27.94	10.92	5.84	2.79																																																																																																	
	87914-2424	-----	-----	-----	-----	24	-----	4	30.48	27.94	12.25	7.00	2.96																																																																																																	
	87914-2434	-----	-----	-----	-----	24	-----	4	30.48	27.94	13.38	6.09	5.00																																																																																																	
D	87914-2415	-----	-----	-----	-----	24	-----	5	30.48	27.94	10.92	5.84	2.79																																																																																																	
	87914-2425	-----	-----	-----	-----	24	-----	5	30.48	27.94	12.25	7.00	2.96																																																																																																	
	87914-2435	-----	-----	-----	-----	24	-----	5	30.48	27.94	13.38	6.09	5.00																																																																																																	
	87914-2416	-----	-----	-----	-----	24	-----	6	30.48	27.94	10.92	5.84	2.79																																																																																																	
	87914-2426	-----	-----	-----	-----	24	-----	6	30.48	27.94	12.25	7.00	2.96																																																																																																	
	87914-2436	-----	-----	-----	-----	24	-----	6	30.48	27.94	13.38	6.09	5.00																																																																																																	
C																																																																																																														
B																																																																																																														
A	<table><tr><td rowspan="2">SHT 7, +879140847 EC NO: SZ014-0048 DRWN:ATSE 2013/07/11 CHKD:SKANG 2013/07/11 APPR:MLONG 2013/10/09</td><td rowspan="2">QUALITY SYMBOLS F=0 F=0 F=0</td><td colspan="2">GENERAL TOLERANCES (UNLESS SPECIFIED)</td><td colspan="2">DIMENSION STYLE MM ONLY</td><td>SCALE NTS</td><td>DESIGN UNITS METRIC</td><td colspan="2">THIRD ANGLE PROJECTION</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td rowspan="2">D14</td><td rowspan="2">REV</td><td colspan="2">4 PLACES ± --- ± ---</td><td colspan="2">DRAWN BY DATE KCHO 2004/11/05</td><td colspan="3" rowspan="2">2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H molex</td><td rowspan="2">SHEET NO. 17 OF 45</td></tr><tr><td colspan="2">3 PLACES ± --- ± ---</td><td colspan="2">CHECKED BY DATE PTL IM 2004/12/08</td></tr><tr><td colspan="2"></td><td colspan="2">2 PLACES ± 0.20 ± ---</td><td colspan="2">APPROVED BY DATE MLONG 2010/09/06</td><td colspan="3"></td><td></td></tr><tr><td colspan="2"></td><td colspan="2">1 PLACE ± --- ± ---</td><td colspan="2"></td><td colspan="3"></td><td></td></tr><tr><td colspan="2"></td><td colspan="2">0 PLACE ± ±</td><td colspan="2"></td><td colspan="3"></td><td></td></tr><tr><td colspan="2"></td><td colspan="2">ANGULAR ± 3 °</td><td colspan="2"></td><td colspan="3"></td><td></td></tr><tr><td colspan="2"></td><td colspan="2">DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</td><td colspan="2"></td><td colspan="3"></td><td></td></tr><tr><td colspan="2"></td><td colspan="2">SIZE A3</td><td colspan="2"></td><td colspan="3"></td><td></td></tr></table>																		SHT 7, +879140847 EC NO: SZ014-0048 DRWN:ATSE 2013/07/11 CHKD:SKANG 2013/07/11 APPR:MLONG 2013/10/09	QUALITY SYMBOLS F=0 F=0 F=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION										D14	REV	4 PLACES ± --- ± ---		DRAWN BY DATE KCHO 2004/11/05		2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H molex			SHEET NO. 17 OF 45	3 PLACES ± --- ± ---		CHECKED BY DATE PTL IM 2004/12/08				2 PLACES ± 0.20 ± ---		APPROVED BY DATE MLONG 2010/09/06								1 PLACE ± --- ± ---										0 PLACE ± ±										ANGULAR ± 3 °										DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS										SIZE A3							
	SHT 7, +879140847 EC NO: SZ014-0048 DRWN:ATSE 2013/07/11 CHKD:SKANG 2013/07/11 APPR:MLONG 2013/10/09	QUALITY SYMBOLS F=0 F=0 F=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION																																																																																																					
	D14	REV	4 PLACES ± --- ± ---		DRAWN BY DATE KCHO 2004/11/05		2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H molex			SHEET NO. 17 OF 45																																																																																																				
			3 PLACES ± --- ± ---		CHECKED BY DATE PTL IM 2004/12/08																																																																																																									
			2 PLACES ± 0.20 ± ---		APPROVED BY DATE MLONG 2010/09/06																																																																																																									
		1 PLACE ± --- ± ---																																																																																																												
		0 PLACE ± ±																																																																																																												
		ANGULAR ± 3 °																																																																																																												
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS																																																																																																												
		SIZE A3																																																																																																												

10		9		8		7		6		5		4		3		2		1																																															
PART NO FOR TRAY PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION																																																									
								A	B	F	M	P																																																					
F	87914-2611	-----	-----	-----	-----	26	-----	1	33.02	30.48	10.92	5.84	2.79																																																				
	87914-2621	-----	-----	-----	-----	26	-----	1	33.02	30.48	12.25	7.00	2.96																																																				
	87914-2631	-----	-----	-----	-----	26	-----	1	33.02	30.48	13.38	6.09	5.00																																																				
	87914-2612	-----	-----	-----	-----	26	-----	2	33.02	30.48	10.92	5.84	2.79																																																				
	87914-2622	-----	-----	-----	-----	26	-----	2	33.02	30.48	12.25	7.00	2.96																																																				
	87914-2632	-----	-----	-----	-----	26	-----	2	33.02	30.48	13.38	6.09	5.00																																																				
E	87914-2613	-----	-----	-----	-----	26	-----	3	33.02	30.48	10.92	5.84	2.79																																																				
	87914-2623	-----	-----	-----	-----	26	-----	3	33.02	30.48	12.25	7.00	2.96																																																				
	87914-2633	-----	-----	-----	-----	26	-----	3	33.02	30.48	13.38	6.09	5.00																																																				
	87914-2614	-----	-----	-----	-----	26	-----	4	33.02	30.48	10.92	5.84	2.79																																																				
D	87914-2624	-----	-----	-----	-----	26	-----	4	33.02	30.48	12.25	7.00	2.96																																																				
	87914-2634	-----	-----	-----	-----	26	-----	4	33.02	30.48	13.38	6.09	5.00																																																				
	87914-2615	-----	-----	-----	-----	26	-----	5	33.02	30.48	10.92	5.84	2.79																																																				
	87914-2625	-----	-----	-----	-----	26	-----	5	33.02	30.48	12.25	7.00	2.96																																																				
	87914-2635	-----	-----	-----	-----	26	-----	5	33.02	30.48	13.38	6.09	5.00																																																				
	87914-2616	-----	-----	-----	-----	26	-----	6	33.02	30.48	10.92	5.84	2.79																																																				
C	87914-2626	-----	-----	-----	-----	26	-----	6	33.02	30.48	12.25	7.00	2.96																																																				
	87914-2636	-----	-----	-----	-----	26	-----	6	33.02	30.48	13.38	6.09	5.00																																																				
B																																																																	
A																																																																	
<table><tr><td rowspan="4">SHT 7, +879140847 EC NO: SZ014-0048 DRWN:ATSE 2013/07/11 CHKD:SKANG 2013/07/11 APPR:MLONG 2013/10/09</td><td rowspan="4">QUALITY SYMBOLS F=0 F=0 F=0</td><td rowspan="4">GENERAL TOLERANCES (UNLESS SPECIFIED) 4 PLACES ± --- ± --- 3 PLACES ± --- ± --- 2 PLACES ± 0.20 ± --- 1 PLACE ± --- ± --- 0 PLACE ± ± ANGULAR ± 3 °</td><td colspan="2">DIMENSION STYLE MM ONLY</td><td>SCALE NTS</td><td>DESIGN UNITS METRIC</td><td rowspan="4"> THIRD ANGLE PROJECTION</td></tr><tr><td colspan="2">DRAWN BY KCHO</td><td>DATE 2004/11/05</td><td colspan="2" rowspan="3">2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H molex</td></tr><tr><td colspan="2">CHECKED BY PTL IM</td><td>DATE 2004/12/08</td></tr><tr><td colspan="2">APPROVED BY MLONG</td><td>DATE 2010/09/06</td></tr><tr><td colspan="2">DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</td><td>SIZE A3</td><td colspan="4">SEE TABLE</td><td>DOCUMENT NO. SD-87914-013</td><td>SHEET NO. 18 OF 45</td></tr><tr><td colspan="19">THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION</td></tr></table>																			SHT 7, +879140847 EC NO: SZ014-0048 DRWN:ATSE 2013/07/11 CHKD:SKANG 2013/07/11 APPR:MLONG 2013/10/09	QUALITY SYMBOLS F=0 F=0 F=0	GENERAL TOLERANCES (UNLESS SPECIFIED) 4 PLACES ± --- ± --- 3 PLACES ± --- ± --- 2 PLACES ± 0.20 ± --- 1 PLACE ± --- ± --- 0 PLACE ± ± ANGULAR ± 3 °	DIMENSION STYLE MM ONLY		SCALE NTS	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION	DRAWN BY KCHO		DATE 2004/11/05	2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H molex		CHECKED BY PTL IM		DATE 2004/12/08	APPROVED BY MLONG		DATE 2010/09/06	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SIZE A3	SEE TABLE				DOCUMENT NO. SD-87914-013	SHEET NO. 18 OF 45	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																		
SHT 7, +879140847 EC NO: SZ014-0048 DRWN:ATSE 2013/07/11 CHKD:SKANG 2013/07/11 APPR:MLONG 2013/10/09	QUALITY SYMBOLS F=0 F=0 F=0	GENERAL TOLERANCES (UNLESS SPECIFIED) 4 PLACES ± --- ± --- 3 PLACES ± --- ± --- 2 PLACES ± 0.20 ± --- 1 PLACE ± --- ± --- 0 PLACE ± ± ANGULAR ± 3 °	DIMENSION STYLE MM ONLY		SCALE NTS	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION																																																										
			DRAWN BY KCHO		DATE 2004/11/05	2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H molex																																																											
			CHECKED BY PTL IM		DATE 2004/12/08																																																												
			APPROVED BY MLONG		DATE 2010/09/06																																																												
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SIZE A3	SEE TABLE				DOCUMENT NO. SD-87914-013	SHEET NO. 18 OF 45																																																									
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																																																	

10		9		8		7		6		5		4		3		2		1			
PART NO FOR TRAY PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION													
								A	B	F	M	P									
F	87914-2811	-----	-----	-----	-----	28	-----	1	35.56	33.02	10.92	5.84	2.79	F							
	87914-2821	-----	-----	-----	-----	28	-----	1	35.56	33.02	12.25	7.00	2.96								
	87914-2831	-----	-----	-----	-----	28	-----	1	35.56	33.02	13.38	6.09	5.00								
	87914-2812	-----	-----	-----	-----	28	-----	2	35.56	33.02	10.92	5.84	2.79								
	87914-2822	-----	-----	-----	-----	28	-----	2	35.56	33.02	12.25	7.00	2.96								
E	87914-2832	-----	-----	-----	-----	28	-----	2	35.56	33.02	13.38	6.09	5.00	E							
	87914-2813	-----	-----	-----	-----	28	-----	3	35.56	33.02	10.92	5.84	2.79								
	87914-2823	-----	-----	-----	-----	28	-----	3	35.56	33.02	12.25	7.00	2.96								
	87914-2833	-----	-----	-----	-----	28	-----	3	35.56	33.02	13.38	6.09	5.00								
	87914-2814	-----	-----	-----	-----	28	-----	4	35.56	33.02	10.92	5.84	2.79								
D	87914-2824	-----	-----	-----	-----	28	-----	4	35.56	33.02	12.25	7.00	2.96	D							
	87914-2834	-----	-----	-----	-----	28	-----	4	35.56	33.02	13.38	6.09	5.00								
	87914-2815	-----	-----	-----	-----	28	-----	5	35.56	33.02	10.92	5.84	2.79								
	87914-2825	-----	-----	-----	-----	28	-----	5	35.56	33.02	12.25	7.00	2.96								
	87914-2835	-----	-----	-----	-----	28	-----	5	35.56	33.02	13.38	6.09	5.00								
C	87914-2816	-----	-----	-----	-----	28	-----	6	35.56	33.02	10.92	5.84	2.79	C							
	87914-2826	-----	-----	-----	-----	28	-----	6	35.56	33.02	12.25	7.00	2.96								
	87914-2836	-----	-----	-----	-----	28	-----	6	35.56	33.02	13.38	6.09	5.00								
B														B							
A														A							
SHT 7, +879140847 EC NO: S2014-0048 DRW:ATSEE 2013/07/11 CHKD:SKANG 2013/07/11 APPR:MLONG 2013/10/09 QUALITY SYMBOLS DESCRIPTION GENERAL TOLERANCES (UNLESS SPECIFIED) mm 4 PLACES ± --- 3 PLACES ± --- 2 PLACES ± 0.20 1 PLACE ± --- 0 PLACE ± INCH ± --- ± --- ± --- ± DIMENSION STYLE MM ONLY DRAWN BY DATE CHECKED BY DATE APPROVED BY DATE MATERIAL NO. DOCUMENT NO. SHEET NO. 19 OF 45 SCALE NTS DESIGN UNITS METRIC THIRD ANGLE PROJECTION 2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H molex SD-87914-013 DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS SEE TABLE SIZE A3 THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION <tr><td colspan="2">fb_frame_A3_P_AM_T Rev. G 2012/01/11</td><td>9</td><td>8</td><td>7</td><td>6</td><td>5</td><td>4</td><td>3</td><td>2</td><td>1</td><td colspan="3"></td></tr>								fb_frame_A3_P_AM_T Rev. G 2012/01/11		9	8	7	6	5	4	3	2	1			
fb_frame_A3_P_AM_T Rev. G 2012/01/11		9	8	7	6	5	4	3	2	1											

10		9		8		7		6		5		4		3		2		1			
PART NO FOR TRAY PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION													
								A	B	F	M	P									
F	87914-3011	-----	-----	-----	-----	30	----	1	38.10	35.56	10.92	5.84	2.79								
	87914-3021	-----	-----	-----	-----	30	----	1	38.10	35.56	12.25	7.00	2.96								
	87914-3031	-----	-----	-----	-----	30	----	1	38.10	35.56	13.38	6.09	5.00								
	87914-3012	-----	-----	-----	-----	30	----	2	38.10	35.56	10.92	5.84	2.79								
	87914-3022	-----	-----	-----	-----	30	----	2	38.10	35.56	12.25	7.00	2.96								
	87914-3032	-----	-----	-----	-----	30	----	2	38.10	35.56	13.38	6.09	5.00								
E	87914-3013	-----	-----	-----	-----	30	----	3	38.10	35.56	10.92	5.84	2.79								
	87914-3023	-----	-----	-----	-----	30	----	3	38.10	35.56	12.25	7.00	2.96								
	87914-3033	-----	-----	-----	-----	30	----	3	38.10	35.56	13.38	6.09	5.00								
D	87914-3014	-----	-----	-----	-----	30	----	4	38.10	35.56	10.92	5.84	2.79								
	87914-3024	-----	-----	-----	-----	30	----	4	38.10	35.56	12.25	7.00	2.96								
	87914-3034	-----	-----	-----	-----	30	----	4	38.10	35.56	13.38	6.09	5.00								
	87914-3015	-----	-----	-----	-----	30	----	5	38.10	35.56	10.92	5.84	2.79								
	87914-3025	-----	-----	-----	-----	30	----	5	38.10	35.56	12.25	7.00	2.96								
	87914-3035	-----	-----	-----	-----	30	----	5	38.10	35.56	13.38	6.09	5.00								
C	87914-3016	-----	-----	-----	-----	30	----	6	38.10	35.56	10.92	5.84	2.79								
	87914-3026	-----	-----	-----	-----	30	----	6	38.10	35.56	12.25	7.00	2.96								
	87914-3036	-----	-----	-----	-----	30	----	6	38.10	35.56	13.38	6.09	5.00								
B																					
A																					
								SHT 7, +879140847 EC NO: S2014-0048 DRWN:ATSE 2013/07/11 CHKD:SKANG 2013/07/11 APPR:MLONG 2013/10/09		QUALITY SYMBOLS F=0 F=0 F=0		GENERAL TOLERANCES (UNLESS SPECIFIED) mm INCH 4 PLACES ± --- ± --- 3 PLACES ± --- ± --- 2 PLACES ± 0.20 ± --- 1 PLACE ± --- ± --- 0 PLACE ± ± ANGULAR ± 3 °		DIMENSION STYLE MM ONLY DRAWN BY DATE KCHO 2004/11/05 CHECKED BY DATE PTL IM 2004/12/08 APPROVED BY DATE MLONG 2010/09/06		SCALE NTS		DESIGN UNITS METRIC		THIRD ANGLE PROJECTION	
								DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H molex		DOCUMENT NO. SD-87914-013		SHEET NO. 20 OF 45			
fb_frame_A3_P_AM_T Rev. G 2012/01/11		9		8		7		6		5		4		3		2		1			

10		9		8		7		6		5		4		3		2		1	
F	PART NO FOR TRAY PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION						F				
	A	B	F	M	P														
	87914-3211	-----	-----	-----	-----	32	-----	1	40.64	38.10	10.92	5.84	2.79						
	87914-3221	-----	-----	-----	-----	32	-----	1	40.64	38.10	12.25	7.00	2.96						
	87914-3231	-----	-----	-----	-----	32	-----	1	40.64	38.10	13.38	6.09	5.00						
	87914-3212	-----	-----	-----	-----	32	-----	2	40.64	38.10	10.92	5.84	2.79						
	87914-3222	-----	-----	-----	-----	32	-----	2	40.64	38.10	12.25	7.00	2.96						
	87914-3232	-----	-----	-----	-----	32	-----	2	40.64	38.10	13.38	6.09	5.00						
E	87914-3213	-----	-----	-----	-----	32	-----	3	40.64	38.10	10.92	5.84	2.79	E					
	87914-3223	-----	-----	-----	-----	32	-----	3	40.64	38.10	12.25	7.00	2.96						
	87914-3233	-----	-----	-----	-----	32	-----	3	40.64	38.10	13.38	6.09	5.00						
	87914-3214	-----	-----	-----	-----	32	-----	4	40.64	38.10	10.92	5.84	2.79						
	87914-3224	-----	-----	-----	-----	32	-----	4	40.64	38.10	12.25	7.00	2.96						
	87914-3234	-----	-----	-----	-----	32	-----	4	40.64	38.10	13.38	6.09	5.00						
D	87914-3215	-----	-----	-----	-----	32	-----	5	40.64	38.10	10.92	5.84	2.79	D					
	87914-3225	-----	-----	-----	-----	32	-----	5	40.64	38.10	12.25	7.00	2.96						
	87914-3235	-----	-----	-----	-----	32	-----	5	40.64	38.10	13.38	6.09	5.00						
	87914-3216	-----	-----	-----	-----	32	-----	6	40.64	38.10	10.92	5.84	2.79						
	87914-3226	-----	-----	-----	-----	32	-----	6	40.64	38.10	12.25	7.00	2.96						
	87914-3236	-----	-----	-----	-----	32	-----	6	40.64	38.10	13.38	6.09	5.00						
C														C					
B														B					

10		9		8		7		6		5		4		3		2		1																				
PART NO FOR TRAY PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION																														
								A	B	F	M	D																										
F	87914-3411	-----	-----	-----	-----	34	-----	1	43.18	40.64	10.92	5.84	2.79																									
	87914-3421	-----	-----	-----	-----	34	-----	1	43.18	40.64	12.25	7.00	2.96																									
	87914-3431	-----	-----	-----	-----	34	-----	1	43.18	40.64	13.38	6.09	5.00																									
	87914-3412	-----	-----	-----	-----	34	-----	2	43.18	40.64	10.92	5.84	2.79																									
	87914-3422	-----	-----	-----	-----	34	-----	2	43.18	40.64	12.25	7.00	2.96																									
	87914-3432	-----	-----	-----	-----	34	-----	2	43.18	40.64	13.38	6.09	5.00																									
E	87914-3413	-----	-----	-----	-----	34	-----	3	43.18	40.64	10.92	5.84	2.79																									
	87914-3423	-----	-----	-----	-----	34	-----	3	43.18	40.64	12.25	7.00	2.96																									
	87914-3433	-----	-----	-----	-----	34	-----	3	43.18	40.64	13.38	6.09	5.00																									
	87914-3414	-----	-----	-----	-----	34	-----	4	43.18	40.64	10.92	5.84	2.79																									
	87914-3424	-----	-----	-----	-----	34	-----	4	43.18	40.64	12.25	7.00	2.96																									
	87914-3434	-----	-----	-----	-----	34	-----	4	43.18	40.64	13.38	6.09	5.00																									
D	87914-3415	-----	-----	-----	-----	34	-----	5	43.18	40.64	10.92	5.84	2.79																									
	87914-3425	-----	-----	-----	-----	34	-----	5	43.18	40.64	12.25	7.00	2.96																									
	87914-3435	-----	-----	-----	-----	34	-----	5	43.18	40.64	13.38	6.09	5.00																									
	87914-3416	-----	-----	-----	-----	34	-----	6	43.18	40.64	10.92	5.84	2.79																									
	87914-3426	-----	-----	-----	-----	34	-----	6	43.18	40.64	12.25	7.00	2.96																									
	87914-3436	-----	-----	-----	-----	34	-----	6	43.18	40.64	13.38	6.09	5.00																									
C																																						
B																																						
A	SHT 7, +879140847 EC NO: SZ014-0048 DRWN:ATSEE 2013/07/11 CHKD:SKANG 2013/07/11 APPR:MLONG 2013/10/09							QUALITY SYMBOLS =0 =0 =0		GENERAL TOLERANCES (UNLESS SPECIFIED)<table><tr><td></td><td>mm</td><td>INCH</td></tr><tr><td>4 PLACES</td><td>± ---</td><td>± ---</td></tr><tr><td>3 PLACES</td><td>± ---</td><td>± ---</td></tr><tr><td>2 PLACES</td><td>± 0.20</td><td>± ---</td></tr><tr><td>1 PLACE</td><td>± ---</td><td>± ---</td></tr><tr><td>0 PLACE</td><td>±</td><td></td></tr></table>				mm	INCH	4 PLACES	± ---	± ---	3 PLACES	± ---	± ---	2 PLACES	± 0.20	± ---	1 PLACE	± ---	± ---	0 PLACE	±		DIMENSION STYLE MM ONLY DRAWN BY KCHO DATE 2004/11/05 CHECKED BY PTL IM DATE 2004/12/08 APPROVED BY MLONG DATE 2010/09/06		SCALE NTS		DESIGN UNITS METRIC		 THIRD ANGLE PROJECTION	
		mm	INCH																																			
	4 PLACES	± ---	± ---																																			
	3 PLACES	± ---	± ---																																			
	2 PLACES	± 0.20	± ---																																			
	1 PLACE	± ---	± ---																																			
	0 PLACE	±																																				
										2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H																												
										molex																												
										MATERIAL NO. SEE TABLE																												
									DOCUMENT NO. SD-87914-013																													
									SHEET NO. 22 OF 45																													
									THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																													

fb_frame_A3_P_AM_T Rev. G 2012/01/11		9		8		7		6		5		4		3		2		1	
---	--	---	--	---	--	---	--	---	--	---	--	---	--	---	--	---	--	---	--

10			9		8		7		6		5		4		3		2		1				
PART NO FOR TRAY PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION															
								A	B	F	M	P											
F	87914-3611	-----	-----	-----	-----	36	-----	1	45.72	43.18	10.92	5.84	2.79										
	87914-3621	-----	-----	-----	-----	36	-----	1	45.72	43.18	12.25	7.00	2.96										
	87914-3631	-----	-----	-----	-----	36	-----	1	45.72	43.18	13.38	6.09	5.00										
	87914-3612	-----	-----	-----	-----	36	-----	2	45.72	43.18	10.92	5.84	2.79										
	87914-3622	-----	-----	-----	-----	36	-----	2	45.72	43.18	12.25	7.00	2.96										
	87914-3632	-----	-----	-----	-----	36	-----	2	45.72	43.18	13.38	6.09	5.00										
E	87914-3613	-----	-----	-----	-----	36	-----	3	45.72	43.18	10.92	5.84	2.79										
	87914-3623	-----	-----	-----	-----	36	-----	3	45.72	43.18	12.25	7.00	2.96										
	87914-3633	-----	-----	-----	-----	36	-----	3	45.72	43.18	13.38	6.09	5.00										
	87914-3614	-----	-----	-----	-----	36	-----	4	45.72	43.18	10.92	5.84	2.79										
	87914-3624	-----	-----	-----	-----	36	-----	4	45.72	43.18	12.25	7.00	2.96										
	87914-3634	-----	-----	-----	-----	36	-----	4	45.72	43.18	13.38	6.09	5.00										
D	87914-3615	-----	-----	-----	-----	36	-----	5	45.72	43.18	10.92	5.84	2.79										
	87914-3625	-----	-----	-----	-----	36	-----	5	45.72	43.18	12.25	7.00	2.96										
	87914-3635	-----	-----	-----	-----	36	-----	5	45.72	43.18	13.38	6.09	5.00										
	87914-3616	-----	-----	-----	-----	36	-----	6	45.72	43.18	10.92	5.84	2.79										
	87914-3626	-----	-----	-----	-----	36	-----	6	45.72	43.18	12.25	7.00	2.96										
	87914-3636	-----	-----	-----	-----	36	-----	6	45.72	43.18	13.38	6.09	5.00										
C	87914-3637	-----	-----	-----	-----	36	-----	6	45.72	43.18	12.10	7.01	2.60										
B																							
A								SHT 7, +879140847 EC NO: SZ014-0048 DRWN:ATSEE 2013/07/11 CHKD:SKANG 2013/07/11 APPR:MLONG 2013/10/09		QUALITY SYMBOLS F=0 F=0 F=0		GENERAL TOLERANCES (UNLESS SPECIFIED) mm INCH 4 PLACES ± --- ± --- 3 PLACES ± --- ± --- 2 PLACES ± 0.20 ± --- 1 PLACE ± --- ± --- 0 PLACE ± ±		DIMENSION STYLE MM ONLY DRAWN BY DATE KCHO 2004/11/05 CHECKED BY DATE PTL IM 2004/12/08 APPROVED BY DATE MLONG 2010/09/06		SCALE NTS		DESIGN UNITS METRIC		THIRD ANGLE PROJECTION		2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H	
												SEE TABLE		DOCUMENT NO.		SD-87914-013		SHEET NO. 23 OF 45					
								DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											

fb_frame_A3_P_AM_T
Rev. G 2012/01/11

9

8

7

6

5

4

3

2

1

10		9		8		7		6		5		4		3		2		1	
PART NO FOR TRAY PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION											
								A	B	F	M	P							
F	87914-4011	-----	-----	-----	-----	40	-----	1	50.80	48.26	10.92	5.84	2.79						
	87914-4021	-----	-----	-----	-----	40	-----	1	50.80	48.26	12.25	7.00	2.96						
	87914-4031	-----	-----	-----	-----	40	-----	1	50.80	48.26	13.38	6.09	5.00						
	87914-4012	-----	-----	-----	-----	40	-----	2	50.80	48.26	10.92	5.84	2.79						
	87914-4022	-----	-----	-----	-----	40	-----	2	50.80	48.26	12.25	7.00	2.96						
	87914-4032	-----	-----	-----	-----	40	-----	2	50.80	48.26	13.38	6.09	5.00						
E	87914-4013	-----	-----	-----	-----	40	-----	3	50.80	48.26	10.92	5.84	2.79						
	87914-4023	-----	-----	-----	-----	40	-----	3	50.80	48.26	12.25	7.00	2.96						
	87914-4033	-----	-----	-----	-----	40	-----	3	50.80	48.26	13.38	6.09	5.00						
	87914-4014	-----	-----	-----	-----	40	-----	4	50.80	48.26	10.92	5.84	2.79						
D	87914-4024	-----	-----	-----	-----	40	-----	4	50.80	48.26	12.25	7.00	2.96						
	87914-4034	-----	-----	-----	-----	40	-----	4	50.80	48.26	13.38	6.09	5.00						
	87914-4015	-----	-----	-----	-----	40	-----	5	50.80	48.26	10.92	5.84	2.79						
	87914-4025	-----	-----	-----	-----	40	-----	5	50.80	48.26	12.25	7.00	2.96						
	87914-4035	-----	-----	-----	-----	40	-----	5	50.80	48.26	13.38	6.09	5.00						
	87914-4016	-----	-----	-----	-----	40	-----	6	50.80	48.26	10.92	5.84	2.79						
C	87914-4026	-----	-----	-----	-----	40	-----	6	50.80	48.26	12.25	7.00	2.96						
	87914-4036	-----	-----	-----	-----	40	-----	6	50.80	48.26	13.38	6.09	5.00						
B																			
A	SHT 7, +879140847 EC NO: S2014-0048 DRWN:ATSE 2013/07/11 CHKD:SKANG 2013/07/11 APPR:MLONG 2013/10/09							QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE		SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION				
				mm INCH	MM ONLY		NTS	METRIC											
				4 PLACES			DRAWN BY	DATE	TITLE										
				3 PLACES			KCHO	2004/11/05	2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H										
				2 PLACES			PTL IM	2004/12/08											
				1 PLACE			APPROVED BY	DATE	molex										
				0 PLACE			MLONG	2010/09/06											
			ANGULAR ± 3 °		MATERIAL NO.		DOCUMENT NO.		SHEET NO.										
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE TABLE		SD-87914-013		25 OF 45										
					SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION												

fb_frame_A3_P_AM_T

Rev. G 2012/01/11

9	8	7	6	5	4	3	2	1
---	---	---	---	---	---	---	---	---

	10		9		8		7		6		5		4		3		2		1				
	PART NO FOR TRAY PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION														
									A	B	F	M	P										
F	87914-4211	-----	-----	-----	-----	42	----	1	53.34	50.80	10.92	5.84	2.79										
	87914-4221	-----	-----	-----	-----	42	----	1	53.34	50.80	12.25	7.00	2.96										
	87914-4212	-----	-----	-----	-----	42	----	2	53.34	50.80	10.92	5.84	2.79										
	87914-4222	-----	-----	-----	-----	42	----	2	53.34	50.80	12.25	7.00	2.96										
	87914-4213	-----	-----	-----	-----	42	----	3	53.34	50.80	10.92	5.84	2.79										
E	87914-4223	-----	-----	-----	-----	42	----	3	53.34	50.80	12.25	7.00	2.96										
	87914-4214	-----	-----	-----	-----	42	----	4	53.34	50.80	10.92	5.84	2.79										
	87914-4224	-----	-----	-----	-----	42	----	4	53.34	50.80	12.25	7.00	2.96										
	87914-4215	-----	-----	-----	-----	42	----	5	53.34	50.80	10.92	5.84	2.79										
	87914-4225	-----	-----	-----	-----	42	----	5	53.34	50.80	12.25	7.00	2.96										
D	87914-4216	-----	-----	-----	-----	42	----	6	53.34	50.80	10.92	5.84	2.79										
	87914-4226	-----	-----	-----	-----	42	----	6	53.34	50.80	12.25	7.00	2.96										
C																							
B																							
A																							
										SHT 7. +879140847 IEC NO: S2014-0048 DRWN:ATSEE 2013/07/11 CHKD:SKANG 2013/07/11 APPR:MLONG 2013/10/09		QUALITY SYMBOLS F=0 F=0 F=0		GENERAL TOLERANCES (UNLESS SPECIFIED) mmINCH 4 PLACES±---±--- 3 PLACES±---±--- 2 PLACES±0.20±--- 1 PLACE±---±--- 0 PLACE±± ANGULAR ± 3 °		DIMENSION STYLE MM ONLY DRAWN BY DATE KCHO 2004/11/05 CHECKED BY DATE PTLIM 2004/12/08 APPROVED BY DATE MLONG 2010/09/06		SCALE NTS		DESIGN UNITS METRIC		THIRD ANGLE PROJECTION	
										DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE TABLE		2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H molex		DOCUMENT NO. SD-87914-013		SHEET NO. 26 OF 45					
										SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											
fb_frame_A3_P_AM_T Rev. G 2012/01/11		9	8	7	6	5	4	3	2	1													

	10		9	8		7		6	5		4		3		2		1		
F	PART NO FOR TRAY PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION										
									A	B	F	M	P						
	87914-4411	-----	-----	-----	-----	44	-----	1	55.88	53.34	10.92	5.84	2.79						
	87914-4421	-----	-----	-----	-----	44	-----	1	55.88	53.34	12.25	7.00	2.96						
	87914-4412	-----	-----	-----	-----	44	-----	2	55.88	53.34	10.92	5.84	2.79						
	87914-4422	-----	-----	-----	-----	44	-----	2	55.88	53.34	12.25	7.00	2.96						
	87914-4413	-----	-----	-----	-----	44	-----	3	55.88	53.34	10.92	5.84	2.79						
	87914-4423	-----	-----	-----	-----	44	-----	3	55.88	53.34	12.25	7.00	2.96						
E	87914-4414	-----	-----	-----	-----	44	-----	4	55.88	53.34	10.92	5.84	2.79						
	87914-4424	-----	-----	-----	-----	44	-----	4	55.88	53.34	12.25	7.00	2.96						
	87914-4415	-----	-----	-----	-----	44	-----	5	55.88	53.34	10.92	5.84	2.79						
	87914-4425	-----	-----	-----	-----	44	-----	5	55.88	53.34	12.25	7.00	2.96						
	87914-4416	-----	-----	-----	-----	44	-----	6	55.88	53.34	10.92	5.84	2.79						
	87914-4426	-----	-----	-----	-----	44	-----	6	55.88	53.34	12.25	7.00	2.96						
D																			
C																			
B																			

[illegible]

	10		9		8		7		6		5		4		3		2		1																																																																								
	PART NO FOR TRAY PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION																																																																																		
									A	B	F	M	P																																																																														
F	87914-4811	-----	-----	-----	-----	48	----	1	60.96	58.42	10.92	5.84	2.79																																																																														
	87914-4821	-----	-----	-----	-----	48	----	1	60.96	58.42	12.25	7.00	2.96																																																																														
	87914-4812	-----	-----	-----	-----	48	----	2	60.96	58.42	10.92	5.84	2.79																																																																														
	87914-4822	-----	-----	-----	-----	48	----	2	60.96	58.42	12.25	7.00	2.96																																																																														
	87914-4813	-----	-----	-----	-----	48	----	3	60.96	58.42	10.92	5.84	2.79																																																																														
E	87914-4823	-----	-----	-----	-----	48	----	3	60.96	58.42	12.25	7.00	2.96																																																																														
	87914-4814	-----	-----	-----	-----	48	----	4	60.96	58.42	10.92	5.84	2.79																																																																														
	87914-4824	-----	-----	-----	-----	48	----	4	60.96	58.42	12.25	7.00	2.96																																																																														
	87914-4815	-----	-----	-----	-----	48	----	5	60.96	58.42	10.92	5.84	2.79																																																																														
	87914-4825	-----	-----	-----	-----	48	----	5	60.96	58.42	12.25	7.00	2.96																																																																														
D	87914-4816	-----	-----	-----	-----	48	----	6	60.96	58.42	10.92	5.84	2.79																																																																														
	87914-4826	-----	-----	-----	-----	48	----	6	60.96	58.42	12.25	7.00	2.96																																																																														
C																																																																																											
B																																																																																											
A																																																																																											
<table><tr><td rowspan="10">SHT 7. +879140847 EC NO: S2014-0048 DRW:ATSEE 2013/07/11 CHKD:SKANG 2013/07/11 APPR:MLONG 2013/10/09 D14</td><td rowspan="10">QUALITY SYMBOLS </td><td colspan="3">GENERAL TOLERANCES (UNLESS SPECIFIED)</td><td colspan="2">DIMENSION STYLE MM ONLY</td><td>SCALE NTS</td><td>DESIGN UNITS METRIC</td><td colspan="2">THIRD ANGLE PROJECTION</td></tr><tr><td></td><td>mm</td><td>INCH</td><td>DRAWN BY KCHO</td><td>DATE 2004/11/05</td><td colspan="4" rowspan="4">2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H molex</td></tr><tr><td>4 PLACES</td><td>± ---</td><td>± ---</td><td>CHECKED BY</td><td>DATE 2004/12/08</td></tr><tr><td>3 PLACES</td><td>± ---</td><td>± ---</td><td>PTLIM</td><td>DATE 2010/09/06</td></tr><tr><td>2 PLACES</td><td>± 0.20</td><td>± ---</td><td>APPROVED BY</td><td></td></tr><tr><td>1 PLACE</td><td>± ---</td><td>± ---</td><td>MLONG</td><td></td><td colspan="2">MATERIAL NO.</td><td>DOCUMENT NO.</td><td>SHEET NO.</td></tr><tr><td>0 PLACE</td><td>±</td><td>±</td><td colspan="2">SEE TABLE</td><td colspan="2">SD-87914-013</td><td colspan="2">29 OF 45</td></tr><tr><td colspan="3">DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</td><td>SIZE A3</td><td colspan="15">THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION</td></tr></table>																				SHT 7. +879140847 EC NO: S2014-0048 DRW:ATSEE 2013/07/11 CHKD:SKANG 2013/07/11 APPR:MLONG 2013/10/09 D14	QUALITY SYMBOLS 	GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION STYLE MM ONLY		SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION			mm	INCH	DRAWN BY KCHO	DATE 2004/11/05	2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H molex				4 PLACES	± ---	± ---	CHECKED BY	DATE 2004/12/08	3 PLACES	± ---	± ---	PTLIM	DATE 2010/09/06	2 PLACES	± 0.20	± ---	APPROVED BY		1 PLACE	± ---	± ---	MLONG		MATERIAL NO.		DOCUMENT NO.	SHEET NO.	0 PLACE	±	±	SEE TABLE		SD-87914-013		29 OF 45		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			SIZE A3	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION														
SHT 7. +879140847 EC NO: S2014-0048 DRW:ATSEE 2013/07/11 CHKD:SKANG 2013/07/11 APPR:MLONG 2013/10/09 D14	QUALITY SYMBOLS 	GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION STYLE MM ONLY		SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION																																																																																		
			mm	INCH	DRAWN BY KCHO	DATE 2004/11/05	2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H molex																																																																																				
		4 PLACES	± ---	± ---	CHECKED BY	DATE 2004/12/08																																																																																					
		3 PLACES	± ---	± ---	PTLIM	DATE 2010/09/06																																																																																					
		2 PLACES	± 0.20	± ---	APPROVED BY																																																																																						
		1 PLACE	± ---	± ---	MLONG		MATERIAL NO.		DOCUMENT NO.	SHEET NO.																																																																																	
		0 PLACE	±	±	SEE TABLE		SD-87914-013		29 OF 45																																																																																		
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			SIZE A3	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																																																																					
		fb_frame_A3_P_AM_T Rev. G 2012/01/11		9	8	7	6	5	4	3	2	1																																																																															

[illegible]

10		9		8		7		6		5		4		3		2		1	
PART NO FOR BULK PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION											
								A	B	F	M	P							
F	87914-5211	-----	-----	-----	-----	52	-----	1	66.04	63.50	10.92	5.84	2.79						
	87914-5221	-----	-----	-----	-----	52	-----	1	66.04	63.50	12.25	7.00	2.96						
	87914-5212	-----	-----	-----	-----	52	-----	2	66.04	63.50	10.92	5.84	2.79						
	87914-5222	-----	-----	-----	-----	52	-----	2	66.04	63.50	12.25	7.00	2.96						
	87914-5213	-----	-----	-----	-----	52	-----	3	66.04	63.50	10.92	5.84	2.79						
	87914-5223	-----	-----	-----	-----	52	-----	3	66.04	63.50	12.25	7.00	2.96						
E	87914-5214	-----	-----	-----	-----	52	-----	4	66.04	63.50	10.92	5.84	2.79						
	87914-5224	-----	-----	-----	-----	52	-----	4	66.04	63.50	12.25	7.00	2.96						
	87914-5215	-----	-----	-----	-----	52	-----	5	66.04	63.50	10.92	5.84	2.79						
	87914-5225	-----	-----	-----	-----	52	-----	5	66.04	63.50	12.25	7.00	2.96						
	87914-5216	-----	-----	-----	-----	52	-----	6	66.04	63.50	10.92	5.84	2.79						
	87914-5226	-----	-----	-----	-----	52	-----	6	66.04	63.50	12.25	7.00	2.96						
D																			
C																			
B																			
A																			
fb_frame_A3_P_AM_T Rev. G 2012/01/11		9	8	7	6	5	4	3	2	1									

SHT 7, +879140847 EC NO: SZ014-0048 DRWN:ATSEE 2013/07/11 CHKD:SKANG 2013/07/11 APPR:MLONG 2013/10/09	DESCRIPTION REV	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION			
		=0 =0 =0		mm	INCH	DRAWN BY	DATE	2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H				
			4 PLACES	± ---	± ---	KCHO	2004/11/05					
			3 PLACES	± ---	± ---	CHECKED BY	DATE					
			2 PLACES	± 0.20	± ---	PTL IM	2004/12/08					
			1 PLACE	± ---	± ---	APPROVED BY	DATE					
		0 PLACE	±	±	MLONG	2010/09/06	molex					
		ANGULAR ± 3 °										
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS					MATERIAL NO.		DOCUMENT NO.		SHEET NO.	
		SIZE A3					SEE TABLE		SD-87914-013		31 OF 45	
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION												

10		9		8		7		6		5		4		3		2		1				
PART NO FOR BULK PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION														
								A	B	F	M	P										
F	87914-5411	-----	-----	-----	-----	54	-----	1	68.58	66.04	10.92	5.84	2.79									
	87914-5421	-----	-----	-----	-----	54	-----	1	68.58	66.04	12.25	7.00	2.96									
	87914-5412	-----	-----	-----	-----	54	-----	2	68.58	66.04	10.92	5.84	2.79									
	87914-5422	-----	-----	-----	-----	54	-----	2	68.58	66.04	12.25	7.00	2.96									
	87914-5413	-----	-----	-----	-----	54	-----	3	68.58	66.04	10.92	5.84	2.79									
	87914-5423	-----	-----	-----	-----	54	-----	3	68.58	66.04	12.25	7.00	2.96									
E	87914-5414	-----	-----	-----	-----	54	-----	4	68.58	66.04	10.92	5.84	2.79									
	87914-5424	-----	-----	-----	-----	54	-----	4	68.58	66.04	12.25	7.00	2.96									
	87914-5415	-----	-----	-----	-----	54	-----	5	68.58	66.04	10.92	5.84	2.79									
	87914-5425	-----	-----	-----	-----	54	-----	5	68.58	66.04	12.25	7.00	2.96									
	87914-5416	-----	-----	-----	-----	54	-----	6	68.58	66.04	10.92	5.84	2.79									
	87914-5426	-----	-----	-----	-----	54	-----	6	68.58	66.04	12.25	7.00	2.96									
D																						
C																						
B																						
A	SHT 7, +879140847 EC NO: SZ014-0048 DRWN:ATSEE CHKD:SKANG APPR:MLONG							DESCRIPTION REV	QUALITY SYMBOLS F=0 F=0 F=0	GENERAL TOLERANCES (UNLESS SPECIFIED) mmINCH 4 PLACES±---±--- 3 PLACES±---±--- 2 PLACES±0.20±--- 1 PLACE±---±--- 0 PLACE±± ANGULAR ± 3 °		DIMENSION STYLE MM ONLY DRAWN BY DATE KCHO 2004/11/05 CHECKED BY DATE PTLIM 2004/12/08 APPROVED BY DATE MLONG 2010/09/06		SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION 2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H molex		SHEET NO. 32 OF 45				
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS							SIZE A3	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION													
									SEE TABLE										SD-87914-013			
fb_frame_A3_P_AM_T Rev. G 2012/01/11		9		8		7		6		5		4		3		2		1				

	10		9		8		7		6		5		4		3		2		1																																																			
	PART NO FOR BULK PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION																																																													
									A	B	F	M	P																																																									
F	87914-5611	-----	-----	-----	-----	56	-----	1	71.12	68.58	10.92	5.84	2.79																																																									
	87914-5621	-----	-----	-----	-----	56	-----	1	71.12	68.58	12.25	7.00	2.96																																																									
	87914-5612	-----	-----	-----	-----	56	-----	2	71.12	68.58	10.92	5.84	2.79																																																									
	87914-5622	-----	-----	-----	-----	56	-----	2	71.12	68.58	12.25	7.00	2.96																																																									
	87914-5613	-----	-----	-----	-----	56	-----	3	71.12	68.58	10.92	5.84	2.79																																																									
	87914-5623	-----	-----	-----	-----	56	-----	3	71.12	68.58	12.25	7.00	2.96																																																									
E	87914-5614	-----	-----	-----	-----	56	-----	4	71.12	68.58	10.92	5.84	2.79																																																									
	87914-5624	-----	-----	-----	-----	56	-----	4	71.12	68.58	12.25	7.00	2.96																																																									
	87914-5615	-----	-----	-----	-----	56	-----	5	71.12	68.58	10.92	5.84	2.79																																																									
	87914-5625	-----	-----	-----	-----	56	-----	5	71.12	68.58	12.25	7.00	2.96																																																									
	87914-5616	-----	-----	-----	-----	56	-----	6	71.12	68.58	10.92	5.84	2.79																																																									
	87914-5626	-----	-----	-----	-----	56	-----	6	71.12	68.58	12.25	7.00	2.96																																																									
D																																																																						
C																																																																						
B																																																																						
A																																																																						
<table><tr><td rowspan="4">SHT 7, +879140847 EC NO: SZ014-0048 DRWN:ATSEE 2013/07/11 CHKD:SKANG 2013/07/11 APPR:MLONG 2013/10/09 REV D14</td><td rowspan="4">QUALITY SYMBOLS =0 =0 =0</td><td colspan="3">GENERAL TOLERANCES (UNLESS SPECIFIED)</td><td colspan="2">DIMENSION STYLE MM ONLY</td><td>SCALE NTS</td><td>DESIGN UNITS METRIC</td><td colspan="2">THIRD ANGLE PROJECTION</td></tr><tr><td></td><td>mm</td><td>INCH</td><td>DRAWN BY KCHO</td><td>DATE 2004/11/05</td><td colspan="2" rowspan="2">2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H molex</td></tr><tr><td>4 PLACES</td><td>± ---</td><td>± ---</td><td>CHECKED BY PTL IM</td><td>DATE 2004/12/08</td></tr><tr><td>3 PLACES</td><td>± ---</td><td>± ---</td><td>APPROVED BY MLONG</td><td>DATE 2010/09/06</td><td colspan="2">DOCUMENT NO. SD-87914-013</td><td>SHEET NO. 33 OF 45</td></tr><tr><td colspan="2">DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</td><td>SIZE A3</td><td colspan="16">THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION</td></tr></table>																					SHT 7, +879140847 EC NO: SZ014-0048 DRWN:ATSEE 2013/07/11 CHKD:SKANG 2013/07/11 APPR:MLONG 2013/10/09 REV D14	QUALITY SYMBOLS =0 =0 =0	GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION STYLE MM ONLY		SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION			mm	INCH	DRAWN BY KCHO	DATE 2004/11/05	2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H molex		4 PLACES	± ---	± ---	CHECKED BY PTL IM	DATE 2004/12/08	3 PLACES	± ---	± ---	APPROVED BY MLONG	DATE 2010/09/06	DOCUMENT NO. SD-87914-013		SHEET NO. 33 OF 45	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SIZE A3	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION															
SHT 7, +879140847 EC NO: SZ014-0048 DRWN:ATSEE 2013/07/11 CHKD:SKANG 2013/07/11 APPR:MLONG 2013/10/09 REV D14	QUALITY SYMBOLS =0 =0 =0	GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION STYLE MM ONLY		SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION																																																													
			mm	INCH	DRAWN BY KCHO	DATE 2004/11/05	2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H molex																																																															
		4 PLACES	± ---	± ---	CHECKED BY PTL IM	DATE 2004/12/08																																																																
		3 PLACES	± ---	± ---	APPROVED BY MLONG	DATE 2010/09/06	DOCUMENT NO. SD-87914-013		SHEET NO. 33 OF 45																																																													
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SIZE A3	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																																																			
fb_frame_A3_P_AM_T Rev. G 2012/01/11		9		8		7		6		5		4		3		2		1																																																				

	10		9		8		7		6		5		4		3		2		1	
F	PART NO FOR BULK PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION					F						
	A	B	F	M	P															
	87914-5811	-----	-----	-----	-----	58	-----	1	73.66	71.12	10.92	5.84	2.79							
	87914-5821	-----	-----	-----	-----	58	-----	1	73.66	71.12	12.25	7.00	2.96							
	87914-5812	-----	-----	-----	-----	58	-----	2	73.66	71.12	10.92	5.84	2.79							
	87914-5822	-----	-----	-----	-----	58	-----	2	73.66	71.12	12.25	7.00	2.96							
	87914-5813	-----	-----	-----	-----	58	-----	3	73.66	71.12	10.92	5.84	2.79							
	87914-5823	-----	-----	-----	-----	58	-----	3	73.66	71.12	12.25	7.00	2.96							
E	87914-5814	-----	-----	-----	-----	58	-----	4	73.66	71.12	10.92	5.84	2.79							E
	87914-5824	-----	-----	-----	-----	58	-----	4	73.66	71.12	12.25	7.00	2.96							
	87914-5815	-----	-----	-----	-----	58	-----	5	73.66	71.12	10.92	5.84	2.79							
	87914-5825	-----	-----	-----	-----	58	-----	5	73.66	71.12	12.25	7.00	2.96							
	87914-5816	-----	-----	-----	-----	58	-----	6	73.66	71.12	10.92	5.84	2.79							
	87914-5826	-----	-----	-----	-----	58	-----	6	73.66	71.12	12.25	7.00	2.96							
D																				D
C																				C
B																				B
			</																	

[illegible]

10		9		8		7		6		5		4		3		2		1	
PART NO FOR BULK PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION											
								A	B	F	M	P							
F	87914-6211	-----	-----	-----	-----	62	-----	1	78.74	76.20	10.92	5.84	2.79						
	87914-6221	-----	-----	-----	-----	62	-----	1	78.74	76.20	12.25	7.00	2.96						
	87914-6212	-----	-----	-----	-----	62	-----	2	78.74	76.20	10.92	5.84	2.79						
	87914-6222	-----	-----	-----	-----	62	-----	2	78.74	76.20	12.25	7.00	2.96						
	87914-6213	-----	-----	-----	-----	62	-----	3	78.74	76.20	10.92	5.84	2.79						
	87914-6223	-----	-----	-----	-----	62	-----	3	78.74	76.20	12.25	7.00	2.96						
E	87914-6214	-----	-----	-----	-----	62	-----	4	78.74	76.20	10.92	5.84	2.79						
	87914-6224	-----	-----	-----	-----	62	-----	4	78.74	76.20	12.25	7.00	2.96						
	87914-6215	-----	-----	-----	-----	62	-----	5	78.74	76.20	10.92	5.84	2.79						
	87914-6225	-----	-----	-----	-----	62	-----	5	78.74	76.20	12.25	7.00	2.96						
	87914-6216	-----	-----	-----	-----	62	-----	6	78.74	76.20	10.92	5.84	2.79						
	87914-6226	-----	-----	-----	-----	62	-----	6	78.74	76.20	12.25	7.00	2.96						
D																			
C																			
B																			
A	SHT 7, +879140847 EC NO: SZ014-0048 DRWN:ATSEE 2013/07/11 CHKD:SKANG 2013/07/11 APPR:MLONG 2013/10/09 REVDESCRIPTION QUALITY SYMBOLS F =0 F =0 F =0 GENERAL TOLERANCES (UNLESS SPECIFIED) mm INCH 4 PLACES ± --- ± --- 3 PLACES ± --- ± --- 2 PLACES ± 0.20 ± --- 1 PLACE ± --- ± --- 0 PLACE ± ± ANGULAR ± 3 ° DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS DIMENSION STYLE MM ONLY DRAWN BY DATE KCHO 2004/11/05 CHECKED BY DATE PTLIM 2004/12/08 APPROVED BY DATE MLONG 2010/09/06 MATERIAL NO. SEE TABLE SCALE NTS DESIGN UNITS METRIC THIRD ANGLE PROJECTION 2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H molex DOCUMENT NO. SD-87914-013 SHEET NO. 36 OF 45 SIZE A3 THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																		
	fb_frame_A3_P_AM_T Rev. G 2012/01/11		9	8	7	6	5	4	3	2	1								

	10		9		8		7		6		5		4		3		2		1		
	PART NO FOR BULK PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION												
									A	B	F	M	P								
F	87914-6411	-----	-----	-----	-----	64	----	1	81.28	78.74	10.92	5.84	2.79								F
	87914-6421	-----	-----	-----	-----	64	----	1	81.28	78.74	12.25	7.00	2.96								
	87914-6412	-----	-----	-----	-----	64	----	2	81.28	78.74	10.92	5.84	2.79								
	87914-6422	-----	-----	-----	-----	64	----	2	81.28	78.74	12.25	7.00	2.96								
	87914-6413	-----	-----	-----	-----	64	----	3	81.28	78.74	10.92	5.84	2.79								
	87914-6423	-----	-----	-----	-----	64	----	3	81.28	78.74	12.25	7.00	2.96								
E	87914-6414	-----	-----	-----	-----	64	----	4	81.28	78.74	10.92	5.84	2.79								E
	87914-6424	-----	-----	-----	-----	64	----	4	81.28	78.74	12.25	7.00	2.96								
	87914-6415	-----	-----	-----	-----	64	----	5	81.28	78.74	10.92	5.84	2.79								
	87914-6425	-----	-----	-----	-----	64	----	5	81.28	78.74	12.25	7.00	2.96								
	87914-6416	-----	-----	-----	-----	64	----	6	81.28	78.74	10.92	5.84	2.79								
	87914-6426	-----	-----	-----	-----	64	----	6	81.28	78.74	12.25	7.00	2.96								
D																					D
C																					C
B																					B
A	SHT 7, +879140847 EC NO: SZ014-0048 DRWN:ATSE 2013/07/11 CHKD:SKANG 2013/07/11 APPR:MLONG 2013/10/09								QUALITY SYMBOLS =0 =0 =0	GENERAL TOLERANCES (UNLESS SPECIFIED) mm INCH 4 PLACES ± --- ± --- 3 PLACES ± --- ± --- 2 PLACES ± 0.20 ± --- 1 PLACE ± --- ± --- 0 PLACE ± ±	DIMENSION STYLE MM ONLY DRAWN BY KCHO DATE 2004/11/05 CHECKED BY PTL IM DATE 2004/12/08 APPROVED BY MLONG DATE 2010/09/06	SCALE NTS	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION	2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H						
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS								SIZE A3	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H			molex					
	D14								SEE TABLE			DOCUMENT NO. SD-87914-013			SHEET NO. 37 OF 45						

fb_frame_A3_P_AM_T
Rev. G 2012/01/11

987654321

	10		9		8		7		6		5		4		3		2		1				
	PART NO FOR BULK PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION														
									A	B	F	M	P										
F	87914-6611	-----	-----	-----	-----	66	-----	1	83.82	81.28	10.92	5.84	2.79	F									
	87914-6621	-----	-----	-----	-----	66	-----	1	83.82	81.28	12.25	7.00	2.96										
	87914-6612	-----	-----	-----	-----	66	-----	2	83.82	81.28	10.92	5.84	2.79										
	87914-6622	-----	-----	-----	-----	66	-----	2	83.82	81.28	12.25	7.00	2.96										
	87914-6613	-----	-----	-----	-----	66	-----	3	83.82	81.28	10.92	5.84	2.79										
	87914-6623	-----	-----	-----	-----	66	-----	3	83.82	81.28	12.25	7.00	2.96										
E	87914-6614	-----	-----	-----	-----	66	-----	4	83.82	81.28	10.92	5.84	2.79	E									
	87914-6624	-----	-----	-----	-----	66	-----	4	83.82	81.28	12.25	7.00	2.96										
	87914-6615	-----	-----	-----	-----	66	-----	5	83.82	81.28	10.92	5.84	2.79										
	87914-6625	-----	-----	-----	-----	66	-----	5	83.82	81.28	12.25	7.00	2.96										
	87914-6616	-----	-----	-----	-----	66	-----	6	83.82	81.28	10.92	5.84	2.79										
	87914-6626	-----	-----	-----	-----	66	-----	6	83.82	81.28	12.25	7.00	2.96										
D														D									
C														C									
B														B									
A	SHT 7. +879140847 EC NO: S2014-0048 DRW:ATSEE 2013/07/11 CHKD:SKANG 2013/07/11 APPR:MLONG 2013/10/09 DESCRIPTION REV					QUALITY SYMBOLS		GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION STYLE		SCALE	DESIGN UNITS	 THIRD ANGLE PROJECTION	A							
								mm	INCH	MM ONLY		NTS	METRIC										
										DRAWN BY	DATE	TITLE											
										KCHO	2004/11/05												
										CHECKED BY	DATE	2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H											
										PTLIM	2004/12/08												
										APPROVED BY	DATE												
										MLONG	2010/09/06												
										MATERIAL NO.		DOCUMENT NO.		38 OF 45									
										SEE TABLE		SD-87914-013											
										SIZE	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION												
										A3													
fb_frame_A3_P_AM_T Rev. G 2012/01/11		9	8	7	6	5	4	3	2	1													

10		9		8		7		6		5		4		3		2		1	
PART NO FOR BULK PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION					A	B	F	M	P		
F	87914-6811	-----	-----	-----	-----	68	-----	1	86.36	83.82	10.92	5.84	2.79						
	87914-6821	-----	-----	-----	-----	68	-----	1	86.36	83.82	12.25	7.00	2.96						
	87914-6812	-----	-----	-----	-----	68	-----	2	86.36	83.82	10.92	5.84	2.79						
	87914-6822	-----	-----	-----	-----	68	-----	2	86.36	83.82	12.25	7.00	2.96						
	87914-6813	-----	-----	-----	-----	68	-----	3	86.36	83.82	10.92	5.84	2.79						
	87914-6823	-----	-----	-----	-----	68	-----	3	86.36	83.82	12.25	7.00	2.96						
E	87914-6814	-----	-----	-----	-----	68	-----	4	86.36	83.82	10.92	5.84	2.79						
	87914-6824	-----	-----	-----	-----	68	-----	4	86.36	83.82	12.25	7.00	2.96						
	87914-6815	-----	-----	-----	-----	68	-----	5	86.36	83.82	10.92	5.84	2.79						
	87914-6825	-----	-----	-----	-----	68	-----	5	86.36	83.82	12.25	7.00	2.96						
	87914-6816	-----	-----	-----	-----	68	-----	6	86.36	83.82	10.92	5.84	2.79						
	87914-6826	-----	-----	-----	-----	68	-----	6	86.36	83.82	12.25	7.00	2.96						
D																			
C																			
B																			
A																			

SHT 7. +879140847

EC NO: S2014-0048

DRWN:ATSEE 2013/07/11

CHKD:SKANG 2013/07/11

APPR:MLONG 2013/10/09

DESCRIPTION

REV

QUALITY SYMBOLS

GENERAL TOLERANCES (UNLESS SPECIFIED)

	mm	INCH
4 PLACES	± ---	± ---
3 PLACES	± ---	± ---
2 PLACES	± 0.20	± ---
1 PLACE	± ---	± ---
0 PLACE	±	±

ANGULAR ± 3 °

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

DIMENSION STYLE

MM ONLY

DRAWN BY	DATE
KCHO	2004/11/05
CHECKED BY	DATE
PTL IM	2004/12/08
APPROVED BY	DATE
MLONG	2010/09/06

MATERIAL NO.

SEE TABLE

SCALE

NTS

DESIGN UNITS

METRIC

THIRD ANGLE PROJECTION

2.54MM PITCH

DUAL ROW HEADER

SINGLE WAFER, T/H

molex

SD-87914-013

DOCUMENT NO.

SHEET NO.

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

39 OF 45

fb_frame_A3_P_AM_T

Rev. G 2012/01/11

9

8

7

6

5

4

3

2

1

fb_frame_A3_P_AM_T

Rev. G 2012/01/11

10		9		8		7		6		5		4		3		2		1					
PART NO FOR BULK PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION															
								A	B	F	M	P											
F	87914-7011	-----	-----	-----	-----	70	-----	1	88.90	86.36	10.92	5.84	2.79										
	87914-7021	-----	-----	-----	-----	70	-----	1	88.90	86.36	12.25	7.00	2.96										
	87914-7012	-----	-----	-----	-----	70	-----	2	88.90	86.36	10.92	5.84	2.79										
	87914-7022	-----	-----	-----	-----	70	-----	2	88.90	86.36	12.25	7.00	2.96										
	87914-7013	-----	-----	-----	-----	70	-----	3	88.90	86.36	10.92	5.84	2.79										
	87914-7023	-----	-----	-----	-----	70	-----	3	88.90	86.36	12.25	7.00	2.96										
E	87914-7014	-----	-----	-----	-----	70	-----	4	88.90	86.36	10.92	5.84	2.79										
	87914-7024	-----	-----	-----	-----	70	-----	4	88.90	86.36	12.25	7.00	2.96										
	87914-7015	-----	-----	-----	-----	70	-----	5	88.90	86.36	10.92	5.84	2.79										
	87914-7025	-----	-----	-----	-----	70	-----	5	88.90	86.36	12.25	7.00	2.96										
	87914-7016	-----	-----	-----	-----	70	-----	6	88.90	86.36	10.92	5.84	2.79										
	87914-7026	-----	-----	-----	-----	70	-----	6	88.90	86.36	12.25	7.00	2.96										
D																							
C																							
B																							
A	SHT 7, +879140847 EC NO: SZ014-0048 DRWN:ATSEE CHKD:SKANG APPR:MLONG							QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION STYLE		SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION	2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H molex					SHEET NO. 40 OF 45	
	MM ONLY		NTS	METRIC																			
	4 PLACES ± --- ± ---			DRAWN BY DATE		SD-87914-013																	
	3 PLACES ± --- ± ---			KCHO 2004/11/05																			
	2 PLACES ± 0.20 ± ---			CHECKED BY DATE																			
	1 PLACE ± --- ± ---			PTL IM 2004/12/08		MATERIAL NO.																	
	0 PLACE ± ±			APPROVED BY DATE																			
	ANGULAR ± 3 °			MLONG 2010/09/06		DOCUMENT NO.																	
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			SEE TABLE																			
	SIZE A3			THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																			
fb_frame_A3_P_AM_T		9		8		7		6		5		4		3		2		1					



	10		9		8		7		6		5		4		3		2		1	
F	PART NO FOR BULK PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION											
									A	B	F	M	P							
	87914-7211	-----	-----	-----	-----	72	-----	1	91.44	88.90	10.92	5.84	2.79							
	87914-7221	-----	-----	-----	-----	72	-----	1	91.44	88.90	12.25	7.00	2.96							
	87914-7212	-----	-----	-----	-----	72	-----	2	91.44	88.90	10.92	5.84	2.79							
	87914-7222	-----	-----	-----	-----	72	-----	2	91.44	88.90	12.25	7.00	2.96							
	87914-7213	-----	-----	-----	-----	72	-----	3	91.44	88.90	10.92	5.84	2.79							
	87914-7223	-----	-----	-----	-----	72	-----	3	91.44	88.90	12.25	7.00	2.96							
E	87914-7214	-----	-----	-----	-----	72	-----	4	91.44	88.90	10.92	5.84	2.79							
	87914-7224	-----	-----	-----	-----	72	-----	4	91.44	88.90	12.25	7.00	2.96							
	87914-7215	-----	-----	-----	-----	72	-----	5	91.44	88.90	10.92	5.84	2.79							
	87914-7225	-----	-----	-----	-----	72	-----	5	91.44	88.90	12.25	7.00	2.96							
	87914-7216	-----	-----	-----	-----	72	-----	6	91.44	88.90	10.92	5.84	2.79							
	87914-7226	-----	-----	-----	-----	72	-----	6	91.44	88.90	12.25	7.00	2.96							
D																				
C																				
B																				

	10		9		8		7		6		5		4		3		2		1		
	PART NO FOR BULK PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION												
									A	B	F	M	P								
F	87914-7411	-----	-----	-----	-----	74	-----	1	93.98	91.44	10.92	5.84	2.79								
	87914-7421	-----	-----	-----	-----	74	-----	1	93.98	91.44	12.25	7.00	2.96								
	87914-7412	-----	-----	-----	-----	74	-----	2	93.98	91.44	10.92	5.84	2.79								
	87914-7422	-----	-----	-----	-----	74	-----	2	93.98	91.44	12.25	7.00	2.96								
	87914-7413	-----	-----	-----	-----	74	-----	3	93.98	91.44	10.92	5.84	2.79								
	87914-7423	-----	-----	-----	-----	74	-----	3	93.98	91.44	12.25	7.00	2.96								
E	87914-7414	-----	-----	-----	-----	74	-----	4	93.98	91.44	10.92	5.84	2.79								
	87914-7424	-----	-----	-----	-----	74	-----	4	93.98	91.44	12.25	7.00	2.96								
	87914-7415	-----	-----	-----	-----	74	-----	5	93.98	91.44	10.92	5.84	2.79								
	87914-7425	-----	-----	-----	-----	74	-----	5	93.98	91.44	12.25	7.00	2.96								
	87914-7416	-----	-----	-----	-----	74	-----	6	93.98	91.44	10.92	5.84	2.79								
	87914-7426	-----	-----	-----	-----	74	-----	6	93.98	91.44	12.25	7.00	2.96								
D																					
C																					
B																					
A	fb_frame_A3_P_AM_T Rev. G 2012/01/11		9	8	7	6	5	4	3	2	1										
	SHT 7, +879140847 EC NO: SZ014-0048 DRWN:ATSEE 2013/07/11 CHKD:SKANG 2013/07/11 APPR:MLONG 2013/10/09		QUALITY SYMBOLS F=0 F=0 F=0		GENERAL TOLERANCES (UNLESS SPECIFIED) mm INCH 4 PLACES ± --- ± --- 3 PLACES ± --- ± --- 2 PLACES ± 0.20 ± --- 1 PLACE ± --- ± --- 0 PLACE ± ± ANGULAR ± 3 °		DIMENSION STYLE MM ONLY DRAWN BY DATE KCHO 2004/11/05 CHECKED BY DATE PTL IM 2004/12/08 APPROVED BY DATE MLONG 2010/09/06		SCALE NTS		DESIGN UNITS METRIC		THIRD ANGLE PROJECTION		2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H		molex		SHEET NO. 42 OF 45		
	D14				DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE TABLE		DOCUMENT NO. SD-87914-013												






[illegible]

	10		9	8		7		6	5	4		3	2	1	
F	PART NO FOR BULK PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION						
	A	B	F	M	P										
	87914-7811	-----	-----	-----	-----	78	-----	1	99.06	96.52	10.92	5.84	2.79		
	87914-7821	-----	-----	-----	-----	78	-----	1	99.06	96.52	12.25	7.00	2.96		
	87914-7812	-----	-----	-----	-----	78	-----	2	99.06	96.52	10.92	5.84	2.79		
	87914-7822	-----	-----	-----	-----	78	-----	2	99.06	96.52	12.25	7.00	2.96		
	87914-7813	-----	-----	-----	-----	78	-----	3	99.06	96.52	10.92	5.84	2.79		
	87914-7823	-----	-----	-----	-----	78	-----	3	99.06	96.52	12.25	7.00	2.96		
E	87914-7814	-----	-----	-----	-----	78	-----	4	99.06	96.52	10.92	5.84	2.79		
	87914-7824	-----	-----	-----	-----	78	-----	4	99.06	96.52	12.25	7.00	2.96		
	87914-7815	-----	-----	-----	-----	78	-----	5	99.06	96.52	10.92	5.84	2.79		
	87914-7825	-----	-----	-----	-----	78	-----	5	99.06	96.52	12.25	7.00	2.96		
	87914-7816	-----	-----	-----	-----	78	-----	6	99.06	96.52	10.92	5.84	2.79		
	87914-7826	-----	-----	-----	-----	78	-----	6	99.06	96.52	12.25	7.00	2.96		
D															
C															
B															
A				SHT 7, +879140847 EC NO: SZ014-0048 DRWN:ATSEE 2013/07/11 CHKD:SKANG 2013/07/11 APPR:MLONG 2013/10/09		DESCRIPTION REV	QUALITY SYMBOLS F=0 F=0 F=0	GENERAL TOLERANCES (UNLESS SPECIFIED) mm INCH 4 PLACES ± --- ± --- 3 PLACES ± --- ± --- 2 PLACES ± 0.20 ± --- 1 PLACE ± --- ± --- 0 PLACE ± ± ANGULAR ± 3 ° DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		DIMENSION STYLE MM ONLY DRAWN BY DATE KCHO 2004/11/05 CHECKED BY DATE PTL IM 2004/12/08 APPROVED BY DATE MLONG 2010/09/06 MATERIAL NO.		SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION 2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H molex DOCUMENT NO. SD-87914-013 SHEET NO. 44 OF 45	
fb_frame_A3_P_AM_T Rev. G 2012/01/11		9	8	7	6	5	4	3	2	1					

10		9		8		7		6		5		4		3		2		1							
PART NO FOR BULK PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSIONS																	
								A	B	F	M	P													
F	87914-8011	-----	-----	-----	-----	80	----	1	101.60	99.06	10.92	5.84	2.79												
	87914-8021	-----	-----	-----	-----	80	----	1	101.60	99.06	12.25	7.00	2.96												
	87914-8012	-----	-----	-----	-----	80	----	2	101.60	99.06	10.92	5.84	2.79												
	87914-8022	-----	-----	-----	-----	80	----	2	101.60	99.06	12.25	7.00	2.96												
	87914-8013	-----	-----	-----	-----	80	----	3	101.60	99.06	10.92	5.84	2.79												
	87914-8023	-----	-----	-----	-----	80	----	3	101.60	99.06	12.25	7.00	2.96												
E	87914-8014	-----	-----	-----	-----	80	----	4	101.60	99.06	10.92	5.84	2.79												
	87914-8024	-----	-----	-----	-----	80	----	4	101.60	99.06	12.25	7.00	2.96												
	87914-8015	-----	-----	-----	-----	80	----	5	101.60	99.06	10.92	5.84	2.79												
	87914-8025	-----	-----	-----	-----	80	----	5	101.60	99.06	12.25	7.00	2.96												
	87914-8016	-----	-----	-----	-----	80	----	6	101.60	99.06	10.92	5.84	2.79												
	87914-8026	-----	-----	-----	-----	80	----	6	101.60	99.06	12.25	7.00	2.96												
D																									
C																									
B																									
A	SHT 7, +879140847 EC NO: SZ014-0048 DRWN:ATSEE 2013/07/11 CHKD:SKANG 2013/07/11 APPR:MLONG 2013/10/09 QUALITY SYMBOLS F=0 F=0 F=0 DESCRIPTION REV							GENERAL TOLERANCES (UNLESS SPECIFIED) mm INCH 4 PLACES ± --- ± --- 3 PLACES ± --- ± --- 2 PLACES ± 0.20 ± --- 1 PLACE ± --- ± --- 0 PLACE ± ± ANGULAR ± 3 ° DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			DIMENSION STYLE MM ONLY DRAWN BY DATE KCHO 2004/11/05 CHECKED BY DATE PTL IM 2004/12/08 APPROVED BY DATE MLONG 2010/09/06 MATERIAL NO. SEE TABLE		SCALE NTS		DESIGN UNITS METRIC		THIRD ANGLE PROJECTION 2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H molex		DOCUMENT NO. SD-87914-013 SHEET NO. 45 OF 45						
	fb_frame_A3_P_AM_T Rev. G 2012/01/11							9		8		7		6		5		4		3		2		1	



RECOMMENDED PCB LAYOUT



NOTES:

1. MATERIAL:

HSG: LCP, GLASS-FILLED, UL94V-0,
COLOR: BLACK
PIN: 0.64MM SQ PIN, COPPER ALLOY

2. PLATING TYPE:

- (1) : 0.381 μ m MIN. GOLD PLATE ON CONTACT AND 1.905 μ m MIN. TIN ON SOLDERTAIL OVER 1.270 μ m MIN. NICKEL OVERALL.
- (2) : 0.762 μ m MIN. GOLD PLATE ON CONTACT AND 1.905 μ m MIN. TIN ON SOLDERTAIL OVER 1.270 μ m MIN. NICKEL OVERALL.
- (3) : 2.540 μ m MIN. TIN IN SELECTED AREA OVER 1.270 μ m MIN. NICKEL OVERALL.

3. THE ABOVE 10 CKT IS FOR ILLUSTRATION PURPOSE ONLY.
4. FOR PACKAGING OPTION PLEASE REFER TO THE TABLE.
5. RECOMMENDED PCB THICKNESS 1.60MM.
6. PRODUCT SPECIFICATION: PS-87920-019
7. WAFER TO BE FLAT WITHIN 0.003mm/mm
8. IRREGULAR CIRCUIT CUTOFF WITHIN BREAKAWAY SECTION IS PERMISSIBLE. CUTTING OR CHIPPING OF THE MAIN BODY IS NOT ACCEPTABLE.
9. PARTS ARE NOT STACKABLE ON 2.54 CENTER
10. PACKAGING SPECIFICATION:
TRAY: PK-89990-489
BULK: PK-89990-491

EWR# 1010 & 1021 EC NO: S2007-0182 DRWN:SKL IM01 CHKD:CWLAM APPR:KWLEE	DESCRIPTION	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION
				mm	INCH	DRAWN BY SKL IM01	DATE 2006/08/21	TITLE CUSTOM HEADER C-GRID,SINGLE WAFER HDR, THROU HOLE,VERTICAL, LF	
			4 PLACES	± ---	± ---	CHECKED BY CWLAM	DATE 2006/09/04		
			3 PLACES	± ---	± ---				
			2 PLACES	± 0.2	± ---				
			1 PLACE	± ---	± ---	APPROVED BY KWLEE	DATE 2006/09/04	MOLEX INCORPORATED	
			ANGULAR ± 3 °		MATERIAL NO.		DOCUMENT NO.		SHEET NO.
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE TABLE		SD-87914-059		1 OF 9
A	REV		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION						

tb_frame_A3_P_AM_T
Rev. D 2004/06/28

	10		9		8		7		6		5		4		3		2		1										
F	PART NO FOR TRAY PACKAGING	PART NO FOR BULK PACKAGING	CKT SIZE	PLATING TYPE	DIMENSION						PART NO FOR TRAY PACKAGING	PART NO FOR BULK PACKAGING	CKT SIZE	PLATING TYPE	DIMENSION														
								MATING END	SOLDER TAIL									MATING END	SOLDER TAIL										
					A	B	F	M	P						A	B	F	M	P										
	87914-1201	-----	12	1	15.24	12.70	13.21	8.13	2.79		87914-1204	-----	12	1	15.24	12.70	11.11	6.10	2.72	F									
	87914-1202	-----	12	2	15.24	12.70	13.21	8.13	2.79		87914-1205	-----	12	2	15.24	12.70	11.11	6.10	2.72										
	87914-1203	-----	12	3	15.24	12.70	13.21	8.13	2.79		87914-1206	-----	12	3	15.24	12.70	11.11	6.10	2.72										
E	87914-1401	-----	14	1	17.78	15.24	13.21	8.13	2.79		87914-1404	-----	14	1	17.78	15.24	11.11	6.10	2.72										
	87914-1402	-----	14	2	17.78	15.24	13.21	8.13	2.79		87914-1405	-----	14	2	17.78	15.24	11.11	6.10	2.72										
	87914-1403	-----	14	3	17.78	15.24	13.21	8.13	2.79		87914-1406	-----	14	3	17.78	15.24	11.11	6.10	2.72	E									
D	87914-1601	-----	16	1	20.32	17.78	13.21	8.13	2.79		87914-1604	-----	16	1	20.32	17.78	11.11	6.10	2.72										
	87914-1602	-----	16	2	20.32	17.78	13.21	8.13	2.79		87914-1605	-----	16	2	20.32	17.78	11.11	6.10	2.72										
	87914-1603	-----	16	3	20.32	17.78	13.21	8.13	2.79		87914-1606	-----	16	3	20.32	17.78	11.11	6.10	2.72										
C	87914-1801	-----	18	1	22.86	20.32	13.21	8.13	2.79		87914-1804	-----	18	1	22.86	20.32	11.11	6.10	2.72	D									
	87914-1802	-----	18	2	22.86	20.32	13.21	8.13	2.79		87914-1805	-----	18	2	22.86	20.32	11.11	6.10	2.72										
	87914-1803	-----	18	3	22.86	20.32	13.21	8.13	2.79		87914-1806	-----	18	3	22.86	20.32	11.11	6.10	2.72										
B	87914-2001	-----	20	1	25.40	22.86	13.21	8.13	2.79		87914-2004	-----	20	1	25.40	22.86	11.11	6.10	2.72										
	87914-2002	-----	20	2	25.40	22.86	13.21	8.13	2.79		87914-2005	-----	20	2	25.40	22.86	11.11	6.10	2.72										
	87914-2003	-----	20	3	25.40	22.86	13.21	8.13	2.79		87914-2006	-----	20	3	25.40	22.86	11.11	6.10	2.72	C									
A																													
										QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION												
											4 PLACES ± ---	3 PLACES ± ---	2 PLACES ± 0.2	1 PLACE ± ---	ANGULAR ± 3 °	DRAWN BY SKL IM01		DATE 2006/08/21	TITLE CUSTOM HEADER C-GRID,SINGLE WAFER HDR, THROU HOLE,VERTICAL, LF										
																CHECKED BY CWLAM		DATE 2006/09/04											
																APPROVED BY KWLEE		DATE 2006/09/04											
											DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE TABLE		SD-87914-059			SHEET NO. 3 OF 9											
											SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																

tb_frame_A3_P_AM_T
Rev. D 2004/06/28

tb_frame_A3_P_AM_T
Rev. D 2004/06/28

	10		9		8		7		6		5		4		3		2		1	
F	PART NO FOR TRAY PACKAGING	PART NO FOR BULK PACKAGING	CKT SIZE	PLATING TYPE	DIMENSION						PART NO FOR TRAY PACKAGING	PART NO FOR BULK PACKAGING	CKT SIZE	PLATING TYPE	DIMENSION					
								MATING END	SOLDER TAIL									MATING END	SOLDER TAIL	
					A	B	F	M	P						A	B	F	M	P	
	87914-4201	-----	42	1	53.34	50.80	13.21	8.13	2.79		87914-4204	-----	42	1	53.34	50.80	11.11	6.10	2.72	F
	87914-4202	-----	42	2	53.34	50.80	13.21	8.13	2.79		87914-4205	-----	42	2	53.34	50.80	11.11	6.10	2.72	
	87914-4203	-----	42	3	53.34	50.80	13.21	8.13	2.79		87914-4206	-----	42	3	53.34	50.80	11.11	6.10	2.72	
E	87914-4401	-----	44	1	55.88	53.34	13.21	8.13	2.79		87914-4404	-----	44	1	55.88	53.34	11.11	6.10	2.72	
	87914-4402	-----	44	2	55.88	53.34	13.21	8.13	2.79		87914-4405	-----	44	2	55.88	53.34	11.11	6.10	2.72	
	87914-4403	-----	44	3	55.88	53.34	13.21	8.13	2.79		87914-4406	-----	44	3	55.88	53.34	11.11	6.10	2.72	E
D	87914-4601	-----	46	1	58.42	55.88	13.21	8.13	2.79		87914-4604	-----	46	1	58.42	55.88	11.11	6.10	2.72	
	87914-4602	-----	46	2	58.42	55.88	13.21	8.13	2.79		87914-4605	-----	46	2	58.42	55.88	11.11	6.10	2.72	
	87914-4603	-----	46	3	58.42	55.88	13.21	8.13	2.79		87914-4606	-----	46	3	58.42	55.88	11.11	6.10	2.72	
																				D
C	87914-4801	-----	48	1	60.96	58.42	13.21	8.13	2.79		87914-4804	-----	48	1	60.96	58.42	11.11	6.10	2.72	
	87914-4802	-----	48	2	60.96	58.42	13.21	8.13	2.79		87914-4805	-----	48	2	60.96	58.42	11.11	6.10	2.72	
	87914-4803	-----	48	3	60.96	58.42	13.21	8.13	2.79		87914-4806	-----	48	3	60.96	58.42	11.11	6.10	2.72	
B	87914-5001	-----	50	1	63.50	60.96	13.21	8.13	2.79		87914-5004	-----	50	1	63.50	60.96	11.11	6.10	2.72	
	87914-5002	-----	50	2	63.50	60.96	13.21	8.13	2.79		87914-5005	-----	50	2	63.50	60.96	11.11	6.10	2.72	
	87914-5003	-----	50	3	63.50	60.96	13.21	8.13	2.79		87914-5006	-----	50	3	63.50	60.96	11.11	6.10	2.72	C
A																				

[illegible]

tb_frame_A3_P_AM_T
Rev. D 2004/06/28

10		9		8		7		6		5		4		3		2		1																	
PART NO FOR TRAY PACKAGING	PART NO FOR BULK PACKAGING	CKT SIZE	PLATING TYPE	DIMENSION					PART NO FOR TRAY PACKAGING	PART NO FOR BULK PACKAGING	CKT SIZE	PLATING TYPE	DIMENSION					PART NO FOR TRAY PACKAGING	PART NO FOR BULK PACKAGING	CKT SIZE	PLATING TYPE	DIMENSION													
				A	B	F	MATING END M	SOLDER TAIL P					A	B	F	MATING END M	SOLDER TAIL P					A	B	F	MATING END M	SOLDER TAIL P									
-----	87914-7201	72	1	91.44	88.90	13.21	8.13	2.79	-----	87914-7204	72	1	91.44	88.90	11.11	6.10	2.72	-----	87914-7205	72	2	91.44	88.90	11.11	6.10	2.72	-----	87914-7206	72	3	91.44	88.90	11.11	6.10	2.72
-----	87914-7202	72	2	91.44	88.90	13.21	8.13	2.79	-----	87914-7404	74	1	93.98	91.44	11.11	6.10	2.72	-----	87914-7405	74	2	93.98	91.44	11.11	6.10	2.72	-----	87914-7406	74	3	93.98	91.44	11.11	6.10	2.72
-----	87914-7203	72	3	91.44	88.90	13.21	8.13	2.79	-----	87914-7604	76	1	96.52	93.98	11.11	6.10	2.72	-----	87914-7605	76	2	96.52	93.98	11.11	6.10	2.72	-----	87914-7606	76	3	96.52	93.98	11.11	6.10	2.72
-----	87914-7401	74	1	93.98	91.44	13.21	8.13	2.79	-----	87914-7804	78	1	99.06	96.52	11.11	6.10	2.72	-----	87914-7805	78	2	99.06	96.52	11.11	6.10	2.72	-----	87914-7806	78	3	99.06	96.52	11.11	6.10	2.72
-----	87914-7402	74	2	93.98	91.44	13.21	8.13	2.79	-----	87914-8004	80	1	101.60	99.06	11.11	6.10	2.72	-----	87914-8005	80	2	101.60	99.06	11.11	6.10	2.72	-----	87914-8006	80	3	101.60	99.06	11.11	6.10	2.72
-----	87914-7403	74	3	93.98	91.44	13.21	8.13	2.79	-----	87914-8001	80	1	101.60	99.06	11.11	6.10	2.72	-----	87914-8002	80	2	101.60	99.06	11.11	6.10	2.72	-----	87914-8003	80	3	101.60	99.06	11.11	6.10	2.72
-----	87914-7601	76	1	96.52	93.98	13.21	8.13	2.79	-----	87914-8004	80	1	101.60	99.06	11.11	6.10	2.72	-----	87914-8005	80	2	101.60	99.06	11.11	6.10	2.72	-----	87914-8006	80	3	101.60	99.06	11.11	6.10	2.72
-----	87914-7602	76	2	96.52	93.98	13.21	8.13	2.79	-----	87914-8001	80	1	101.60	99.06	11.11	6.10	2.72	-----	87914-8002	80	2	101.60	99.06	11.11	6.10	2.72	-----	87914-8003	80	3	101.60	99.06	11.11	6.10	2.72
-----	87914-7603	76	3	96.52	93.98	13.21	8.13	2.79	-----	87914-8004	80	1	101.60	99.06	11.11	6.10	2.72	-----	87914-8005	80	2	101.60	99.06	11.11	6.10	2.72	-----	87914-8006	80	3	101.60	99.06	11.11	6.10	2.72
-----	87914-7801	78	1	99.06	96.52	13.21	8.13	2.79	-----	87914-8001	80	1	101.60	99.06	11.11	6.10	2.72	-----	87914-8002	80	2	101.60	99.06	11.11	6.10	2.72	-----	87914-8003	80	3	101.60	99.06	11.11	6.10	2.72
-----	87914-7802	78	2	99.06	96.52	13.21	8.13	2.79	-----	87914-8004	80	1	101.60	99.06	11.11	6.10	2.72	-----	87914-8005	80	2	101.60	99.06	11.11	6.10	2.72	-----	87914-8006	80	3	101.60	99.06	11.11	6.10	2.72
-----	87914-7803	78	3	99.06	96.52	13.21	8.13	2.79	-----	87914-8005	80	2	101.60	99.06	11.11	6.10	2.72	-----	87914-8006	80	3	101.60	99.06	11.11	6.10	2.72	-----	87914-8007	80	4	101.60	99.06	11.11	6.10	2.72
-----	87914-8001	80	1	101.60	99.06	13.21	8.13	2.79	-----	87914-8006	80	3	101.60	99.06	11.11	6.10	2.72	-----	87914-8007	80	4	101.60	99.06	11.11	6.10	2.72	-----	87914-8008	80	5	101.60	99.06	11.11	6.10	2.72
-----	87914-8002	80	2	101.60	99.06	13.21	8.13	2.79	-----	87914-8007	80	4	101.60	99.06	11.11	6.10	2.72	-----	87914-8008	80	5	101.60	99.06	11.11	6.10	2.72	-----	87914-8009	80	6	101.60	99.06	11.11	6.10	2.72
-----	87914-8003	80	3	101.60	99.06	13.21	8.13	2.79	-----	87914-8008	80	5	101.60	99.06	11.11	6.10	2.72	-----	87914-8009	80	6	101.60	99.06	11.11	6.10	2.72	-----	87914-8010	80	7	101.60	99.06	11.11	6.10	2.72
-----									-----	87914-8009	80	6	101.60	99.06	11.11	6.10	2.72	-----	87914-8010	80	7	101.60	99.06	11.11	6.10	2.72	-----	87914-8011	80	8	101.60	99.06	11.11	6.10	2.72
-----									-----	87914-8010	80	7	101.60	99.06	11.11	6.10	2.72	-----	87914-8011	80	8	101.60	99.06	11.11	6.10	2.72	-----	87914-8012	80	9	101.60	99.06	11.11	6.10	2.72
-----									-----	87914-8011	80	8	101.60	99.06	11.11	6.10	2.72	-----	87914-8012	80	9	101.60	99.06	11.11	6.10	2.72	-----	87914-8013	80	10	101.60	99.06	11.11	6.10	2.72
-----									-----	87914-8012	80	9	101.60	99.06	11.11	6.10	2.72	-----	87914-8013	80	10	101.60	99.06	11.11	6.10	2.72	-----	87914-8014	80	11	101.60	99.06	11.11	6.10	2.72
-----									-----	87914-8013	80	10	101.60	99.06	11.11	6.10	2.72	-----	87914-8014	80	11	101.60	99.06	11.11	6.10	2.72	-----	87914-8015	80	12	101.60	99.06	11.11	6.10	2.72
-----									-----	87914-8014	80	11	101.60	99.06	11.11	6.10	2.72	-----	87914-8015	80	12	101.60	99.06	11.11	6.10	2.72	-----	87914-8016	80	13	101.60	99.06	11.11	6.10	2.72
-----									-----	87914-8015	80	12	101.60	99.06	11.11	6.10	2.72	-----	87914-8016	80	13	101.60	99.06	11.11	6.10	2.72	-----	87914-8017	80	14	101.60	99.06	11.11	6.10	2.72
-----									-----	87914-8016	80	13	101.60	99.06	11.11	6.10	2.72	-----	87914-8017	80	14	101.60	99.06	11.11	6.10	2.72	-----	87914-8018	80	15	101.60	99.06	11.11	6.10	2.72
-----									-----	87914-8017	80	14	101.60	99.06	11.11	6.10	2.72	-----	87914-8018	80	15	101.60	99.06	11.11	6.10	2.72	-----	87914-8019	80	16	101.60	99.06	11.11	6.10	2.72
-----									-----	87914-8018	80	15	101.60	99.06	11.11	6.10	2.72	-----	87914-8019	80	16	101.60	99.06	11.11	6.10	2.72	-----	87914-8020	80	17	101.60	99.06	11.11	6.10	2.72
-----									-----	87914-8019	80	16	101.60	99.06	11.11	6.10	2.72	-----	87914-8020	80	17	101.60	99.06	11.11	6.10	2.72	-----	87914-8021	80	18	101.60	99.06	11.11	6.10	2.72
-----									-----	87914-8020	80	17	101.60	99.06	11.11	6.10	2.72	-----	87914-8021	80	18	101.60	99.06	11.11	6.10	2.72	-----	87914-8022	80	19	101.60	99.06	11.11	6.10	2.72
-----									-----	87914-8021	80	18	101.60	99.06	11.11	6.10	2.72	-----	87914-8022	80	19	101.60	99.06	11.11	6.10	2.72	-----	87914-8023	80	20	101.60	99.06	11.11	6.10	2.72
-----									-----	87914-8022	80	19	101.60	99.06	11.11	6.10	2.72	-----	87914-8023	80	20	101.60	99.06	11.11	6.10	2.72	-----	87914-8024	80	21	101.60	99.06	11.11	6.10	2.72
-----									-----	87914-8023	80	20	101.60	99.06	11.11	6.10	2.72	-----	87914-8024	80	21	101.60	99.06	11.11	6.10	2.72	-----	87914-8025	80	22	101.60	99.06	11.11	6.10	2.72
-----									-----	87914-8024	80	21	101.60	99.06	11.11	6.10	2.72	-----	87914-8025	80	22	101.60	99.06	11.11	6.10	2.72	-----	87914-8026	80	23	101.60	99.06	11.11	6.10	2.72
-----									-----	87914-8025	80	22	101.60	99.06	11.11	6.10	2.72	-----	87914-8026	80	23	101.60	99.06	11.11	6.10	2.72	-----	87914-8027	80	24	101.60	99.06	11.11	6.10	2.72
-----									-----	87914-8026	80	23	101.60	99.06	11.11	6.10	2.72	-----	87914-8027	80	24	101.60	99.06	11.11	6.10	2.72	-----	87914-8028	80	25	101.60	99.06	11.11	6.10	2.72
-----									-----	87914-8027	80	24	101.60	99.06	11.11	6.10	2.72	-----	87914-8028	80	25	101.60	99.06	11.11	6.10	2.72	-----	87914-8029	80	26	101.60	99.06	11.11	6.10	2.72
-----									-----	87914-8028	80	25	101.60	99.06	11.11	6.10	2.72	-----	87914-8029	80	26	101.60	99.06	11.11	6.10	2.72	-----	87914-8030	80	27	101.60	99.06	11.11	6.10	2.72
-----									-----	87914-8029	80	26	101.60	99.06	11.11	6.10	2.72	-----	87914-8030	80	27	101.60	99.06	11.11	6.10	2.72	-----	87914-8031	80	28	101.60	99.06	11.11	6.10	2.72
-----									-----	87914-8030	80	27	101.60	99.06	11.11	6.10	2.72	-----	87914-8031	80	28	101.60	99.06	11.11	6.10	2.72	-----	87914-8032	80	29	101.60	99.06	11.11	6.10	2.72
-----									-----	87914-8031	80	28	101.60	99.06	11.11	6.10	2.72	-----	87914-8032	80	29	101.60	99.06	11.11	6.10	2.72	-----	87914-8033	80	30	101.60	99.06	11.11	6.10	2.72
-----									-----	87914-8032	80	29	101.60	99.06	11.11	6.10	2.72	-----	87914-8033																