




Copyright FCI.





spec ref -			dr wcadmin		2010/11/01		projection 	MM 	size A3	scale 10:1	
tolerance std ISO 406 ISO 1101	TOLERANCES UNLESS OTHERWISE SPECIFIED			eng Guo-Min Sun	2013/12/05				ecn no ELX-N-16450-1		
				chr -	-						
				appr Rick Bian		2013/12/05			product family MINITEK		rel level Released
surface -  ISO 1302	linear	0.X	± -		title MINITEK II R/R SMT STR HDR WITH LOCATOR				dwg no 92813	rev AU	
		0.XX	±0.25								
		0.XXX	± -								
		angular	0°	± -°	www.fci.com	cat. no. -		Product - Customer Drw			sheet 1 of 4

NOTES:

1. MATERIAL:
BODY : GLASS FILLED PCT UL 94V-0 NATURAL (BEIGE)
PIN : PHOSPHOR BRONZE
2. TOLERANCE UNLESS OTHERWISE NOTED ± 0.25
3. DIM 1.0 ± 0.15 APPLIES TO MOLDED SIDE(S) ONLY. IF SIDE(S) ARE BROKEN, DIM 1.5 MAX APPLIES.
4. RECESS APPLIES TO MOLDED SIDE(S) ONLY.
5. POLARISATION BY OMISSION OF PIN. POSITION REFER TO TABLE.
6. P/N 92813-XXXT TO BE PACKED IN TUBE.
7. P/N 92813-011TC, 014TC, 023TC & 024TC TO BE PACKED IN TUBE WITH PICK-UP CAP INSTALLED IN THE CENTRE OF THE PRODUCT. SEE FIG. 1.
8. P/N 92813-XXXTR TO BE PACKED IN TAPE & REEL WITH PICK-UP CAP INSTALLED IN THE CENTRE OF THE PRODUCT. SEE FIG. 1.
9. PRODUCT PART NUMBER DESCRIPTIONS:
92813 - XXX LF
LEAD FREE. SEE NOTE 10
NO. OF POSITIONS (RANDOM)
10. P/N:92813-XXXLF IS SAME TO 92813-XXX. THE SUFFIX 'LF' IS ADDED JUST FOR EASY LEAD FREE IDENTIFICATION.
11. THE HOUSING WILL WITHSTAND EXPOSURE TO 255°C PEAK TEMPERATURE FOR 10 SECONDS IN A CONVECTION, INFRA-RED OR VAPOR PHASE REFLOW OVEN

12. THE HOUSING WILL WITHSTAND EXPOSURE TO 260°C PEAK TEMPERATURE FOR 10 SECONDS IN A WAVE SOLDER APPLICATION WITH A MINIMUM 1.57mm THICK CIRCUIT BOARD.
13. THIS PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008.



dr	wcadmin	2010/11/01	projection 	MM 	size	A3	scale	5:2
eng	Guo-Min Sun	2013/12/05			ecn no	ELX-N-16450-1		
chr	-	-						
appr	Rick Bian	2013/12/05	product family		MINITEK		rel level	Released
	title	MINITEK II R/R SMT STR HDR WITH LOCATOR			dwg no	92813		rev
www.fci.com	cat. no.	-	Product - Customer Drw				sheet 4 of 4	