



Delivering streamlined behind-panel routings with MT, MPO/MTP* interfaces and IP67-sealed harsh-environmental protection with LC interfaces, Optical Electro Magnetic Interference (EMI) Shielding Adapters are ideal in networking and industrial applications

Optical Electro Magnetic Interference (EMI) shielding adapters are designed to address mechanical-design requirements limiting EMI and Radio Frequency Interference (RFI) emissions from front panels or enclosures. The adapters are constructed of either all diecast housings or as a half die-cast, half polymer housing.

Housings have an EMI gasket that seals the adapters to the panel. EMI adapters increase the shielding effectiveness while enhancing the front-panel aesthetics compared to traditional plastic adapters.

Features and Benefits

MPO to MT/ HMBT™ and IP67 Sealed LC to LC Adapters

MPO (MTP*) front-interface to MT or HMBT™ back-interface adapter styles (106114 only)

Provide flexibility in fiber routing and reduce space requirements inside the box

IP67 sealed, ruggedized duplex LC interface adapters with latching shutters (106127-0100 and 10627-0110 only)

Shutter latches to compress the seal and protect from moisture and dust ingress. Provides harsh-environment sealing

All EMI Adapters

Metal die-cast housings

Provide Electro Magnetic Interference (EMI) protection

EMI gaskets included

Provide Electro Magnetic Interference (EMI) seal between the adapter and mounting surface

Safety shutters included

Provides dust protection, eye safety and reduces EMI when no connector is installed

Screw- and snap-mount styles available

Provides mounting flexibility

Single and multiple-port adapter design (accepts one or four connectors)

Provides for design flexibility

Ceramic or phosphor bronze alignment sleeves (where applicable)

Accommodate singlemode (SM) and multimode (MM) performance

Optical EMI Shielding Adapters

106114 MPO/MTP* to MT or HMBT™ Adapters


106127 LC Duplex to LC Duplex Sealed Ruggedized Adapter

106114 MPO Adapter

106115 LC Duplex Adapters

106116 SC Adapter

106123 LC Quad Adapters



- A. MPO (MTP*) to HMBT™ Quad Adapter
- B. MPO (MTP*) to HMBT™ Simplex Adapter with Shutter
- C. LC Duplex Sealed Adapter with Latching Shutter
- D. MPO (MTP*) to MT Simplex Adapter with Shutter
- E. MPO (MTP*) to HMBT™ Simplex Adapter with Shutter



MPO (MTP*) Adapters Series numbers
106115 LC Duplex Adapters
106116 SC Adapter
106123 LC Quad Adapters

* MTP is a registered trademark of US Conec, Inc.

Specifications

Reference Information

Packaging:

MTP tray, LC bag

Mates With:

MPO (MTP*), LC duplex connectors

Use With:

Optical Cable Assemblies and
FlexPlane™ Optical Circuitry

Designed In: Millimeters

RoHS: Yes

Halogen Free: Yes

Mechanical

Durability (min.):

200 mates and de-mates

Physical

Housing:

Metal (Zinc) for EMI versions

Alignment Sleeve:

Phosphor Bronze or Zirconia

Ceramic

Plating:

Electro-less Nickel

Operating Temperature:

-40 to +85°C

Applications

Telecommunication Applications

- Data Centers
- Hubs
- Servers
- Routers


Industrial Applications

- Test equipment

Aerospace/Defense Applications

Storage

- ATM equipment
- Gigabit Ethernet testing equipment



High-End Servers



ATM Equipment

MPO (MTP*) to MT and HBMT™ Adapters

Order No.	Cable Type	Mount Style	Shutter	Front Interface	Back Interface	
106114-1150	Simplex	Screw	One Side	MPO (MTP*)	MT	
106114-1160		Staggered Screw			HBMT™ Clip	
106114-1510		Screw				
106114-1520		Snap				
106114-1530	Quad	Screw	Latching	LC Duplex Ruggedized	LC Duplex Ruggedized, Ceramic Alignment Sleeve with IP67 Sealed Gasket	
106127-0100	Duplex				LC Duplex Ruggedized	LC Duplex Ruggedized, Phosphor Bronze Alignment Sleeve with IP67 Sealed Gasket
106127-0110						

LC EMI Adapters

Order No.	Cable Type	Mount Style	Mount Angle	Shutter	Mount From
106115-3100	Duplex	Screw	45°	One Side	Front
106115-4100		Snap			
106115-1100		Screw	Straight	None	
106115-1110				One Side	
106115-1120				Two Sides	
106115-2100		Snap		None	
106115-2110				One Side	
106115-2120				Two Sides	
106115-3200		Single Screw	45°	One Side	Rear
106123-0500	Snap	Straight	Front		
106123-0600	Screw				
106123-0700					

MPO EMI Adapters

Order No.	Cable Type	Mount Style	Mount Angle	Shutter	Mount From
106114-1100	Simplex	Screw	Straight	One Side	Front
106114-1200		Snap			
106114-3000		Screw	45°		Rear
106114-4000		Snap			
106114-0100		SingleScrew			
106114-3200	Quad	Screw		None	

SC EMI Adapters

Order No.	Cable Type	Mount Style	Mount Angle	Shutter	Mount From
106116-2000	Simplex	Snap	Straight	One Side	Front
106116-2100		Screw			
106116-4500		Single Screw	45°		Rear
106116-1000	SC Duplex EMI Adapter	Snap/Screw	Straight	Snap-On	Front