








TO
PCK

2	COPPER ALLOY	CONTACT AREA: GOLD (0.1μm) OVER NICKEL			
		LEAD: GOLD FLASH OVER NICKEL			
1	LCP	BEIGE UL94V-0	3	PHOSPHOR BRONZE	TIN PLATED
NO.	MATERIAL	FINISH, REMARKS	NO.	MATERIAL	FINISH, REMARKS
CODE NO. (OLD) CL		DRAWN	DESIGNED	CHECKED	APPROVED
		<i>J. Matsukawa</i> 89.10.27	<i>J. Matsukawa</i> 89.10.27	<i>M. Ishida</i> 89.10.28	<i>J. Yoshimura</i> 89.10.28
		DRAWING NO. EDC3-152103-02		PART NO. FX11LA-140P-SV (22)	
SCALE 5 : 1		 HIROSE ELECTRIC CO., LTD.		CODE NO. CL573-0045-0-22	
UNITS mm					



NOTES 1 SMT LEAD-COPLANARITY:0.1 MAX.  
2 THIS PRODUCT HAS NO POLARITY TO PATTERN FOR MOUNTING.  
3 MAKE SURE WIDTH OF PATTERN IS WITHIN THAT OF LAND ,OR  
LEAD MAY TOUCH PATTERN. (THIS APPLIES TO HATCHED  AREA.)  
4 DO NOT MOUNT OTHER DEVICES ONTO   AREA ,OR MATING PAIR  
CANNOT BE MATED.  
5 TO BE EMBOSSED CARRIER TAPED AS SPECIFIED IN SHEET 2.

DRAWING FOR REFERENCE: This is subject to change without notice  
08/11/2012

TO
PCK

