



MAX2135A

ISDB-T/DVB-T Diversity Tuner

Industry's Only Diversity Tuner for Automotive TV Consumes Only 300mW

[Overview](#)[Design Resources](#)[Ordering Info](#)[Related Products](#)[User Comments \(0\)](#)[All](#)

Status

Active: Data sheet on request only

Data Sheet

[Request Full Data Sheet](#)
[Custom Order](#)

Description

The MAX2135A low-power, 6MHz ISDB-T and 6MHz/7MHz/8MHz DVB-T low-IF diversity tuner directly converts broadcast ISDB-T and DVB-T signals to a low-IF using a broadband I/Q downconverter. The operating frequency range covers the VHF and UHF broadcast TV bands from 90MHz to 862MHz.

The MAX2135A integrates LNAs, RF variable-gain amplifiers (VGAs), VHF and UHF tracking filters, I/Q downconverting mixers, baseband VGAs, and low-IF filters. The device also includes a fully monolithic VCO and tank circuit as well as a complete frequency synthesizer including an on-chip crystal oscillator and output buffer/divider.

The device incorporates a 2-wire (I²C) serial control interface with multiple read and write addresses. A low-power standby mode is available whereupon the signal path is shut down while leaving the serial control interface and register circuits active. Additionally, the entire device can be shut down by an external pin.

The MAX2135A is available in a 56-pin thin QFN package (7mm x 7mm) with an exposed paddle. Electrical performance is guaranteed over the extended -40°C to +85°C temperature range.

NOTE: This product uses the following:
[MAX2135A EVKIT Software](#)

Key Features

- Multiple Frequency Ranges
 - VHF-L: 90MHz to 108MHz
 - VHF-H: 170MHz to 230MHz
 - UHF: 470MHz to 862MHz
- Complete Diversity Solution
- Low UHF Noise Figure: 3.7dB (typ)
- High Dynamic Range: -99dBm to +10dBm
- Integrated VHF/UHF Tracking Filter
- Integrated VCO and Tank Circuits
- Low Phase Noise: -95dBc/Hz at 10kHz (typ)
- Integrated Channel Filters (6MHz, 7MHz, and 8MHz)
- Single +2.7V to +3.47V Supply Voltage Range
- Low Power: 396mW (typ)
- Shutdown and Standby Modes
- I²C Serial Interface

Applications/Uses

- Automotive TV Diversity Systems
- Laptop/Desktop TV Receivers
- Portable LCD TVs
- Portable Navigation Devices

Key Specifications:

TV Tuners										
Part Number	Ref. Clock Freq.	IF f _{OUT}	Noise Figure (dB)	V _{SUPPLY} (V)	I _{SUPPLY} (mA)	Applications	f _{IN}	Features	Footprint (mm x	Budgetary Price

	(MHz)	(MHz)	typ						mm)	See Notes
MAX2135A	16 to 18 32 to 36	4.5	UHF=3.7 VHF=4.8 to 5.5	2.7 to 3.47	70	DVB-T ISDB-T (13 segments)	93 to 105, 173 to 227, 473 to 859	-95dBc/Hz phase noise @ 10kHz -99 to +10dBm dynamic range Diversity Receiver I2C command interface Integrated VHF/UHF tracking filters Shutdown and Standby Modes	7.0 x 7.0	\$4.94 @1k

[See All TV Tuners \(22\)](#)

Pricing Notes:

This pricing is BUDGETARY, for comparing similar parts. Prices are in U.S. dollars and subject to change. Quantity pricing may vary substantially and international prices may differ due to local duties, taxes, fees, and exchange rates. For volume-specific prices and delivery, please see the [price and availability](#) page or contact an authorized distributor.

Technical Documents

Tutorial 5100 [General Layout Guidelines for RF and Mixed-Signal PCBs](#)

Product Guides

[Wireless](#) (PDF)

Reliability Reports

Reliability Report: [MAX2135A.pdf](#)
 Show FIT data for: MAX2135A

Software/Models

[MAX2135A EVKIT Software](#)

Ordering Information

Part Number	Free Sample	Buy	Status 	Package: TYPE PINS FOOTPRINT DRAWING CODE/VAR 	Temp	RoHS/Lead-Free? Materials Analysis
MAX2135AE/W			Active: Data sheet on request only	WAFER UNSAWN;NA pin;WAFER; Package Details	-40°C to +85°C	See data sheet
MAX2135AE/W+C76			Active: Data sheet on request only	WAFER UNSAWN;NA pin;WAFER; Package Details	-40°C to +85°C	See data sheet
MAX2135AE/W-T			Active: Data sheet on request only	WAFER; Package Details	-40°C to +85°C	See data sheet
MAX2135AETN+			Active: Data sheet on request only	TQFN;56 pin;49.1 mm² Package Details	-40°C to +85°C	RoHS/Lead-Free: Lead Free Materials Analysis
MAX2135AETN+T			Active: Data sheet on request only	TQFN;56 pin;49.1 mm² Package Details	-40°C to +85°C	RoHS/Lead-Free: Lead Free Materials Analysis
MAX2135AETN/V+			Active: Data sheet on request	TQFN;56 pin;49.1 mm²	-40°C to +85°C	RoHS/Lead-Free: Lead Free

	only	Package Details		Materials Analysis
MAX2135AETN/V+CBN	Active: Data sheet on request only	TQFN;56 pin;49.1 mm ² Package Details	-40°C to +85°C	RoHS/Lead-Free: Lead Free Materials Analysis
MAX2135AETN/V+T	Active: Data sheet on request only	TQFN;56 pin;49.1 mm ² Package Details	-40°C to +85°C	RoHS/Lead-Free: Lead Free Materials Analysis
MAX2135AETN/V+TCBN	Active: Data sheet on request only	TQFN;56 pin;49.1 mm ² Package Details	-40°C to +85°C	RoHS/Lead-Free: Lead Free Materials Analysis
MAX2135AEVKIT#	Active: Data sheet on request only	KIT; Package Details		See data sheet

Notes:

- Other options and links for purchasing parts are listed at: <http://www.maximintegrated.com/sales>.
- [Didn't Find What You Need?](#) Ask our applications engineers. Expert assistance in finding parts, usually within one business day.
- Part number suffixes: T or T&R = tape and reel; + = RoHS/lead-free; # = RoHS/lead-exempt; -D = drypack; -U/+U on DS parts = cut tape. More: See [Full Data Sheet](#) or [Maxim Product Naming Conventions](#).
- * Some packages have variations, listed on the drawing. "PkgCode/Variation" tells which variation the product uses. Note that "+", "#", "-" in the part number suffix describes RoHS status. Package drawings may show a different suffix character.

Similar Products by Function

[MAX2136](#) ISDB-T/DVB-T Low-IF Tuner
See All [TV Tuners](#) (22Products)

Similar Products by Application

Automotive: TV-Tuner Systems > [Tuner](#)
Broadcast TV and Radio > [Mobile TV](#)
Flat-Panel TVs > [Tuners](#)

Your Comments

[Login](#) or [register](#) to post a comment.

Didn't Find What You Need?

- [Next Day Product Selection Assistance from Applications Engineers](#)
- [Parametric Search](#)
- [Applications Help](#)

Information Index

Overview

[Description](#)
[Key Features](#)
[Applications/Uses](#)
[Key Specifications](#)
[Diagram](#)
[Notes and Comments](#)

Design Resources

[Data Sheet](#)
[Technical Documents](#)
[Evaluation Kits](#)
[Reliability Reports](#)
[Software/Models](#)

Ordering Info

[Price and Availability](#)
[Samples](#)
[Buy Online](#)
[Package Information](#)
[Lead-Free Information](#)

Related Products

[Similar Products by Function](#)
[Similar Products by Application](#)
[Evaluation Kits](#)
[Products with Similar Part Numbers](#)
[Products Used With This](#)

Document Ref.: 19-5103 Rev 5; 2012-01-17
This page last modified: 2012-01-17