



Tripp Lite
1111 West 35th Street
Chicago, IL 60609 USA
Telephone: +(773) 869 1234
E-mail: saleshelp@tripplite.com

Model #: N024-01K

1000-ft. Cat5e 350MHz Bulk Solid-core Plenum-Rated Cable



Highlights

- Premium cabling for Category 5 and 5e applications — rated for 350 MHz/1Gbps communications
- 4pr Solid - Plenum CMP Rated Jacket
- Compliant with the Federal Trade Agreements Act (TAA) for GSA Schedule purchases

Description

Tripp Lite's 1,000-ft. category 5e (Cat5e) solid plenum bulk cable is designed for premise (in-wall) cabling applications in air ducts and drop ceilings. This 24 AWG 4-pair solid cable has a plenum jacket and is rated for 350MHz/1Gbps communication. Transition speed up to 100 Mbps, 10 Mbps, 10base-t and Ethernet systems up to 100 Mbps. Meets most current industry standards including IEEE 802.3ab, IEEE 802.5, ANSI/EIA/TIA 568, ISO/IEC 11801 and ETL (category 5e, draft 11).

System Requirements

- For premise (in-wall) cabling applications in air ducts and dropped ceilings for Network Installations 1000 Base-T (1Gbps Ethernet), 10/100 Base-T (Ethernet), 100Mbps TPDDI, 155 Mbps ATM, ISDN, voice and Token Ring Type 3 applications.

Package Includes

- 1,000 ft. Cat5e Bulk Patch Cable Solid Plenum 24AWG 350MHz

Features

- Designed for premise (in-wall) cabling applications in air ducts and drop ceilings
- Cabling for category 5 (Cat5) and 5e (Cat5e) applications
- Length: 1,000 ft.
- 24 AWG 4-pair solid cable with smoke resistant plenum (CMP) jacket
- Rated for 350MHz/ 1Gbps communication
- Meets most current industry standards including IEEE 802.3ab, IEEE 802.5, ANSI/EIA/TIA 568, ISO/IEC 11801 and ETL (category 5e draft 11)
- Available in other lengths
- Available in stranded copper cable (N020-01K-GY), in solid PVC cable (N022-01K) and in Cat6 (N222-01K and N224-01K)
- Compliant with the Federal Trade Agreements Act (TAA) for GSA Schedule purchases

Specifications

OVERVIEW	
Intended Application	Computer Networking

Cable Type	CAT5 / CAT5E
Model Type	Bulk Cables
INPUT	
Cable Length (ft.)	1000
Cable Length (m)	304.80
UPC ASSIGNMENT	
Unit Carton UPC#	037332013118
PHYSICAL	
Color	Blue
Style	Cat5/5e
CONNECTIONS	
Connector A	 RJ45 (MALE)
Connector B	 RJ45 (MALE)
WARRANTY	
Product Warranty Period (Worldwide)	Lifetime limited warranty

Related Items

Optional Products

Related Model	Description	Qty.
N001-010-GY	10-ft. Cat5e 350MHz Snagless Molded Cable (RJ45 M/M) - Gray	1
N002-010-BK	10-ft. Cat5e 350MHz Molded Cable (RJ45 M/M) - Black	1
N002-010-BL	10-ft. Cat5e 350MHz Molded Cable (RJ45 M/M) - Blue	1
N002-010-GN	10-ft. Cat5e 350MHz Molded Cable (RJ45 M/M) - Green	1
N002-010-RD	10-ft. Cat5e 350MHz Molded Cable (RJ45 M/M) - Red	1
N002-010-YW	10-ft. Cat5e 350MHz Molded Cable (RJ45 M/M) - Yellow	1
N002-014-GY	14-ft. Cat5e 350MHz Molded Cable (RJ45 M/M) - Gray	1
N010-007-GY	7-ft. Cat5e 350MHz Molded Cross-over Cable (RJ45 M/M) - Gray	1
N020-01K-GY	1000-ft. Cat5e 350MHz Bulk Stranded-core PVC Cable - Gray	1
N050-012	12-Port Cat5e Wall Mount Patch Panel 568B	1
N052-012	12-Port Cat5e Patch Panel 568B	1

N052-024	24-Port Cat5e Patch Panel 568B	1
N052-048	48-Port Cat5e Patch Panel 568B	1

More information, including related products, owner's manuals, and additional technical specifications, can be found online at www.tripplite.com/en/products/model.cfm?txtModelID=2143.

Copyright © 2013 Tripp Lite. All rights reserved. All trademarks are the sole property of their respective owners. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Photos may differ slightly from final products.