

Model #: P452-006

6-ft. Null Modem Gold Cable, DB25F to DB25F



Highlights

- Superior molded cables with foil-shielding for maximum EMI/RFI protection
- Gold-plated connectors provide superior conductivity
- Null modem cables connect two serial devices that require a null modem configuration

Description

Null modem cables and adapters connect two serial devices that require a null modem (cross-wired) configuration. This 6ft cable has a DB25 female connector on each end. Superior molded cables with foil-shielding offer maximum EMI/RFI protection. Gold-plated connectors and contacts provide superior conductivity. Tripp Lite warrants this product to be free from defects in materials and workmanship for life.

System Requirements

• Two serial devices with DB25M connectors requiring a null modem (cross-wired) configuration

Package Includes

• 6-ft. Null Modem Gold Cable DB25F to DB25F

Features

- DB25 female to DB25 female
- Superior molded cables with foil-shielding for maximum EMI/RFI protection
- Gold-plated connectors provide superior conductivity
- Tripp Lite warrants this product to be free from defects in materials and workmanship for life

Specifications

INPUT	
Cable Length (ft.)	6
UPC ASSIGNMENT	
Unit Carton UPC#	037332013330
CONNECTIONS	
Connector A	Image: State of the state o

Connector B



WARRANTY

Product Warranty Period (Worldwide) Lifetime limited warranty

More information, including related products, owner's manuals, and additional technical specifications, can be found online at www.tripplite.com/en/products/model.cfm?txtModelID=2260.

Copyright © 2013 Tripp Lite. All rights reserved. All trademarks are the sole property of their respective owners. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Photos may differ slightly from final products.