

2013



Professional Tech Tools



Complete Tech Tools Program



Wiha Precision Screwdrivers

Description	Page
Precision Slotted Drivers	4-5
Precision Phillips Drivers	5
Precision Pozidriv® Drivers	6
Precision Hex Drivers	6
Precision Ball End Drivers	7
Precision Nut Drivers	8
Precision Torx® Drivers	9
Precision Chip Lifters	9

Wiha Magnetizer/Demagnetizer

Description	Page
Magnetizer/Demagnetizer	13

Wiha Precision Protturn Drivers

Description	Page
Protturn Drivers & Blade Sets	14
Slotted, Phillips, Torx, Chip Lifter	

Wiha Magnetizer/Demagnetizer

Description	Page
Torque Cable Keys	7

Wiha ESD Safe Precision Handles/Blades

Description	Page
SYSTEM 4 Handles/Blades	15-16
SYSTEM 4 Sets	17-19

Wiha Precision Screwdriver Accessories

Description	Page
Precision Master Tech Set	9
Precision Pocket Clip	9
Precision Stand	9
Precision Pouch	8,13

Wiha ESD Safe Precision Handle & Blades

Description	Page
SYSTEM 4 Drive-Loc Handle & Blades	17
SYSTEM 4 Drive-Loc Set	17


Wiha Precision PicoFinish Drivers

Description	Page
PicoFinish Screwdrivers	10-13
Slotted, Phillips, Torx, TorxPlus, Hex, MagicSpring, Ball End Hex, Chip Lifter & Nut Drivers	







ESD Safe Micro Bit Handles, Bits & Sets

DESCRIPTION	Page
Micro Bits Handles/Bits/Sets	20-22
ESD Safe Micro Bit Sets	23
Micro Bit Storage Handle Sets	23

Precision Electronic Pliers/Cutters

Description	Page
 Electronic Diagonal Cutters Wide Pointed Head	24
 Electronic Diagonal Cutters Wide Shape w/Wire Holding Spring	24
 Electronic Diagonal Cutters Narrow Shape	24
 Electronic Diagonal Cutters Full Flush Cutters w/Wire Trapping Spring	25
 Electronic Diagonal Cutters 48° Front Cutter/Long Nose Pliers	25
 Electronic Diagonal Cutters Oblique 30° Cutting Nippers	25
 Electronic Diagonal Cutters Short Nose Precision Pliers	25
 Electronic Stripping Pliers	25

Wiha Professional Tweezers

Description	Page
 Standard Tweezers	26-27
 SMD Tweezers	28
 Super Thin Tweezers	28
 Wafer Tweezers	28
 Cutting Tweezers	28
 Guide Pin Tweezers	29
 Self Closing Tweezers	30
 Microscopy Tweezers	31
 Isolated Tweezers	29
 Inspection Mirrors	31
 All Stainless Hooks	32
 All Stainless Excavators	32
 All Stainless Probes	32

Wiha Stripping Tools

Description	Page
 Self Adj. Cut & Strip Tools	34
 Adjustable Cable Stripper	35
 Adjustable Stripping Tool	35
 CATV/Satellite Stripper	35
 2 Step Stripping Tools	36
 3 Step Stripping Tools	37

Wiha ESD Safe Tech Tools

ESD Safe Precision Drivers
 Slotted/Phillips/Torx®/
 TorxPlus®/Hex/Nut Drivers/
 Chip Lifter

ESD Safe Ceramic Drivers

ESD Safe SYSTEM 4
 Handles/Blades/Sets

ESD Safe Drive-Loc
 Handles/Blades/Sets

ESD Safe Pliers & Cutters



Catalog 99945.wo

Rotating cap

for precise
turning and control
with fingertip

Precision handle

high quality
plastic,
cadmium free

**Molded on
tapered handle**

allows rapid
rotation

**High performance
blades**

chrome-vanadium-
molybdenum steel,
Hard chrome finished

Tip

precision ground for
exact fit, hard chromed
non-slip surface

Wiha Long Life Precision Series


[SHOP](#)
260 Slotted Screwdriver, With Precision Handle

Blade high alloy chrome-vanadium-molybdenum steel.

Item No.	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
26008	.80	1/32	40	1.6	0.16	.01	120	4.7	.02	10
26010	1.0	.039	40	1.6	0.18	.01	120	4.7	.02	10
26012	1.2	3/64	40	1.6	0.20	.01	120	4.7	.02	10
26015	1.5	1/16	40	1.6	0.25	.01	120	4.7	.02	10
26018	1.8	.070	40	1.6	0.30	.01	120	4.7	.02	10
26020	2.0	5/64	40	1.6	0.40	.02	120	4.7	.02	10
26022	2.0	5/64	50	2.0	0.40	.02	145	5.7	.02	10
26023	2.0	5/64	100	3.9	0.40	.02	180	7.1	.03	10
26025	2.5	3/32	50	2.0	0.40	.02	145	5.7	.03	10
26027	2.5	3/32	100	3.9	0.40	.02	195	7.7	.03	10
26028	2.5	3/32	150	6.0	0.40	.02	245	9.6	.04	10
26030	3.0	1/8	50	2.0	0.50	.02	145	5.7	.03	10
26032	3.0	1/8	60	2.4	0.50	.02	170	6.7	.04	10
26033	3.0	1/8	100	3.9	0.50	.02	210	8.3	.04	10
26034	3.0	1/8	150	5.9	0.50	.02	260	10.2	.05	10
26035	3.5	9/64	60	2.4	0.60	.02	170	6.7	.05	10
26040	4.0	5/32	60	2.4	0.80	.03	170	6.7	.05	10
26041	4.0	5/32	100	3.9	0.80	.03	210	8.3	.06	10
26042	4.0	5/32	150	5.9	0.80	.03	260	10.2	.07	10

*Metric dimensions actual - Inch dimensions approximate


[SHOP](#)
26090 6 Piece Precision Slotted Set

Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finished.

Item No.		lbs.
26090	Slotted:	
	1.5, 2.0 x 40mm	.27
	2.5, 3.0 x 50mm	
	3.5, 4.0 x 60mm	


[SHOP](#)
26099 8 Piece Precision Slotted Set

Blade high alloy chrome-vanadium-molybdenum steel.

Hard chrome finished. In canvas storage pouch

Item No.		lbs.
26099	Slotted: 1.0, 1.2, 1.5, 2.0 x 40mm	
	2.5, 3.0 x 50mm, 3.5, 4.0 x 60mm	.54

Wiha Precision Slotted/Phillips Drivers



261 Phillips Screwdriver, With Precision Handle

Blade high alloy chrome-vanadium-molybdenum steel.

[SHOP](#)

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
26102	000	40	1.6	2.0	.08	120	4.7	.02	10
26100	00	40	1.6	2.0	.08	120	4.7	.02	10
26101	00	75	3.0	2.0	.08	155	6.1	.02	10
26105	0	50	2.0	3.0	.12	145	5.7	.02	10
26108	0	75	3.0	3.0	.12	170	6.7	.03	10
26107	0	100	3.9	3.0	.12	195	7.6	.05	10
26109	0	150	5.9	3.0	.12	245	9.6	.06	10
26110	1	60	2.4	4.0	.16	170	6.7	.05	10
26113	1	80	3.1	4.0	.16	190	7.5	.05	10
26114	1	100	3.9	4.0	.16	210	8.2	.06	10
26115	1	150	5.9	4.0	.16	260	10.2	.07	10

*Metric dimensions actual - Inch dimensions approximate



[SHOP](#)

26092 7 Piece Precision Slotted & Phillips Set

Blade high alloy chrome-vanadium-molybdenum steel.

Item No.		lbs.
26092	Slotted:	
	2.5 x 50mm,	.30
	2.5, 3.0, 4.0 x 100mm	
	3.0, 4.0 x 150mm	
	Phillips:	
	0 x 75mm	



[SHOP](#)

26190 7 Piece Precision Slotted & Phillips Set

Blade high alloy chrome-vanadium-molybdenum steel.

Item No.		lbs.
26190	Slotted:	
	1.5 x 40mm	.31
	2.0, 2.5 x 50mm	
	3.0 x 60mm	
	Phillips:	
	00 x 40mm	
	0 x 50mm, 1 x 60mm	



[SHOP](#)

26194 4 Piece Precision Phillips Set

Blade high alloy chrome-vanadium-molybdenum steel.

Hard chrome finished.

Item No.		lbs.
26194	Phillips: 000, 00 x 40mm	
	0 x 50mm, 1 x 60mm	.18



In canvas storage pouch

[SHOP](#)

26199 8 Piece Precision Slotted/Phillips Set

Blade high alloy CVM steel, hard chrome finished.

Item No.		lbs.
26199	Slotted: 1.0, 2.0 x 40mm,	
	3.0 x 50mm, 4.0 x 60mm	.55
	Phillips: 000, 00 x 40mm,	
	0 x 50mm, 1 x 60mm	



[SHOP](#)

26192 5 Piece Precision Slotted & Phillips Set

Blade high alloy chrome-vanadium-molybdenum steel.

Item No.		lbs.
26192	Slotted:	
	2.5, 3.0, 4.0 x 150mm	.44
	Phillips:	
	0, 1 x 150mm	



Wiha Pozidriv® Precision Series



[SHOP](#)

262 Pozidriv® Screwdriver, With Precision Handle

Blade high alloy chrome-vanadium-molybdenum steel.

Item									
No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
26205	0	50	2.0	3.0	.12	145	5.7	.03	10
26210	1	60	2.4	4.0	.16	170	6.7	.05	10

*Metric dimensions actual - Inch dimensions approximate

Wiha Hex Metric Precision Series



[SHOP](#)

263 Metric Metric Hex Driver, With Precision Handle

Metric sizes. Blade high alloy chrome-vanadium-molybdenum steel.

Item									
No.	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.	
26307	.71	.028	40	1.6	120	4.7	.02	10	
26309	.89	.035	40	1.6	120	4.7	.02	10	
26313	1.27	.050	40	1.6	120	4.7	.02	10	
26315	1.5	-	50	2.0	145	5.7	.03	10	
26320	2.0	5/64	50	2.0	145	5.7	.03	10	
26325	2.5	-	60	2.4	170	6.7	.04	10	
26330	3.0	-	60	2.4	170	6.7	.04	10	
26340	4.0	-	60	2.4	170	6.7	.05	10	

*Metric dimensions actual - Inch dimensions approximate

Wiha Hex Inch Precision Series



[SHOP](#)

263 Inch Inch Hex Driver, With Precision Handle

Inch sizes. Blade high alloy chrome-vanadium-molybdenum steel.

Item									
No.	Inch	mm	mm	Inch	mm	Inch	lbs.	pkg.	
26307	.028	.71	40	1.6	120	4.7	.02	10	
26309	.035	.89	40	1.6	120	4.7	.02	10	
26313	.050	1.27	40	1.6	120	4.7	.02	10	
26316	1/16	-	50	2.0	145	5.7	.03	10	
26320	5/64	2.0	50	2.0	145	5.7	.03	10	
26323	3/32	-	60	2.4	170	6.7	.04	10	
26327	7/64	-	60	2.4	170	6.7	.04	10	
26331	1/8	-	60	2.4	170	6.7	.04	10	
26333	9/64	-	60	2.4	170	6.7	.05	10	
26336	5/32	-	60	2.4	170	6.7	.05	10	

*Metric dimensions actual - Inch dimensions approximate



[SHOP](#)

26391 8 Pc. Precision Hex Driver Set - Inch

Blade high alloy chrome-vanadium-molybdenum steel.

Item No.		
26391	Hex Inch:	lbs.
	.028, .035, .050 x 1.6"	.32
	1/16, 5/64 x 2.0"	
	3/32, 7/64, 1/8 x 2.4"	



[SHOP](#)

26390 7 Pc. Precision Hex Driver Set - Metric

Blade high alloy chrome-vanadium-molybdenum steel.

Item No.		
26390	Hex Metric:	lbs.
	.71, .89, 1.27 x 40mm	.28
	1.5, 2.0 x 50mm	
	2.5, 3.0 x 60mm	



[SHOP](#)

26399 8 Piece Precision Hex Driver Set - Inch

Blade high alloy chrome-vanadium-molybdenum steel.
Hard chrome finished. In canvas storage pouch

Item No.		
26399	Hex Inch: .028, .035, .050 x 1.6"	lbs.
	1/16, 5/64 x 2.0", 3/32, 7/64, 1/8 x 2.4"	.55

Wiha Ball End Precision Series



[SHOP](#)

264 Inch Ball End Hex Inch Screwdriver With Precision Handle

Angle entry up to 30°. Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finish.

Item No.	Inch	mm	Inch	mm	Inch	lbs.	pkg.
26413	.050	40	1.6	120	4.7	.02	10
26416	1/16	50	2.0	145	5.7	.03	10
26419	5/64	50	2.0	145	5.7	.03	10
26423	3/32	50	2.0	145	5.7	.03	10
26427	7/64	60	2.4	170	6.7	.03	10
26431	1/8	60	2.4	170	6.7	.05	10
26436	9/64	60	2.4	170	6.7	.05	10
26439	5/32	60	2.4	170	6.7	.05	10

*Metric dimensions actual - Inch dimensions approximate


[SHOP](#)

264 Metric Ball End Hex Metric Screwdriver With Precision Handle

Angle entry up to 30°. Blade high alloy CVM steel.

Item No.	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
26413	1.27	.050	40	1.6	120	4.7	.02	10
26415	1.5	-	50	2.0	145	5.7	.03	10
26420	2.0	-	50	2.0	145	5.7	.03	10
26425	2.5	-	60	2.4	170	6.7	.04	10
26430	3.0	-	60	2.4	170	6.7	.05	10
26440	4.0	-	60	2.4	170	6.7	.05	10

*Metric dimensions actual - Inch dimensions approximate


[SHOP](#)

26491 5 Piece Ball End Hex Driver Set - Metric

Angle entry up to 30°. Blade high alloy chrome-vanadium-molybdenum-steel.

Item No.	Ball End Hex Metric:	lbs.
26491	1.27 x 40mm	.25
	1.5, 2.0 x 50mm	
	2.5, 3.0 x 60mm	



26490 8 Piece Ball End Hex Driver Set - Inch

Angle entry up to 30°. Blade high alloy chrome-vanadium-molybdenum steel.

Item No.	Hex Inch:	lbs.
26490	.050 x 1.6"	.28
	1/16, 5/64, 3/32 x 2.0"	
	7/64, 1/8, 9/64, 5/32 x 2.4"	

[SHOP](#)

[SHOP](#)

26499 8 Piece Ball End Hex Driver Set - Inch

Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finished. In canvas storage pouch

Item No.	Ball End Hex Inch:	lbs.
26499	.050 x 1.6", 1/16, 5/64, 3/32 x 2.0"	.62
	7/64, 1/8, 9/64, 5/32 x 2.4"	

Wiha Torque Cable Keys


[SHOP](#)

286 Torque Cable Key For Threaded Hex Connectors

For torque controlled fastening of cable plug connectors with Hex heads. Used with Wiha-TorqueControl Screwdrivers.

Item No.	Size	mm	mm	mm	Max Nm	pkg.	lbs.
28620	8mm	4.0	78	218	1.0	1	.06
28622	9mm	4.0	78	218	1.0	1	.06
28624	11mm	4.0	78	218	1.5	1	.06
28626	12mm	4.0	78	218	1.5	1	.06
28627	13mm	4.0	78	218	1.5	1	.06
28629	14mm	4.0	78	218	1.5	1	.06
28632	17mm	4.0	78	218	1.5	1	.06
28633	18mm	4.0	78	218	1.5	1	.06
28637	22mm	4.0	90	233	2.0	1	.10
28638	24mm	4.0	90	233	2.0	1	.10

28644 Torque Cable Key For Threaded Hex Connectors - Inch

Item No.	Size	mm	mm	mm	Max Nm	pkg.	lbs.
28644	1/2"	4.0	78	218	1.5	1	.06

Wiha Nut Driver Precision Series



265 Metric Metric Nut Driver With Precision Handle

Metric sizes. Blade CVM steel. Hard chrome finished.

Item No.	mm	mm	Inch	mm	Inch	mm	mm	lbs.	pkg.
26510	1.5	60	2.4	140	5.5	2.5	3.0	.03	10
26515	1.8	60	2.4	140	5.5	2.9	3.5	.03	10
26520	2.0	60	2.4	140	5.5	3.2	4.0	.04	10
26525	2.5	60	2.4	155	6.1	4.0	4.0	.04	10
26530	3.0	60	2.4	155	6.1	5.0	5.0	.05	10
26532	3.2	60	2.4	155	6.1	5.0	5.0	.05	10
26535	3.5	60	2.4	155	6.1	5.3	6.0	.05	10
26540	4.0	60	2.4	155	6.1	5.5	6.0	.05	10
26545	4.5	60	2.4	155	6.1	6.2	7.0	.05	10
26550	5.0	60	2.4	155	6.1	6.8	7.0	.05	10
26555	5.5	60	2.4	170	6.7	7.6	8.0	.06	10
26560	6.0	60	2.4	170	6.7	8.2	9.0	.06	10
26570	7.0	60	2.4	170	6.7	9.6	10.0	.06	10

*Metric dimensions actual - Inch dimensions approximate



265 Inch Inch Nut Driver With Precision Handle

Inch sizes. Blade CVM steel. Hard chrome finished.

Item No.	Inch	mm	Inch	mm	Inch	Inch	Inch	lbs.	pkg.
26523	3/32	60	2.4	155	6.1	.16	.16	.04	10
26527	7/64	60	2.4	155	6.1	.20	.20	.05	10
26531	1/8	60	2.4	155	6.1	.20	.20	.05	10
26536	9/64	60	2.4	155	6.1	.21	.24	.05	10
26539	5/32	60	2.4	155	6.1	.22	.24	.05	10
26547	3/16	60	2.4	155	6.1	.25	.28	.05	10
26556	7/32	60	2.4	170	6.7	.30	.32	.06	10
26563	1/4	60	2.4	170	6.7	.34	.36	.06	10

*Metric dimensions actual - Inch dimensions approximate



26591 8 Pc. Precision Nut Driver Set - Inch

Blade CVM steel.

Item No.	lbs.
26591 Inch Nut Drivers:	47
3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4" x 2.4"	



26592 Set 7 Pcs. Nut Driver Metric

Item No.	26592	1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0mm
----------	-------	-------------------------------------

26590 8 Pc. Precision Nut Driver Set - Metric

Blade CVM steel.

Item No.	lbs.
26590 Metric Nut Drivers:	.48
2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5, 6.0 x 60mm	



26599 8 Pc. Precision Nut Driver Set - Inch

Blade high alloy chrome-vanadium-molybdenum steel.

Hard chrome finished. In canvas storage pouch

Item No.	Inch Nut Drivers:	lbs.
26599	3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4" x 2.4"	.72



26598 8 Pc. Precision Nut Driver Set - Metric

Blade high alloy chrome-vanadium-molybdenum steel.

Hard chrome finished. In canvas storage pouch

Item No.	lbs.
26598 Metric Nut Drivers:	.70
2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5, 6.0 x 60mm	

Wiha Precision Chip Lifter



26810 Precision Chip Lifter

Blade chrome-vanadium-molybdenum steel, hardened, chrome-plated.

Precision handle high quality plastic, impact resistant. Standard handle

Item No.	mm	mm	mm	mm	Inch	lbs.	pkg.
26810	1	3.5	50	145	5.7	.07	1

*Metric dimensions actual - Inch dimensions approximate

Wiha TORX® Precision Series



267 TORX® Screwdriver, With Precision Handle
Blade high alloy chrome-vanadium-molybdenum steel.

[SHOP](#)

Item No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
26701	T1	40	1.6	120	4.7	.01	10
26702	T2	40	1.6	120	4.7	.02	10
26703	T3	40	1.6	120	4.7	.02	10
26704	T4	40	1.6	120	4.7	.02	10
26705	T5	40	1.6	120	4.7	.02	10
26706	T6	40	1.6	120	4.7	.02	10
26707	T7	40	1.6	120	4.7	.02	10
26708	T8	40	1.6	120	4.7	.03	10
26709	T9	50	2.0	145	5.7	.03	10
26710	T10	50	2.0	145	5.7	.03	10
26715	T15	60	2.4	170	6.7	.05	10
26720	T20	60	2.4	170	6.7	.05	10

*Metric dimensions actual - Inch dimensions approximate



26790 6 Pc. TORX® Screwdriver Set
Blade high alloy chrome-vanadium-molybdenum steel.

[SHOP](#)

Item No.		lbs.
26790	TORX®:	
	T6, T7, T8 x 40mm	.30
	T9, T10 x 50mm	
	T15 x 60mm	

26791 Set 8 Pcs. TORX® Screwdriver Set

Item No. 26791 T1, T2, T3, T4, T5, T6, T7, T8



[SHOP](#)

26799 8 Pc. TORX® Screwdriver Set

Blade high alloy chrome-vanadium-molybdenum steel.
Hard chrome finished. In canvas storage pouch

Item No.		lbs.
26799	TORX®: T3, T4, T5, T6, T7, T8 x 40mm	
	T9 x T10 x 50mm	.50



26792 7 Pc. TORX® Screwdriver Set
Blade high alloy chrome-vanadium-molybdenum steel.

[SHOP](#)

Item No.		lbs.
26792	TORX®:	
	T5, T6, T7, T8 x 40mm	.33
	T9, T10 x 50mm	
	T15 x 60mm	




[SHOP](#)

92190 Master Technicians Bench Top Set

Metal frame. Equipped with 50 precision drivers.

Item No.	Slotted: .8, 1.0, 1.2, 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0
92190	Phillips: #000, #00, #0, #1
	TORX®: T1, T2, T3, T4, T5, T6, T7, T8, T9, T10
lbs. 2.86	Metric Hex: 1.27, 1.5, 2.0, 2.5, 3.0
	Inch Hex: .028, .035, .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
	Metric Nut Drivers: 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5
	26810 Chip Lifter



[SHOP](#)

92191 51 Piece Precision Tool Tray Set

Tool box tray. Equipped with 51 precision drivers.

Item No.	Slotted: .8, 1.0, 1.2, 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0
92191	Phillips: #000, #00, #0, #1
	Torx®: T1, T2, T3, T4, T5, T6, T7, T8, T9, T10
lbs. 3.14	Metric Hex: 1.27, 1.5, 2.0, 2.5, 3.0, 4.0
	Inch Hex: .028, .035, .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
	Metric Nut Drivers: 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5
	26810 Chip Lifter



[SHOP](#)

26001 Pocket Clip for Precision Screwdrivers

Tool clips turn Precision Screwdrivers into Pocket Screwdrivers.

Item No.		lbs.	pkg.
26001	Fits all Precision handles	.0035	1



[SHOP](#)

26000 Plastic Precision Tool Rack

Rack holds 6 precision screwdrivers, can be set on workbench.
Also has holes for hanging. Made from high quality plastic.

Item No.		lbs.	pkg.
26000	Rack for 6 Precision screwdrivers	.08	1

Wiha Soft Grip PicoFinish Precision Screwdrivers

The Comfortable Precision Screwdriver



Color coded symbols on rotating cap gives easy recognition of individual styles & sizes



Soft Grip Handle



Ergonomic multi-component handle with rotating cap for maximum user comfort and precise control



260 Slotted Precision Screwdriver, With PicoFinish Handle

Blade CVM steel, hardened, hard chromed.

[SHOP](#)

Item No.	mm	Inch	mm	Inch	mm	Inch	Pkg.
26050	0.8	.03	40	1.6	134	5.3	10
26051	1.0	.04	40	1.6	134	5.3	10
26052	1.2	.05	40	1.6	134	5.3	10
26053	1.5	.06	40	1.6	134	5.3	10
26054	1.5	.06	60	2.4	154	6.1	10
26055	1.8	.07	40	1.6	134	5.3	10
26056	1.8	.07	60	2.4	154	6.1	10
26060	2.0	.08	40	1.6	140	5.5	10
26061	2.0	.08	60	2.4	160	6.3	10
26063	2.0	.08	100	3.9	200	7.9	10
26065	2.5	.09	50	2.0	150	5.9	10
26066	2.5	.09	75	3.0	175	6.9	10
26068	2.5	.09	100	3.9	200	7.9	10
26070	3.0	.13	50	2.0	150	5.9	10
26072	3.0	.13	100	3.9	200	7.9	10
26073	3.0	.13	150	5.9	250	9.8	10
26074	3.5	.14	60	2.4	160	6.3	10
26076	4.0	.16	60	2.4	160	6.3	10
26079	4.0	.16	100	3.9	200	7.9	10
26080	4.0	.16	150	5.9	250	9.8	10

*Metric dimensions actual - Inch dimensions approximate



[SHOP](#)

26093 8 Pc. Slotted Precision Screwdriver Set, With Soft

PicoFinish Handle In storage pouch

Item No.		lbs.
26093	Slotted: .8, 1.2, 1.5, 2.0 x 40mm 2.5, 3.0 x 50mm, 3.5, 4.0 x 60mm	.54



261 Phillips Precision Screwdriver, With Soft PicoFinish

Precision Handle Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finished.

[SHOP](#)

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	pkg.
26130	000	40	1.6	2.0	.08	134	5.3	10
26132	00	40	1.6	2.0	.08	134	5.3	10
26133	00	60	2.4	2.0	.08	154	6.1	10
26135	0	50	2.0	3.0	.12	150	5.9	10
26136	0	75	3.0	3.0	.12	175	6.9	10
26140	1	60	2.4	4.0	.16	160	6.3	10
26142	1	80	3.1	4.0	.16	180	7.1	10
26145	1	150	5.9	4.0	.16	250	9.8	10

*Metric dimensions actual - Inch dimensions approximate



[SHOP](#)

26193 8 Pc. Slotted & Phillips Precision Driver Set, With Soft

PicoFinish Handle Blade high alloy CVM steel, hardened, hard chromed. ChromTop finish on tip for a perfect fit. In storage pouch

Item No.		lbs.
26193	Slotted: 1.0, 1.5, 2.0 x 40mm 2.5 x 50mm, 3.5 x 60mm Phillips: 00 x 40mm 0 x 50mm, 1 x 60mm	.55

Wiha Pico Soft Grip TORX®



267 TORX® Screwdriver, With Precision Soft PicoFinish Handle Blade high alloy chrome-vanadium-molybdenum tool steel, hardened, hard chrome finish.

[SHOP](#)

Item No.	Size	mm	Inch	mm	Inch	pkg.
26732	T1	40	1.6	134	5.3	10
26733	T2	40	1.6	134	5.3	10
26735	T3	40	1.6	134	5.3	10
26736	T4	40	1.6	134	5.3	10
26737	T5	40	1.6	134	5.3	10
26739	T6	40	1.6	140	5.5	10
26741	T7	40	1.6	140	5.5	10
26743	T8	40	1.6	140	5.5	10
26745	T9	50	2.0	150	5.9	10
26747	T10	50	2.0	150	5.9	10
26749	T15	60	2.4	160	6.3	10
26751	T20	60	2.4	160	6.3	10

*Metric dimensions actual - Inch dimensions approximate



[SHOP](#)

26793 8 Pc. TORX® Precision Driver Set, With Soft PicoFinish Handle Blade high alloy CVM steel, hardened, hard chromed. ChromTop finish on tip for a perfect fit. In storage pouch

Item No.		lbs.
26793	TORX® : T1, T2, T3, T4, T5, T6, T7, T8 x 40mm	.50



[SHOP](#)

26796 8 Pc. TORX® Precision Driver Set, Soft PicoFinish Handle Blade high alloy CVM steel, hardened, hard chromed. ChromTop finish on tip for a perfect fit. In storage pouch

Item No.		lbs.
26796	TORX®: T5, T6, T7, T8 x 40mm T9, T10 x 50mm, T15, T20 x 60mm	.57

Wiha Pico Soft Grip Screw Holding



267 MagicSpring Screw Holding TORX® Screwdriver, With Wiha-Precision Soft PicoFinish Handle Blade high alloy CVM steel, hardened, hard chromed. Molded on ergonomic Wiha-PicoFinish precision handle, molded on, soft grips.

[SHOP](#)

Item No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
26721	T6	40	1.6	140	5.5	.03	10
26723	T7	40	1.6	140	5.5	.03	10
26725	T8	40	1.6	140	5.5	.03	10
26727	T9	50	2.0	150	5.9	.04	10
26729	T10	50	2.0	150	5.9	.04	10
26731	T15	60	2.4	160	6.3	.04	10

*Metric dimensions actual - Inch dimensions approximate



[SHOP](#)

26798 6 Pc. MagicSpring Screw Holding TORX® Screwdriver Set, With Wiha-Precision Soft PicoFinish Handle Blade high alloy CVM steel, hardened, hard chromed. Molded on ergonomic Wiha-PicoFinish precision handle, molded on, soft grips. In storage pouch

Item No.		lbs.
26798	MagicSpring TORX®: T6, T7, T8 x 40mm T9, T10, T15 x 50mm	.45

Pico Soft Grip Precision Chip Lifter



[SHOP](#)

26815 Soft PicoFinish Precision Chip Lifter Blade chrome-vanadium-molybdenum steel, hardened, hard chromed.

Item No.	mm	mm	mm	mm	Inch	lbs.	pkg.
26815	1	3.5	50	150	5.9	.03	1



[SHOP](#)

91118 Rugged Polyester Canvas Storage Pouch Holds 8 Precision Tools up to 170mm in length. Folding pouch. Has security flaps and velcro closer.

Item No.	Size	lbs.	pkg.
91118	14 1/2" W x 7 3/4" L	.13	1

Pico Soft Grip Hex Inch & Metric



[SHOP](#)

263 Hex Inch Screwdriver, With Precision Soft PicoFinish Handle

Blade high alloy CVM tool steel, hardened, hard chrome finish.

Item No.	Inch	mm	Inch	mm	Inch	pkg.
26341	.028(.71)	40	1.6	134	5.3	10
26343	.035(.89)	40	1.6	134	5.3	10
26345	.050(1.27)	40	1.6	134	5.3	10
26349	5/64(2.0)	50	2.0	150	5.9	10
26363	1/16	50	2.0	144	5.7	10
26367	3/32	60	2.4	160	6.3	10
26369	7/64	60	2.4	160	6.3	10
26371	1/8	60	2.4	160	6.3	10

*Metric dimensions actual - Inch dimensions approximate



In storage pouch

[SHOP](#)

26392 8 Piece Hex Inch Precision Driver Set, Soft PicoFinish Handle

Blade high alloy CVM steel, hardened, hard chromed.

Item No.	Hex Inch:	lbs.
26392	.028, .035, .050 x 1.6"	lbs.
	5/64, 1/16 x 2.0", 3/32, 7/64, 1/8 x 2.4"	.24



263 Hex Metric Driver, With Precision Soft PicoFinish Handle

Blade high alloy CVM tool steel, hardened, hard chrome finish.

Item No.	mm	mm	Inch	mm	Inch	pkg.
26341	.71(.028)	40	1.6	134	5.3	10
26343	.89(.035)	40	1.6	134	5.3	10
26345	1.27(.050)	40	1.6	134	5.3	10
26347	1.5	50	2.0	144	5.7	10
26349	2.0(5/64)	50	2.0	150	5.9	10
26351	2.5	60	2.4	160	6.3	10
26353	3.0	60	2.4	160	6.3	10

*Metric dimensions actual - Inch dimensions approximate



In storage pouch

[SHOP](#)

26393 7 Piece Hex Metric Precision Driver Set, Soft PicoFinish Handle

Blade high alloy CVM steel, hardened, hard chromed.

Item No.	Hex Metric:	lbs.
26393	.71, .89, 1.27 x 40mm	lbs.
	1.5, 2.0 x 50mm, 2.5, 3.0 x 60mm	.22

Pico Soft Grip Ball End Inch & Metric



[SHOP](#)

264 Ball End Hex Inch Screwdriver, With Precision Soft PicoFinish Handle

Blade high alloy chrome-vanadium-molybdenum tool steel, hardened, hard chrome finish.

Item No.	Inch	Inch	mm	Inch	mm	pkg.
26455	1/16	2.0	50	5.9	150	10
26457	5/64	2.0	50	5.9	150	10
26459	3/32	2.0	50	5.9	150	10
26461	7/64	2.4	60	6.3	160	10
26463	1/8	2.4	60	6.3	160	10
26465	9/64	2.4	60	6.3	160	10
26467	5/32	2.4	60	6.3	160	10

*Metric dimensions actual - Inch dimensions approximate



[SHOP](#)

26493 7 Piece Inch Ball End Hex Precision Driver Set, With Soft PicoFinish Handle

Blade high alloy CVM steel, hardened, hard chromed. ChromTop finish on tip for a perfect fit. In storage pouch

Item No.	Ball End Hex Inch:	lbs.
26493	1/16, 5/64, 3/32 x 2.0"	lbs.
	7/64, 1/8, 9/64, 5/32 x 2.4"	.27



[SHOP](#)

264 Ball End Hex Metric Screwdriver, With Precision Soft PicoFinish Handle

Blade high alloy chrome-vanadium-molybdenum tool steel, hardened, hard chrome finish.

Item No.	mm	mm	Inch	mm	Inch	pkg.
26441	1.27	40	1.6	134	5.3	10
26443	1.5	50	2.0	150	5.9	10
26445	2.0	50	2.0	150	5.9	10
26447	2.5	60	2.4	160	6.3	10
26449	3.0	60	2.4	160	6.3	10

*Metric dimensions actual - Inch dimensions approximate

Pico Soft Grip Nut Drivers Inch & Metric



SHOP

265 Inch Nut Drivers, With Precision Soft PicoFinish Handle

Blade high alloy chrome-vanadium-molybdenum tool steel, hardened, hard chrome finish.

Item No.	Inch	Inch	mm	Inch	mm	pkg.
26571	3/32	2.4	60	6.3	160	10
26572	7/64	2.4	60	6.3	160	10
26573	1/8	2.4	60	6.3	160	10
26574	9/64	2.4	60	6.3	160	10
26575	5/32	2.4	60	6.3	160	10
26576	3/16	2.4	60	6.3	160	10
26577	7/32	2.4	60	6.3	160	10
26578	1/4	2.4	60	6.3	160	10

*Metric dimensions actual - Inch dimensions approximate



SHOP

26593 8 Piece Inch Nut Driver Set, With Precision Soft PicoFinish Handle

Blade high alloy CVM tool steel, hardened, hard chrome finish. Chrom-Top finish on tip for a perfect fit. In storage pouch

Item No.		lbs.
26593	Inch Nut Drivers: 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4" x 2.4"	.72



SHOP

91118 Rugged Polyester Canvas Storage Pouch

Holds 8 Precision Tools up to 170mm in length. Folding pouch. Has security flaps and velcro closer.

Item No.	Size	lbs.	pkg.
91118	14 1/2" W x 7 3/4" L	.13	1



SHOP

265 Metric Nut Drivers, With Precision PicoFinish Handle

Blade high alloy chrome-vanadium-molybdenum tool steel, hardened, hard chrome finish.

Item No.	mm	mm	Inch	mm	Inch	pkg.
26579	1.5	60	2.4	160	6.3	10
26581	2.0	60	2.4	160	6.3	10
26582	2.5	60	2.4	160	6.3	10
26583	3.0	60	2.4	160	6.3	10
26584	3.5	60	2.4	160	6.3	10
26585	4.0	60	2.4	160	6.3	10
26586	4.5	60	2.4	160	6.3	10
26587	5.0	60	2.4	160	6.3	10
26588	5.5	60	2.4	160	6.3	10
26589	6.0	60	2.4	160	6.3	10

*Metric dimensions actual - Inch dimensions approximate



SHOP

26596 8 Piece Metric Nut Driver Set, With Precision Soft PicoFinish Handle

Blade high alloy CVM tool steel, hardened, hard chrome finish. Chrom-Top finish on tip for a perfect fit.

In storage pouch

Item No.		lbs.
26596	Metric Nut Drivers: 2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5 x 60mm	.66

Wiha Magnetizer/Demagnetizer

Magnetize or Demagnetize tools and small parts instantly

Shatterproof Box is made from high quality plastic

Uses 2 C8 industrial permanent magnets



(+) to Magnetize

(-) to Demagnetize

40010 Magnetizer and Demagnetizer

To magnetize and demagnetize steel screwdriver blades, tweezers and similar tools. Box high quality plastic, shock-resistant, green, cadmium free.

Application:


To magnetize, lead tool slowly through the (+) opening, to demagnetize guide tool slowly through the (-) opening.

Item No.	Dimensions	lbs.
40010	2.1" x 2.0" x 1.1"	.30

(Parts under 1" Length or 1/8" Diameter may not demagnetize)

SHOP

Wiha Protturn Precision Screwdrivers


[SHOP](#)

95190 6 Piece Slotted/Phillips Protturn Precision Screwdriver Set

Molded on precision handle. Blade high alloy chrome-vanadium-molybdenum tool steel, black finish.

Item No.	Slotted	mm	mm	Phillips	Size	mm	lbs.
95190	Slotted:	1.5mm	40	Phillips:	00	40	.27
		2.5mm	50		0	50	
		3.5mm	60		1	60	


[SHOP](#)

65090 9 Piece Slotted/Phillips Protturn Precision Screwdriver Set

Molded on precision handle. Blade high alloy chrome-vanadium-molybdenum tool steel, black finish.

Item No.	Slotted	mm	mm	mm	mm	Phillips	Size	mm
65090	Slotted:	1.5	40	3.0	60	Phillips:	00	40
		2.0	50	3.5	60		0	50
		2.5	60	4.0	60		1	60


[SHOP](#)

96800 Protturn Precision Chip Lifter

Molded on precision handle. Blade chrome-vanadium-molybdenum tool steel, hardened, black finish.

Item No.	Size	mm	mm	Inch	lbs.	pkg.
96800	1.0	50	145	5.7	.07	1


[SHOP](#)

62990 5 Piece Slotted & Phillips Pocket Pack Set Wiha Protturn precision ball retainer handle & 4 Wiha interchangeable blades.

Set includes the following blades:

Slotted: 1.5, 2.0, 3.0, 4.0

Phillips: #000, #00, #0, #1

lbs. .15


[SHOP](#)

62993 9 Piece Slotted/Phillips/TORX® Work Station Set Wiha Protturn precision ball retainer handle & 8 Wiha interchangeable blades.


Set includes the following blades:

Slotted: 1.5, 2.0, 3.0, 4.0

Phillips: #000, #00, #0, #1

TORX®: T6, T7, T8, T9, T10, T15, T20

lbs. .64


[SHOP](#)

62995 22 Piece Slotted/Phillips/TORX®/Ball End Hex Inch & Metric Tech Pack Wiha Protturn precision ball retainer handle & 21 Wiha interchangeable blades. Set in canvas storage pouch

Set includes the following blades:

Slotted: 1.5, 2.0, 3.0, 4.0 Phillips: #000, #00, #0, #1

TORX®: T6, T7, T8, T9, T10, T15, T20

Hex Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"

Hex Metric: 1.5, 2.0, 2.5, 3.0, 4.0mm

lbs. .87

62994 14 Piece Inch/Metric Ball End Hex Work Tech Pack

Protturn precision ball retainer handle & 13 Wiha interchangeable blades.

Set includes the following blades:

Hex Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"

Hex Metric: 1.5, 2.0, 2.5, 3.0, 4.0mm

lbs. .66 Set in canvas storage pouch

[SHOP](#)

Wiha SYSTEM 4 Precision Handles and Blades



28000 ESD Safe Dissipative Precision Handle with rotating control cap. Surface resistant 10^6 - 10^9 Ohms. 4 mm hex retainer for all SYSTEM 4 interchangeable blades. Tapered handle, high quality plastic, impact resistant. Ball retainer hold. 110mm/4.3" OAL

Item					
No.	mm	Inch	mm	Inch	lbs.
28000	4.0	.1574	14.0	.55	.04



28001 ESD Safe Dissipative Precision Adjustable Handle with rotating control cap.

Advantages:

- Use in ESD sensitive applications. Surface resistant 10^6 - 10^9 Ohms.
- Collet lock allows for quick & easy adjustment.
- Holds blade securely in place. Accepts all SYSTEM 4 blades. 110mm/4.3" OAL

Item					
No.	mm	Inch	mm	Inch	lbs.
28001	4.0	.1574	14.0	.55	.04



26900 SYS 4 Standard Precision Handle, with rotating control cap. Accepts all SYSTEM 4 interchangeable blades. Wiha Precision handle, tapered, impact resistant. Ball retainer hold. 110mm/4.3" OAL

Item					
No.	mm	Inch	mm	Inch	lbs.
26900	4.0	.1574	14.0	.55	.04



26901 SYSTEM 4 Standard Precision Adjustable handle with rotating control cap.

Advantages:

- Allows adjustable blade from 15 to 95mm.
- Collet lock allows for quick & easy adjustment.
- Holds blade securely in place. Accepts all SYSTEM 4 blades. 110mm/4.3" OAL

Item					
No.	mm	Inch	mm	Inch	lbs.
26901	4.0	.1574	14.0	.55	.06



269 SYSTEM 4 Slotted Reversible Blade

High alloy CVM steel, hardened, hard chromed. Wiha vapor Chrome-Top finish on tips.

Item					
No.	mm	mm	mm	Inch	lbs.
26903	1.5 + 3.0	120	4.7	.05	
26904	2.0 + 3.5	120	4.7	.05	
26905	2.5 + 4.0	120	4.7	.06	



269 SYSTEM 4 Combined Slotted/Phillips Reversible Blade High alloy CVM steel, hardened, hard chromed.

Item					
No.	mm	Size	mm	Inch	lbs.
26971	1.5 + 000	120	4.7	.05	
26972	2.0 + 00	120	4.7	.05	
26973	3.0 + 0	120	4.7	.05	
26974	4.0 + 1	120	4.7	.06	



269 SYSTEM 4 Pozidriv® Reversible Blade High alloy CVM steel, hardened, hard chromed. Wiha vapor Chrome-Top finish on tips.

Item					
No.	Size	Size	mm	Inch	lbs.
26922	0 + 1	120	4.7	.03	



269 SYS 4 TORX® Reversible Blade

High alloy CVM steel, hardened, vapor chrome protected, Wiha vapor Chrome-Top finish on tips. 120mm/4.7" OAL.

Item			
No.	Size	Size	lbs.
26951	T6 + T8		.03
26952	T7 + T9		.03
26953	T10 + T15		.03
26954	T15 + T20		.03



269 SYSTEM 4 TORX® Interchangeable Blade High alloy CVM steel, hardened, Wiha vapor Chrome-Top finish on tips. 120mm/4.7" OAL

Item		
No.	Size	lbs.
26955	T3	.03
26956	T4	.03
26957	T5	.03

Wiha SYSTEM 4 Precision Blades



269 SYSTEM 4 Inch Hex Sizes,

Interchangeable Blade High alloy CVM steel, hardened, corrosion protected.

Item					
No.	Inch	mm	Inch	lbs.	
26921	.050	120	4.7	.06	
26923	1/16	120	4.7	.06	
26924	5/64	120	4.7	.06	
26925	3/32	120	4.7	.06	
26926	7/64	120	4.7	.06	
26927	1/8	120	4.7	.06	
26928	9/64	120	4.7	.06	
26929	5/32	120	4.7	.06	

[SHOP](#)


280 SYSTEM 4 Inch Ball End Hex

Interchangeable Blade High alloy tool steel, hardened, corrosion protected. Ball end works at 30° angle entry for easy access to fasteners.

Item					
No.	Inch	mm	Inch	lbs.	
28021	.050	120	4.7	.06	
28023	1/16	120	4.7	.06	
28024	5/64	120	4.7	.06	
28025	3/32	120	4.7	.06	
28026	7/64	120	4.7	.06	
28027	1/8	120	4.7	.06	
28028	9/64	120	4.7	.06	
28029	5/32	120	4.7	.06	

[SHOP](#)


269 SYSTEM 4 Metric Hex Sizes,

Interchangeable Blade High alloy CVM steel, hardened, corrosion protected.

Item					
No.	mm	mm	Inch	lbs.	
26913	.71	120	4.7	.06	
26914	.89	120	4.7	.06	
26915	1.27	120	4.7	.06	
26916	1.5	120	4.7	.06	
26917	2.0	120	4.7	.06	
26918	2.5	120	4.7	.06	
26919	3.0	120	4.7	.06	
26920	4.0	120	4.7	.06	

[SHOP](#)


280 SYSTEM 4 Metric Ball End Hex

Interchangeable Blade High alloy tool steel, hardened, corrosion protected. Ball end works at 30° angle entry for easy access to fasteners.

Item						
No.	mm	mm	Inch	lbs.	pkg.	
28033	1.5	120	4.7	.06	1	
28034	2.0	120	4.7	.06	1	
28035	2.5	120	4.7	.06	1	
28036	3.0	120	4.7	.06	1	
28037	4.0	120	4.7	.06	1	

[SHOP](#)


269 SYS 4 Metric Ball End & Standard

Hex, Reversible Blade CVM steel, hardened, hard chromed. Wiha vapor Chrome-Top finish on tips. One side hex, other side ballpoint hex.

Item						
No.	mm	mm	mm	Inch	lbs.	
26932	1.27 + 1.27	120	4.7	.05		
26933	1.5 + 1.5	120	4.7	.05		
26934	2.0 + 2.0	120	4.7	.06		
26935	2.5 + 2.5	120	4.7	.06		
26936	3.0 + 3.0	120	4.7	.06		
26937	4.0 + 4.0	120	4.7	.06		

[SHOP](#)


269 SYSTEM 4 Nut Driver Inch,

Interchangeable Blade High alloy chrome-vanadium-molybdenum steel, hardened, corrosion protected. 120mm/4.7" OAL

Item				
No.	Inch	Inch	Inch	lbs.
26962	3/32	.16	.16	.04
26963	7/64	.20	.20	.04
26964	1/8	.20	.20	.04
26965	9/64	.21	.24	.04
26966	5/32	.22	.24	.04
26967	3/16	.26	.28	.04
26968	7/32	.30	.32	.04
26969	1/4	1.34	.36	.04

[SHOP](#)


269 SYSTEM 4 Nut Driver Metric,

Interchangeable Blade High alloy chrome-vanadium-molybdenum steel, hardened, corrosion protected. 120mm/4.7" OAL

Item						
No.	mm	mm	Inch	Inch	lbs.	
26940	1.5 + 1.8	.12	.12	.03		
26941	2.0 + 2.5	.16	.16	.03		
26938	1.5 -	.11	.11	.04		
26939	1.8 -	.12	.12	.04		
26949	2.0 -	.13	.13	.06		
26950	2.5 -	.16	.16	.06		
26942	3.0 -	.20	.20	.06		
26943	3.2 -	.20	.20	.06		
26944	3.5 -	.22	.24	.06		
26945	4.0 -	.22	.24	.06		
26946	4.5 -	.25	.28	.06		
26947	5.0 -	.27	.28	.06		
26948	5.5 -	.30	.32	.06		

[SHOP](#)

Wiha SYSTEM 4 Drive-Loc Precision Locking Tools



26961 ESD Safe Dissipative Precision Drive-Loc Handle

Surface resistant 10^6 - 10^9 Ohms. 4 mm hex retainer for all SYSTEM 4 interchangeable blades. Ball retainer hold. 105mm/4.13" OAL

Item					
No.	mm	Inch	mm	Inch	lbs.
26961	4.0	.1574	23	.91	.08



269 SYSTEM 4 Slotted Drive-Loc Reversible Locking Blades

On 4mm Hex blades

Item			
No.	mm	mm	lbs.
26958	1.5 + 3.0		.02
26959	2.0 + 3.5		.02
26960	2.5 + 4.0		.02



269 SYSTEM 4 Phillips Drive-Loc Reversible Locking Blades

On 4mm Hex blades

Item			
No.	Size	Size	lbs.
26975	000 + 00		.02
26976	0 + 1		.02



269 SYSTEM 4 TORX® Drive-Loc Reversible Locking Blades

On 4mm Hex blades

Item			
No.	Size	Size	lbs.
26977	T1 + T2		.02
26978	T3 + T4		.02
26979	T5 + T6		.02
26980	T6 + T8		.02
26981	T7 + T9		.02
26982	T10 + T15		.02



280 SYSTEM 4 Pozidriv® Drive-Loc Reversible Locking Blades

On 4mm Hex blades

Item			
No.	Size	Size	lbs.
28002	0 + 1		.02



280 SYSTEM 4 Metric Hex Drive-Loc Reversible Locking Blades

On 4mm Hex blades

Item			
No.	mm	mm	lbs.
28003	1.3 + 1.3		.02
28004	1.5 + 1.5		.02
28005	2.0 + 2.0		.02
28006	2.5 + 2.5		.02
28007	3.0 + 3.0		.02
28008	4.0 + 4.0		.02



280 SYSTEM 4 Metric Nut Drivers Drive-Loc Reversible

Locking Blades On 4mm Hex blades

Item			
No.	mm	mm	lbs.
28009	1.5 + 1.8		.02
28010	2.0 + 2.5		.02
28011	3.0 + 3.0		.02
28012	3.2 + 3.2		.02
28013	3.5 + 3.5		.02
28014	4.0 + 4.0		.02
28015	4.5 + 4.5		.02
28016	5.0 + 5.0		.02
28017	5.5 + 5.5		.02



26985 12 Piece SYSTEM 4 Precision ESD Drive-Loc Set

In storage pouch

Item No.	
26985	ESD Safe Drive-Loc Handle
	Slotted: 1.5x3.0, 2.0x3.5, 2.5x4.0
lbs. .44	Phillips: 000x00, 0x1
	TORX®: T1xT2, T3xT4, T5xT6, T6xT8, T7xT9, T10xT15

Wiha Canvas Pouch Sets


[SHOP](#)

26990 4 Piece Slotted & Phillips Precision Interchangeable Blade Set

Wiha ESD Safe  precision collet lock handle and 3 Wiha interchangeable blades.

26990 Set includes the following blades:

● **Slotted:** 2.0, 3.0, 4.0mm

⊕ **Phillips:** 00, 0, 1

↔ lbs. .17

Canvas Pouch


[SHOP](#)

28080 22 Piece Slotted, Phillips, TORX® & Hex Precision Interchangeable Blade Set

Wiha ESD Safe  precision collet lock handle and 20 Wiha interchangeable blades.

28080 Set includes the following blades:

● **Slotted:** 1.5, 2.0, 3.0, 4.0mm

⊕ **Phillips:** 000, 00, 0, 1

⚙ **TORX®:** T3, T4, T5, T6, T7, T8, T9, T10, T15

⬢ **Hex:** .028, .035

⬢ **Ball Hex:** .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"


Protorn Chip Lifter - #96800

↔ lbs. .33

Canvas Pouch



ESD Technicians Kit Precision Screwdrivers & Tweezers


[SHOP](#)


44590 12 Pc. Slotted, Phillips and TORX® Precision Interchangeable Blade Set

Wiha ESD Safe  precision collet lock handle, 7 Wiha interchangeable blades & 4 ESD Safe Tweezers.

44590 Set includes the following blades:

● **Slotted:** 2.0, 3.0, 4.0mm

⊕ **Phillips:** 00, 0, 1

⚙ **TORX®:** T6, T7, T8, T9, T10, T15

ESD Safe Precision Tweezers:

44501 Fine Point - AA SA



44509 Extra Fine Point - 5 SA

44505 Flat and Blunt - 2a SA

44510 Curved Fine Point - 7a SA

↔ lbs. .60

Canvas Pouch


[SHOP](#)

26992 17 Pc. Slotted, Phillips and Ball End Hex Metric/Inch Precision Interchangeable Blade Set

Wiha ESD Safe  precision collet lock handle and 15 Wiha interchangeable blades.

26992 Set include the following blades:

● **Slotted:** 1.5, 2.0, 3.0, 4.0mm

⊕ **Phillips:** 000, 00, 0, 1

⬢ **Ball End Hex Inch:** .050, 1/16, 5/64, 7/64, 3/32, 1/8"

⬢ **Ball End Hex Metric:** 1.5, 2.0, 2.5, 3.0, 4.0mm


Protorn Chip Lifter - #96800

↔ lbs. .63

Canvas Pouch



Slotted, Phillips, TORX® Set In Steel Box


[SHOP](#)

28094 11 Piece Slotted, Phillips & TORX® Precision Interchangeable Blade Set

Wiha ESD Safe  precision collet lock handle and 10 Wiha interchangeable blades.


28094 Set includes the following blades:

● **Slotted:** 1.5, 2.0, 3.0, 4.0mm

⊕ **Phillips:** 000, 00, 0, 1

⚙ **TORX®:** T3, T4, T5, T6, T7, T8, T9, T10, T15

↔ lbs. 1.51


[SHOP](#)

26993 6 Piece Slotted & Phillips Precision Interchangeable Blade Set

Wiha ESD Safe  precision collet lock handle and 5 Wiha interchangeable blades.

26993 Set includes the following blades:


● **Slotted:** 1.5, 2.0, 2.5, 3.0, 3.5, 4.0mm

⊕ **Phillips:** 000, 00, 0, 1

↔ lbs. .87



ESD Anti-Static Vinyl Pouch Set



SHOP

28091 6 Piece Slotted & Phillips Precision Interchangeable Blade Set

Wiha-ESD Safe precision collet lock handle and 5 Wiha interchangeable blades.

28091 Set includes the following blades:

↓ **Slotted:** 1.5, 2.0, 2.5, 3.0, 3.5, 4.0mm

⊕ **Phillips:** 000, 00, 0, 1

↔ **lbs.** .25

ESD Safe



SHOP

28097 9 Piece Slotted, Phillips and TORX® Precision Interchangeable Blade Set

Wiha ESD Safe precision collet lock handle and 8 Wiha Interchangeable blades.

28097 Set includes the following blades:


↓ **Slotted:** 1.5, 2.0, 3.0, 4.0mm

⊕ **Phillips:** 000, 00, 0, 1

⚙ **TORX®:** T5, T6, T7, T8, T9, T10, T15

↔ **lbs.** .33

ESD Safe



SHOP

28084 13 Piece Slotted, Phillips and Ball End Hex Inch Precision Interchangeable Blade Set

Wiha ESD Safe precision collet lock handle and 12 Wiha interchangeable blades.

28084 Set includes the following blades:

↓ **Slotted:** 1.5, 2.0, 3.0, 4.0mm

⊕ **Phillips:** 000, 00, 0, 1

⬤ **Ball End Hex Inch:** .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"

↔ **lbs.** .44

ESD Safe



SHOP

28087 8 Piece TORX® Precision Interchangeable Blade Set

Wiha-ESD Safe precision collet lock handle and 7 Wiha interchangeable blades.

28087 Set includes the following blades:


⚙ **TORX® Sizes on standard blades:** T3, T4, T5

⚙ **TORX® Sizes on reversible blades:**

T6, T7, T8, T9, T10, T15, T20

↔ **lbs.** .29

ESD Safe



SHOP

26996 5 Piece Slotted & Phillips Precision Interchangeable Blade Set

Wiha ESD Safe precision collet lock handle and 4 Wiha interchangeable blades.

26996 ⊕ **Phillips:** 000, 00, 0, 1

↓ **Slotted:** 1.5, 2.0, 3.0, 3.5mm

↔ **lbs.** .54



SHOP

26997 9 Pc. Slotted, Phillips and TORX® Precision Interchangeable Blade Set

Wiha ESD Safe precision collet lock handle and 8 Wiha Interchangeable blades.

26997 ⊕ **Phillips:** 000, 00, 0, 1

↓ **Slotted:** 1.5, 2.0, 2.5, 3.0, 3.5, 4.0mm

⚙ **TORX®:** T6, T7, T8, T9, T10, T15

↔ **lbs.** .64



SHOP

26999 9 Piece Hex Metric Precision Blade Set

Wiha ESD Safe precision collet lock handle and 8 Wiha interchangeable blades.

26999 ⬤ **Hex Metric:** .71, .89, 1.27, 1.5, 2.0, 2.5, 3.0, 4.0mm

↔ **lbs.** .66



SHOP

26989 9 Piece Hex Inch Precision Blade Set

Wiha ESD Safe precision collet lock handle and 8 Wiha interchangeable blades.

26989 ⬤ **Hex Inch:** .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"

↔ **lbs.** .64



SHOP

26995 5 Piece TORX® Precision Blade Set

Wiha ESD Safe precision collet lock handle and 4 interchangeable blades.

26995 ⚙ **TORX®:** T6, T7, T8, T9, T10, T15, T20

↔ **lbs.** .52



SHOP

26987 8 Piece TORX® Precision Blade Set

Wiha ESD Safe precision collet lock handle and 7 interchangeable blades.

26987 Set includes the following blades:

⚙ **TORX® standard blades:** T3, T4, T5

⚙ **TORX® reversible blades:**

T6, T7, T8, T9, T10, T15, T20

↔ **lbs.** .62



Wiha SYSTEM 4 Micro Bits

SYSTEM 4 Handles & Micro Bits



750 SYSTEM 4 Slotted Micro Bits

High alloy CVM steel, hardened, on 4 mm hex stock.

Item				
No.	mm	mm	Inch	lbs.
75008	0.8	28	1.1	.01
75012	1.2	28	1.1	.01
75015	1.5	28	1.1	.01
75018	1.8	28	1.1	.01
75020	2.0	28	1.1	.01
75025	2.5	28	1.1	.01
75030	3.0	28	1.1	.01
75035	3.5	28	1.1	.01
75040	4.0	28	1.1	.01

[SHOP](#)



75800 SYSTEM 4 Standard Precision Bit Handle

Rotating control cap for precise turning and control. Wiha Precision handle, tapered, high quality plastic, impact resistant, ball retainer. Accepts all SYSTEM 4 Series bits. 110mm/4.3" OAL

Item					
No.	mm	Inch	mm	Inch	lbs.
75800	4.0	.1574	14.0	.55	.06

[SHOP](#)



75801 SYSTEM 4 ESD Safe Dissipative Precision Bit Handle

with rotating control cap. Wiha precision handle, tapered, high quality plastic, impact resistant. 110mm/4.3" OAL

Advantages:

- For working in ESD sensitive applications
Surface resistant 10^6 - 10^9 Ohms
- Ball retainer holds bits securely in place
- Accepts all SYSTEM 4 Series bits

Item					
No.	mm	Inch	mm	Inch	lbs.
75801	4.0	.1574	14.0	.55	.06

[SHOP](#)

SYSTEM 4 Micro Bit Extension Blades



75900 Extension Blade For SYSTEM 4 Micro Bits

Shaft CVM steel, hardened, corrosion protected. Ball retainer bit extension for 4mm bits.

Item				
No.	Size	mm	mm	lbs.
75900	4.0	100	4.0	.07

[SHOP](#)



75901 Magnetic Bit Extension Blade For SYSTEM 4 Micro Bits

Shaft Chrome-vanadium-molybdenum steel, hardened, corrosion protected. Magnetic bit holder.

Item				
No.	Size	mm	mm	lbs.
75901	4.0	100	4.0	.04

[SHOP](#)



751 SYSTEM 4 Phillips Micro Bits High alloy chrome-vanadium-molybdenum steel, hardened, on 4 mm hex stock.

Item				
No.	Size	mm	Inch	lbs.
75105	000	28	1.1	.01
75110	00	28	1.1	.01
75115	0	28	1.1	.01
75120	1	28	1.1	.01

[SHOP](#)



753 SYSTEM 4 Hex Metric Micro Bits

High alloy CVM steel, hardened, on 4 mm hex stock.

Item				
No.	mm	mm	Inch	lbs.
75307	.71	28	1.1	.01
75309	.89	28	1.1	.01
75313	1.27	28	1.1	.01
75315	1.5	28	1.1	.01
75320	2.0	28	1.1	.01
75325	2.5	28	1.1	.01
75330	3.0	28	1.1	.01
75340	4.0	28	1.1	.01

[SHOP](#)



753 SYSTEM 4 Hex Inch Micro Bits High alloy chrome-vanadium-molybdenum steel, hardened, on 4 mm hex stock.

Item				
No.	Inch	mm	Inch	lbs.
75307	.028	28	1.1	.01
75309	.035	28	1.1	.01
75313	.050	28	1.1	.01
75350	1/16	28	1.1	.01
75352	5/64	28	1.1	.01
75354	3/32	28	1.1	.01
75356	7/64	28	1.1	.01
75358	1/8	28	1.1	.01
75360	9/64	28	1.1	.01
75340	5/32	28	1.1	.01

[SHOP](#)

Wiha SYSTEM 4 Micro Bits



757 SYSTEM 4 TORX® Micro Bits

High alloy CVM steel, hardened, on 4 mm stock.

Item				
No.	Size	mm	Inch	lbs.
75703	T3	28	1.1	.01
75704	T4	28	1.1	.01
75705	T5	28	1.1	.01
75706	T6	28	1.1	.01
75707	T7	28	1.1	.01
75708	T8	28	1.1	.01
75709	T9	28	1.1	.01
75710	T10	28	1.1	.01
75715	T15	28	1.1	.01
75720	T20	28	1.1	.01

SHOP



757 SYSTEM 4 Security TORX® Micro Bits

High alloy CVM steel, hardened, on 4 mm stock.

Item				
No.	Size	mm	Inch	lbs.
75727	T7s	28	1.1	.01
75728	T8s	28	1.1	.01
75729	T9s	28	1.1	.01
75735	T10s	28	1.1	.01
75739	T15s	28	1.1	.01
75742	T20s	28	1.1	.01

SHOP



753 SYSTEM 4 Metric Security Hex Micro Bits

High alloy CVM steel, hardened, on 4 mm hex stock.

Item				
No.	mm	mm	Inch	lbs.
75322	2.0	28	1.1	.01
75327	2.5	28	1.1	.01
75332	3.0	28	1.1	.01
75342	4.0	28	1.1	.01

SHOP

753 SYSTEM 4 Security Hex Inch Micro Bits

Item				
No.	Inch	mm	Inch	lbs.
75362	5/64	28	1.1	.01
75364	3/32	28	1.1	.01
75366	7/64	28	1.1	.01
75368	1/8	28	1.1	.01
75370	9/64	28	1.1	.01
75372	5/32	28	1.1	.01

SHOP

Micro Bit 1/4" Drive Power Tool Adapter



75902 Micro Bit 1/4" Drive Power Tool Adapter


Shaft CVM steel, hardened, corrosion protected.

For 4mm bits. 2.3" OAL

Item				
No.	Size	mm	mm	lbs.
75902	4.0	60	4.0	.07

SHOP

Protturn Precision Power Driver Bit Set



SHOP

75989 SYSTEM 4 Protturn Precision Power Screwdriver Set

W/Micro Bits, 40 Pcs. In Storage Box. Includes Wiha precision handle, Protturn Power Screwdriver & 38 interchangeable Micro bits.

Item SYSTEM 4

No. Combination Bit Set

75989 Set with System 4 Standard Precision Handle

Set includes the following bits:

- ⬮ Slotted: 0.8, 1.2, 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0mm
- ⬮ Phillips: 000, 00, 0, 1
- ⬮ TORX®: T3, T4, T5, T6, T7, T8, T9, T10, T15
- ⬮ Hex Metric: 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm
- ⬮ Hex Inch: .028, .035, .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
- ⬮ lbs. 1.18

SYSTEM 4 Interchangeable Bit Set

75990 SYSTEM 4 Interchangeable Bit Set,

40 Pcs. In Canvas Pouch. Includes Wiha precision handle, bit extension & 38 interchangeable bits.


Item SYSTEM 4

No. Combination Bit Set

75990 Set with ESD Safe Precision Handle

Set includes the following bits:

- ⬮ Slotted: 0.8, 1.2, 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0mm
- ⬮ Phillips: 000, 00, 0, 1
- ⬮ TORX®: T3, T4, T5, T6, T7, T8, T9, T10, T15
- ⬮ Hex Metric: 1.27, 1.5, 2.0, 2.5, 3.0, 4.0mm
- ⬮ Hex Inch: .028(.7), .035(.9), .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
- ⬮ 100mm Bit Extension
- ⬮ lbs. .65



40 Pc. Set



SHOP

Wiha SYS 4 Micro Bits & Compact Bit Sets

75999 SYSTEM 4 Slotted, Phillips, Hex Inch & Metric Precision Interchangeable Bit Set, 26 Pcs. In Compact Fold Out Box. Wiha precision handle, bit extension & 24 interchangeable bits.

Item No. Combination Bit Set

75999 Set with Standard Precision Handle

Set includes the following bits:

- ↓ **Slotted:** 1.5, 2.0, 3.0, 4.0mm
- Phillips:** 000, 00, 0, 1
- Hex Metric:** .71, .89, 1.27, 1.5, 2.0, 2.5, 3.0, 4.0mm
- Hex Inch:** .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
- 100mm Bit Extension**
- lbs. .64

[SHOP](#)



26 Pc. Set

75792 SYSTEM 4 **TORX®** Precision Interchangeable Bit Set, 11 Pcs. In Compact Fold Out Box.

Sets includes Wiha precision handle, bit extension and 9 Wiha interchangeable bits.

Item SYSTEM 4 TORX® Bit Set

No. Set with ESD Safe Precision Handle

75792 and the following bits:

- TORX®:** T3, T4, T5, T6, T7, T8, T9, T10, T15
- 100mm Bit Extension**
- lbs. .54

[SHOP](#)



11 Pc. Set

75395 SYSTEM 4 Hex Inch & Metric Precision Interchangeable Bit Set, 18 Pcs. In Compact Fold Out Box. Wiha precision handle, bit extension and 16 Wiha interchangeable bits.

Item No. Combination Bit Set

75395 Set with Standard Precision Handle

Includes the following bits:

- Hex Metric:** .71, .89, 1.27, 1.5, 2.0, 2.5, 3.0, 4.0mm
- Hex Inch:** .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
- 100mm Bit Extension**
- lbs. .58

[SHOP](#)



18 Pc. Set

759 sets SYSTEM 4 Slotted/Phillips/Hex Inch/**TORX®** Precision Interchangeable Bit Set, 27 Pcs. In Compact Fold Out Box. Sets include your choice of Wiha precision handle, bit extension and 25 Wiha interchangeable bits.

Item Handle Options for SYSTEM 4

No. Combination Bit Sets


75991 Set with Standard Precision Handle

75992 Set with ESD Safe Precision Handle

Sets include the following bits:

- ↓ **Slotted:** 1.5, 2.0, 3.0, 4.0mm
- Phillips:** 000, 00, 0, 1
- TORX®:** T3, T4, T5, T6, T7, T8, T9, T10, T15
- Hex Inch:** .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
- 100mm Bit Extension**
- lbs. .64

[SHOP](#)



27 Pc. Set

75996 SYSTEM 4 Interchangeable Bit Set, 40 Pcs. In Storage Box. Includes Wiha precision handle, bit extension & 38 interchangeable bits.

Item SYSTEM 4


No. Combination Bit Set

75996 Set with ESD Safe Precision Handle

Set includes the following bits:

- ↓ **Slotted:** 0.8, 1.2, 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0mm
- Phillips:** 000, 00, 0, 1
- TORX®:** T3, T4, T5, T6, T7, T8, T9, T10, T15
- Hex Metric:** 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm
- Hex Inch:** .028, .035, .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
- 100mm Bit Extension**
- lbs. 1.04

[SHOP](#)



40 Pc. Set

75994 SYSTEM 4 Slotted/Phillips/Hex Metric/**TORX®** Precision Interchangeable Bit Set, 27 Pcs. In Compact Fold Out Box.

Set includes Wiha precision handle, bit extension and 25 Wiha interchangeable bits.

Item SYSTEM 4


No. Combination Bit Set

75994 Set with ESD Safe Precision Handle

Set includes the following bits:

- ↓ **Slotted:** 1.5, 2.0, 3.0, 4.0mm
- Phillips:** 000, 00, 0, 1
- TORX®:** T3, T4, T5, T6, T7, T8, T9, T10, T15
- Hex Metric:** .71, .89, 1.27, 1.5, 2.0, 2.5, 3.0, 4.0mm
- 100mm Bit Extension**
- lbs. .64

[SHOP](#)



27 Pc. Set

Technicians MicroBit Sets

- Micro Precision Bits on 4mm Hex Drive
- Bits of Exclusive CRM-72 Tool Steel
- Handle uses non-magnetic ball retainer
- Use bits in extension only
- Standard extension adds 4" to length
- Non-magnetic bit extension

Rotation cap
Light weight & compact
Handle tapered for precise control
Bits hardened for extreme durability

Surface resistance of handles is $10^6 - 10^9$ Ohms



75093 SYSTEM 4 Slotted, Phillips, TORX® Compact ESD Precision Interchangeable Bit Set, 16 Pcs. Wiha precision handle, bit extension & 14 interchangeable bits.

Item No. Combination Bit Set

75093 Set with ESD Safe Precision Handle

↓  **Slotted:** 1.5, 2.0, 2.5, 3.0mm

⊕ **Phillips:** 00, 0, 1

⊗ **TORX®:** T6, T7, T8, T9, T10, T15, T20

○ **100mm Bit Extension**

↺ **lbs.** .17

[SHOP](#)



75094 SYSTEM 4 Slotted, Phillips, Hex Inch Compact ESD Precision Interchangeable Bit Set, 16 Pcs. Wiha precision handle, bit extension & 14 interchangeable bits.

Item No. Combination Bit Set

75094 Set with ESD Safe Precision Handle

↓  **Slotted:** 1.5, 2.0, 2.5, 3.0mm

⊕ **Phillips:** 00, 0, 1

⬢ **Hex Inch:** .035, .050, 1/16, 5/64, 3/32, 7/64, 1/8"

○ **100mm Bit Extension**

↺ **lbs.** .17

[SHOP](#)



75095 SYSTEM 4 Slotted, Phillips, Hex Metric Compact ESD Precision Interchangeable Bit Set, 16 Pcs. Wiha precision handle, bit extension & 14 interchangeable bits.

Item No. Combination Bit Set

75095 Set with ESD Safe Precision Handle

↓  **Slotted:** 1.5, 2.0, 2.5, 3.0mm

⊕ **Phillips:** 00, 0, 1

⬢ **Hex Metric:** .89, 1.27, 1.5, 2.0, 2.5, 3.0, 4.0mm

○ **100mm Bit Extension**

↺ **lbs.** .17

[SHOP](#)



75096 SYSTEM 4 Hex Inch & Metric Compact ESD Precision Interchangeable Bit Set, 16 Pcs. Wiha precision handle, bit extension & 14 interchangeable bits.

Item No. Combination Bit Set

75096 Set with ESD Safe Precision Handle

⬢ **Hex Inch:** 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"

⬢ **Hex Metric:** .89, 1.27, 1.5, 2.0, 2.5, 3.0, 4.0mm

○ **100mm Bit Extension**

↺ **lbs.** .17

[SHOP](#)

Micro Bit Handle Storage Sets

Micro precision bits on 4mm hex drive

Storage handle

Bits of exclusive CRM-72 tool steel

Bits hardened for extreme durability



[SHOP](#)



75981 Micro Bit Handle Storage Slotted & Phillips Bit Set, 7 Pcs.

Wiha precision storage handle & 6 interchangeable bits.

Item No. Set with Precision Storage Handle

75981 ↓  **Slotted:** 1.2, 1.5, 2.0mm

⊕ **Phillips:** 000, 00, 0

↺ **lbs.** .08



[SHOP](#)



75983 Micro Bit Handle Storage Hex Inch Bit Set, 7 Pcs.

Wiha precision storage handle & 6 interchangeable bits.

Item No. Set with Precision Storage Handle

75983 ⬢ **Hex Inch:** .050, 1/16, 5/64, 3/32, 7/64, 1/8"

↺ **lbs.** .08



[SHOP](#)



75985 Micro Bit Handle Storage TORX® Bit Set, 7 Pcs.

Wiha precision storage handle & 6 interchangeable bits.

Item No. Set with Precision Storage Handle

75985 ⊗ **TORX®:** T3, T4, T5, T6, T7, T8

↺ **lbs.** .08

Wiha Precision Electronic Pliers & Cutters

Electronics pliers with cutting edges are designed especially for cutting soft to medium hard wires.

C70 tool steel HR60 hardness

Glare free
black finish

Precision ground
cutting edges for
smooth cuts



The Comfortable Precision Pliers & Cutters




Velvet soft ergonomically
designed multi component
handle

Lay-on, riveted
precision joint

Light weight design for maximum
user comfort in production work

Electronic Diagonal Cutters



Full Flush


56818 Precision Electronic Diagonal Cutters, Wide Pointed Head
Cutting edge - full flush. With return spring. C70 special tool steel.

For an absolutely flush cut of copper wire.

#56818	mm	Inch	Cut Capacity	Pkg.	lbs.
	138	5.5	1.3mm/16AWG	5	.22

SHOP

Electronic Diagonal Cutters



Semi Flush

56815 Precision Electronic Diagonal Cutters, Wide Pointed Head
Cutting edge - semi flush. With return spring. C70 special tool steel.

Universal small diagonal cutter for cutting copper wires.


Item No.	Cut		Medium		Pkg.	lbs.
#56815	mm	Inch	Capacity	Hard Wire		
	138	5.5	2.0mm/12AWG	0.8	5	.23

SHOP

Electronic Diagonal Cutters



Wire Holding Spring




Full Flush

56825 Precision Electronic Diagonal Cutters, Wide Shape With Wire Holding Spring Wide, Pointed head. Cutting edge - full flush. With return spring & fixture for holding ends of wires that have been cut off. C70 special tool steel. For an absolutely flush cut of copper wire.

#56825	mm	Inch	Cut Capacity	Pkg.	lbs.
	138	5.5	1.3mm/16AWG	5	.23

SHOP

Electronic Diagonal Cutters



Full Flush

56812 Precision Electronic Diagonal Cutters, Narrow Shape
Extra narrow, short head for working in particularly restricted spaces. Cutting edge - full flush. With return spring. C70 special tool steel. For absolutely flush cutting of copper wires in difficult to access locations.


#56812	mm	Inch	Cut Capacity	Pkg.	lbs.
	118	4.5	0.8mm/20AWG	5	.19

SHOP

Electronic Diagonal Cutters



Wire Holding Spring




Full Flush

56813 Precision Electronic Diagonal Full Flush Cutters With Wire Trapping Spring Extra narrow, short head for working in particularly restricted spaces. Cutting edge - full flush. With return spring. C70 special tool steel. For absolutely flush cutting of copper wires in difficult to access locations.

#56813	mm	Inch	Cut Capacity	Pkg.	lbs.
	128	5.0	1.0mm/18AWG	5	.19

[SHOP](#)

Electronic Oblique 48° Cutter



Full Flush


56833 Electronic Oblique 48° Cutter

Wide pointed head. Cutting edge - full flush. With cutting edge at 48° for cutting obliquely from above or from the side. C70 special tool steel. For absolutely flush cutting of copper wires in difficult to access locations.

#56833	mm	Inch	Cut Capacity	Pkg.	lbs.
	138	5.5	1.3mm/16AWG	5	.22

[SHOP](#)

Narrow Front Cutter/Long Nose Pliers



Full Flush


56830 Electronic Narrow 30° Front Cutter / Long Nose Pliers

Extremely narrow, short head for working in particularly restricted spaces. Cutting edge - full flush. Edge at 30° to face end of pliers for cutting obliquely from above or from the side. C70 special tool steel. For absolutely flush cutting of copper wires in difficult to access locations.

#56830	mm	Inch	Cut Capacity	Pkg.	lbs.
	118	4.5	0.6mm/22AWG	5	.19

[SHOP](#)

Electronic Pointed Pliers




56801 Electronic Short Nose Precision Pliers

Narrow, short head. Smooth jaws. Width at tip is only 1.2mm. C70 special tool steel. For holding small components as well as for holding and angling wires.

#56801	mm	Inch	Pkg.	lbs.
	138	5.5	5	.23

[SHOP](#)

Electronic Stripping Pliers



56871 Electronic Stripping Pliers

Wide long head with ridged gripping surface, shears blade and firm wire stripping stations. With opening spring and locking mechanism. Wire stripping stations 0.81 / 1.0 / 1.3 / 1.6 / 2.0 / 2.59mm, AWG 20 / 18 / 16 / 14 / 12 / 10.

#56871	mm	Inch	Ø	AWG	Pkg.	lbs.
	180	7.0	0.81-2.59	20-10	5	.15

[SHOP](#)



Professional Quality Tweezers In Standard & Special Sizes



Blunt Tip, Serrated

Item No.	Description	wt.
43010	40 - 145mm	.11

Carbon steel tweezers. Nickel-plated finish.

SHOP



Heavy Duty Forming Tweezers

Item No.	Description	wt.
43800	8 SA - 120mm	.10

Stainless steel, anti-magnetic and acid resistant.

Brushed finish tweezers made from Vomalloy.

SHOP



Curved Extra Fine, 3mm Long Angled Tip

Item No.	Description	wt.
46950	7abb SA - 120mm	.07

Stainless steel, anti-magnetic and acid resistant.

Brushed finish tweezers made from Vomalloy.

SHOP



Fine Points Angled With 40° - Tip Bend

Item No.	Description	wt.
46970	5abb SA - 117mm	.07

Stainless steel, anti-magnetic and acid resistant.

Brushed finish tweezers made from Vomalloy.

SHOP



Narrow Body Low Force Bent 35° - 3mm Long Tip

Item No.	Description	wt.
46971	SSbb SA - 140mm	.10

Stainless steel, anti-magnetic and acid resistant.

Brushed finish tweezers made from Vomalloy.

SHOP



Extra Fine Points Bent 30° - 3mm Long Tip

Item No.	Description	wt.
46972	5bb SA - 107mm	.07

Stainless steel, anti-magnetic and acid resistant.

Brushed finish tweezers made from Vomalloy.

SHOP



Fine Hooked & Tapered Tips

Item No.	Description	wt.
46987	6 SA - 120mm	.08

Stainless steel, anti-magnetic and acid resistant.

Brushed finish tweezers made from Vomalloy.

SHOP



Blunt 1mm Wide Tip Serrated

Item No.	Description	wt.
49185	PSF - 125mm	.08

Carbon steel tweezers. Nickel-plated finish.

SHOP



Flat Round Tip Bent 30° Smooth Sides

Item No.	Description	wt.
49368	2ab SA - 120mm	.08

Stainless steel, anti-magnetic and acid resistant.

Brushed finish tweezers made from Vomalloy.

SHOP



Angled Upward Extra Fine Tips

Item No.	Description	wt.
49375	7 SA - 120mm	.08

Stainless steel, anti-magnetic and acid resistant.

Brushed finish tweezers made from Vomalloy.

SHOP



Flat Round Tip Smooth Sides

Item No.	Description	wt.
49378	2a SA - 120mm	.07

Stainless steel, anti-magnetic and acid resistant.

Brushed finish tweezers made from Vomalloy.

SHOP

Professional Quality Tweezers In Standard & Special Sizes



Reduced Body to Medium Point

Item No.	Description		wt.
49381	2 SA - 120mm		.08
Stainless steel, anti-magnetic and acid resistant. Brushed finish tweezers made from Vommaloy.			

[SHOP](#)


Flat Round Tip Smooth Sides

Item No.	Description		wt.
49478	2a SA T - 120mm		.08
Stainless steel, anti-magnetic and acid resistant. Teflon finish tweezers made from Vommaloy.			

[SHOP](#)


Flat and Broad Tips 3mm Wide

Item No.	Description		wt.
49382	F SA - 120mm		.08
Stainless steel, anti-magnetic and acid resistant. Brushed finish tweezers made from Vommaloy.			

[SHOP](#)


Very Fine Round Points & Tapered To Tip

Item No.	Description		wt.
49779	4 SA - 110mm		.08
Stainless steel, anti-magnetic and acid resistant. Brushed finish tweezers made from Vommaloy.			

[SHOP](#)


Fine Points for Assembly

Item No.	Description		wt.
49383	3 SA - 120mm		.08
Stainless steel, anti-magnetic and acid resistant. Brushed finish tweezers made from Vommaloy.			

[SHOP](#)


Very Fine Points Tapered Long

Item No.	Description		wt.
49879	4L SA - 140mm		.08
Stainless steel, anti-magnetic and acid resistant. Brushed finish tweezers made from Vommaloy.			

[SHOP](#)


Long Narrow Body Low Force

Item No.	Description		wt.
49387	SS SA - 140mm		.07
Stainless steel, anti-magnetic and acid resistant. Brushed finish tweezers made from Vommaloy.			

[SHOP](#)

Professional SMD Tweezers

COMPONENT POSITIONING & DESOLDERING TWEEZERS



Flat Bent 35° 3mm Dia. Milled Slot

Item No.	Description	wt.
42142	58 SA SMD - 117mm	.08

Stainless steel, anti-magnetic and acid resistant.
Brushed Finish tweezers made from Vomalloy.

[SHOP](#)


Holds 6.5 to 10mm Diameter

Item No.	Description	wt.
42150	53 SA - 120mm	.08

Stainless steel, anti-magnetic and acid resistant.
Brushed Finish tweezers made from Vomalloy.

[SHOP](#)


Vertical Long, Holds 2.5 to 5mm Diameter

Item No.	Description	wt.
43414	64 SA - 145mm	.10

Stainless steel, anti-magnetic and acid resistant.
Brushed Finish tweezers made from Vomalloy.

[SHOP](#)


Bent Long, Holds 3.5 to 7mm Diameter

Item No.	Description	wt.
43419	63 SA - 145mm	.10

Stainless steel, anti-magnetic and acid resistant.
Brushed Finish tweezers made from Vomalloy.

[SHOP](#)

Professional Wafer Tweezers



Back Stop, Top 2.4 Bottom 7mm

Item No.	Description	wt.
43799	37 SA - 120mm	.08

Stainless steel, anti-magnetic and acid resistant.
Brushed finish tweezers made from Vomalloy.

[SHOP](#)

Professional Wafer Tweezers



9mm Wide With Back Stop Pins

Item No.	Description	wt.
43948	89 SA - 125mm	.08

Stainless steel, anti-magnetic and acid resistant.
Brushed finish tweezers made from Vomalloy.

[SHOP](#)


12mm Wide With Back Stop Pins

Item No.	Description	wt.
43949	89a SA - 125mm	.08

Stainless steel, anti-magnetic and acid resistant.
Brushed finish tweezers made from Vomalloy.

[SHOP](#)


16mm Wide With Back Stop

Item No.	Description	wt.
44159	49 SA - 125mm	.09

Stainless steel, anti-magnetic and acid resistant.
Brushed finish tweezers made from Vomalloy.

[SHOP](#)


Bent Large 20mm Wide, Back Stop

Item No.	Description	wt.
46069	61 SA - 125mm	.11

Stainless steel, anti-magnetic and acid resistant.
Brushed finish tweezers made from Vomalloy.

[SHOP](#)


Long Flat Straight 5mm Wide

Item No.	Description	wt.
49584	39 SA - 125mm	.08

Stainless steel, anti-magnetic and acid resistant.
Brushed finish tweezers made from Vomalloy.

[SHOP](#)


Flat Angled 5mm Wide

Item No.	Description	wt.
49587	38a SA - 103mm	.08

Stainless steel, anti-magnetic and acid resistant.
Brushed finish tweezers made from Vomalloy.

[SHOP](#)

Guide Pins Tweezers



Fine Tip Straight, Guide Pin, Fine Serrated

Item No.	Description	wt.
42012	17 - 120mm	.08
Carbon steel. Nickel-plated finish.		

[SHOP](#)


Bent, Long, Guide Pin, Fine Serrated Tweezers

Item No.	Description	wt.
45113	33b - 165mm	.10
Carbon steel. Nickel-plated finish.		

[SHOP](#)


Universal Straight Guide Pin, Fine Serrated

Item No.	Description	wt.
45212	35 SA - 120mm	.08
Stainless steel, anti-magnetic and acid resistant. Brushed Finish tweezers made from Vommaloy.		

[SHOP](#)


Fine Bent, Guide Pin, Serrated

Item No.	Description	wt.
45213	35B SA - 145mm	.08
Stainless steel, anti-magnetic and acid resistant. Brushed Finish tweezers made from Vommaloy.		

[SHOP](#)


Long Pointed, Angled Tip, Guide Pin & Lock

Item No.	Description	wt.
49150	20S - 150mm	.10
Stainless steel. Polished finish.		

[SHOP](#)


Narrow Body, Straight, Long, Guide Pin, Serrated Tweezers

Item No.	Description	wt.
49159	22 SA - 155mm	.10
Stainless steel, anti-magnetic and acid resistant. Brushed finish tweezers made from Vommaloy.		

[SHOP](#)

Cutting Tweezers



End Cutting Tweezers

Item No.	Description	wt.
46500	D - 95mm	.11
Carbon steel. UnPlated finish.		

[SHOP](#)


Curved Very Fine Cutting Tweezers

Item No.	Description	wt.
48307	C7 - 115mm	.08
Carbon steel made from Vommaloy. Brushed finish.		

[SHOP](#)

Isolated Tweezers With Dipped Handles



Narrow Pointed & Straight Isolated Serrated

Item No.	Description	wt.
49158	22 isol - 155mm	.10
Carbon steel. Nickel-plated finish.		

[SHOP](#)

Super Thin Foil Tweezers



Blunt, Thin .035", Very Low Force

Item No.	Description	wt.
49215	112 SA - 100mm	.05
Stainless steel, anti-magnetic and acid resistant. Polished finish tweezers made from Vommaloy.		

[SHOP](#)

Professional Quality Self Closing Tweezers



Long Bent Tweezers

Item No.	Description	wt.
43271	R29b SA - 160mm	.12
Stainless steel, anti-magnetic and acid resistant. Brushed Finish tweezers made from Vomalloy.		

[SHOP](#)


Reverse 3 Fine Round Points For Assembly

Item No.	Description	wt.
45803	R3 SA - 115mm	.08
Stainless steel, anti-magnetic and acid resistant. Brushed Finish tweezers made from Vomalloy.		

[SHOP](#)


Pointed Self Closing Long Straight

Item No.	Description	wt.
43272	R29 - 160mm	.11
Carbon steel. Nickel-plated finish.		

[SHOP](#)


Chip Holding Curved Fine Micro Tip

Item No.	Description	wt.
46610	R10 SA SMD - 117mm	.07
Stainless steel, anti-magnetic and acid resistant. Brushed Finish tweezers made from Vomalloy.		

[SHOP](#)


Long Bent Tweezers

Item No.	Description	wt.
43273	R29b - 160mm	.12
Carbon steel. Nickel-plated finish.		

[SHOP](#)


Straight Flat Square End 5mm Wide

Item No.	Description	wt.
48050	R50 SA - 105mm	.07
Stainless steel, anti-magnetic and acid resistant. Brushed Finish tweezers made from Vomalloy.		

[SHOP](#)


Reverse 2 Flat Round Tip Smooth Sides

Item No.	Description	wt.
45802	R2a SA - 115mm	.08
Stainless steel, anti-magnetic and acid resistant. Brushed Finish tweezers made from Vomalloy.		

[SHOP](#)


Strong With Square Ends Deep Serrated

Item No.	Description	wt.
48075	R30 - 160mm	.13
Carbon steel. Nickel-plated finish.		

[SHOP](#)

Microscopy Tweezers



MicroTip 40° Hook 1x1x2mm Long

Item No.	Description	wt.
46612	12SA SMD - 120mm	.08
Stainless steel, anti-magnetic and acid resistant. Brushed finish tweezers made from Vommaloy.		

[SHOP](#)



MicroTip 40° Hook 1.6x1x1mm Wide

Item No.	Description	wt.
46613	13SA SMD - 120mm	.08
Stainless steel, anti-magnetic and acid resistant. Brushed finish tweezers made from Vommaloy.		

[SHOP](#)



MicroTip Straight & 0.5mm Slot Milled

Item No.	Description	wt.
46615	8SA SMD - 120mm	.08
Stainless steel, anti-magnetic and acid resistant. Brushed finish tweezers made from Vommaloy.		

[SHOP](#)



Uncoated

MicroTip Bent 30° - 1.6mm

Item No.	Description	wt.
46616	8b SA SMD - 120mm	.08
Stainless steel, anti-magnetic and acid resistant. Brushed finish tweezers made from Vommaloy.		

[SHOP](#)




MicroTip 30° Bent & Angled With 0.5 Slot

Item No.	Description	wt.
46619	19 SA SMD - 120mm	.08
Stainless steel, anti-magnetic and acid resistant. Brushed finish tweezers made from Vommaloy.		

[SHOP](#)

Mirrors-Clean Room Quality

For Visual Checks and Fault Finding at Inaccessible Locations



Magnifying,
Boilable

Natural Finish,
Stainless Steel

Inspection Mirrors All Stainless Detachable & Boilable



[SHOP](#)

40420 - #3

Inspection Mirror - Stainless 20mm

Item No.	Description	wt.
40420	#3 IM - 205mm	.09



[SHOP](#)

40426 - #6

Inspection Mirror - Stainless 26mm

Item No.	Description	wt.
40426	#6 IM - 215mm	.10



[SHOP](#)

40410 - #0

Inspection Mirror - Stainless 10mm

Item No.	Description	wt.
40410	#0 IM - 185mm	.09




[SHOP](#)

40422 - #4

Inspection Mirror - Stainless 22mm Short Stem

Item No.	Description	wt.
40422	#4 IM - 175mm	.10



[SHOP](#)

40430 - #8

Inspection Mirror - Stainless 30mm

Item No.	Description	wt.
40430	#8 IM - 215mm	.10



[SHOP](#)

40414 - #0

Inspection Mirror - Stainless 14mm

Item No.	Description	wt.
40414	#0 IM - 200mm	.09



[SHOP](#)

40424 - #5

Inspection Mirror - Stainless 24mm Short Stem

Item No.	Description	wt.
40424	#5 IM - 175mm	.10




[SHOP](#)

Disposable Inspection Mirrors

Item No.	Description	wt.
40425	5 Pack - Plastic	.10
Set includes: White disposable inspection mirror #5 Inspection Mirrors - 24mm x 146mm		

Quality Excavators & Probes

One Piece All Stainless Probes



All Stainless Single Piece Construction-Clean Room Quality


[SHOP](#)

Stainless Steel Probe

Item No.	Description	wt.	Each
43221	3220.1-07 Probe - 170mm	.08	\$33.68
Stainless steel, polished finish.			


[SHOP](#)

Stainless Steel Probe

Item No.	Description	wt.	Each
43225	3220.5-09 Probe - 170mm	.07	\$33.68
Stainless steel, polished finish.			


[SHOP](#)

Stainless Steel Probe

Item No.	Description	wt.	Each
43222	3220.2-06 Probe - 170mm	.07	\$33.68
Stainless steel, polished finish.			


[SHOP](#)

Stainless Steel Probe

Item No.	Description	wt.	Each
43226	3220.6-10 Probe - 170mm	.07	\$33.68
Stainless steel, polished finish.			


[SHOP](#)

Stainless Steel Probe

Item No.	Description	wt.	Each
43223	3220.3-05 Probe - 170mm	.07	\$33.68
Stainless steel, polished finish.			


[SHOP](#)

Stainless Steel Probe

Item No.	Description	wt.	Each
43228	3220.8-02 Probe - 170mm	.08	\$33.68
Stainless steel, polished finish.			


[SHOP](#)

Stainless Steel Probe

Item No.	Description	wt.	Each
43224	3220.4-16 Probe - 170mm	.07	\$33.68
Stainless steel, polished finish.			

One Piece All Stainless Excavators

Excavators-Clean Room Quality

- Can Be Used as Mini-Spatulas
- For Work on PCB's, Modeling
- Surgical Stainless Steel, Polished Finish
- Single Piece Construction



#43252

[SHOP](#)

2mm Excavator

Item No.	Description	wt.	Each
43252	3225.2-35 - 165mm	.09	\$42.52



#43253

[SHOP](#)

2.5mm Excavator

Item No.	Description	wt.	Each
43253	3225.3-31 - 165mm	.10	\$42.52

Wiha Ratchet Crimpers

Ratchet End Sleeve Crimper



5 die nests
side entry
crimp


[SHOP](#)

43612 Ratchet End Sleeve Crimper

Crimps Insulated & non-insulated end sleeves. 6 crimp positions range AWG 26-18, 18-16, 14, 12, 10, 8. Soft grip non-slip handles. Factory set auto release at end of crimp cycle.

Item No.	Inch Length	AWG Range	Weight lbs.	Pkg.
43612	220mm/8.6"	26-8	1.18	1

Ratchet Crimper Push On Terminals



Crimp Profile
"F"/"B"


[SHOP](#)

43624 Ratchet Crimper Push On Terminals

Crimps Insulated & non-insulated terminals. 4 crimp positions range AWG 22-20, 20-16, 16-14, 12-10. Soft grip non-slip handles. Factory set auto release at end of crimp cycle.

Item No.	Inch Length	AWG Range	Weight lbs.	Pkg.
43624	220mm/8.6"	22-10	1.06	1

Ratchet Crimper For Standard Connectors



Crimp Profile


[SHOP](#)

43618 Ratchet Crimper For Standard Connectors

Crimps Insulated & non-insulated connectors. 3 crimp positions range AWG 20-16 red, 16-14 blue, 12-10 yellow. Soft grip non-slip handles. Factory set auto release at end of crimp cycle.

Item No.	Inch Length	AWG Range	Weight lbs.	Pkg.
43618	220mm/8.6"	20-10	1.06	1

Ratchet Crimper For Eye Terminals



Self adjusting
side entry crimp


[SHOP](#)

43643 Ratchet Crimper For Eye Terminals

Crimps Insulated & non-insulated terminals. 4 crimp positions range AWG 26-20, 20-14, 12-10, 8-6. Soft grip non-slip handles. Factory set auto release at end of crimp cycle.

Item No.	Inch Length	AWG Range	Weight lbs.	Pkg.
43643	220mm/8.6"	26-6	1.02	1

Automatic Stripping Tool



Interchangeable stripping blade cassettes



Cuts & strips up to 10mm²/8 AWG - Strips PVC, THHW, TEFLON insulations



Ergonomic design with non-slip two component handles



Easy/snag free wire removal from tool - jaws stay open after strip

Self Adjusting Cut & Strip Tool



Straight Blade Cassette Stripping Range
0.02 - 10.0mm²



Cables: Conduit wire, Flex mains cable, Equipment wire, Flat modplug cable etc.

34-8 AWG

44212 Self Adjusting Cutting & Stripping Tool

Easily interchangeable stripping cassettes enables a wide range of insulations from PVC to PTFE. Light weight soft grip handle qualified for high volume production and portable/field usage.

#44212	mm	Inch	AWG	Strip Dim.	lbs.	Pkg.
	191	7.5	34 - 8	0.02-10mm²	.30	1

[SHOP](#)

Replaceable Cassette - Straight Blade



Straight Blade Cassette Stripping Range
0.02 - 10.0mm²



Straight

34-8 AWG

44214 Straight Blade Cassette, PVC Insulations

Fine adjustability ensures that thin insulations can be stripped without damage to conductors. At the end of the stripping function, the stripping blades open and remain open during the return phase of the strip cycle facilitating easy/snag free wire removal from the tool.

#44214	AWG	Strip Range	lbs.	Pkg.
	34 - 8	0.02-10mm²	.02	1

[SHOP](#)

Replaceable Cassette - 4-16mm²



Stripping Range
4-16mm²



Radius Blade

10-5 AWG

44269 Replaceable Cassette, 4-16mm Stripping Range

Fine adjustability ensures that thin insulations can be stripped without damage to conductors. At the end of the stripping function, the stripping blades open and remain open during the return phase of the strip cycle facilitating easy/snag free wire removal from the tool.

#44269	AWG	Strip Range	lbs.	Pkg.
	10 - 5	4-16mm²	.02	1

[SHOP](#)

Replaceable Cassette - "V" Blade



"V" Blade Stripping Range
0.1 - 4mm²



VBC for PTFE

28-12 AWG


44213 Replaceable VBC or PTFE Cassette, "V" Blade

Fine adjustability ensures that thin insulations can be stripped without damage to conductors. At the end of the stripping function, the stripping blades open and remain open during the return phase of the strip cycle facilitating easy/snag free wire removal from the tool.

#44213	AWG	Strip Range	lbs.	Pkg.
	28 - 12	0.1-4mm²	.02	1

[SHOP](#)

Heavy Duty Adjustable Cable Stripper



Circular + Straight Window Strip
Circular + Spiral Strip



Cables: Power cable. Multi-conductor control, fiber optic and copper trunk cables

44217 Jacket Stripper - Heavy Duty Adjustable

Professional stripping tool for cables of all insulations types. Positive locking positions for circular, lengthways and spiral strips. Interchangeable cable retention hooks give cable stripping capacity of up to 40mm/1.57 inch diameter. Replacement cutting blades can be stored within the tool.

#44217	mm	Inch	Strip Range	Strip Dim.	lbs.	Pkg.
	168	6.6	4.5-40mm ²	0-4.5mm	.26	1

SHOP

Replacement Blade



Replacement cutting blades can be stored within the tool

44218 Replacement Blade For 44217 Stripper

Interchangeable cable retention hooks give cable stripping capacity of up to 40mm/1.57 inch diameter. Replacement cutting blades can be stored within the tool.

#44218	Replacement Blade For 44217 Stripper	lbs.	Pkg.
		.01	1

SHOP

Precision Adjustable Stripping Tool



Replaceable Blade



Cables: Multi core cable, Modplug cable. Fiber optic cable etc.



44220 Precision Adjustable Stripping Tool

Professional stripping tool removes the outer cable jacket from signal, telephone, audiovisual, instrumentation and data transmission copper and fiber optic cables up to 11mm/0.43" diameter. The tool features a 9 position indexed blade height adjustment wheel ensuring accurate & repeatable stripping results. Simply squeeze together to open the stripping cavity - insert cable, rotate once and pull off the scrap insulation. Smooth, Lightweight and pocket size. No open blade, replacement blades encased within cassette.

#44220	mm	Inch	Strip Range	Strip Range	lbs.	Pkg.
	90.5	3.6	2.5-11mm	.10"/0.43"	.06	1

SHOP

Replacement Blade



Replacement Blade



44221 Replacement Blade For 44220 Stripper

Stripping capacity of up to 2.5-11mm/0.43" diameter.

#44221	Strip Range	Strip Dim.	lbs.	Pkg.
	2.5-11mm	11mm/0.43"	.01	1

SHOP

CATV/Satellite Stripper



Strips: RG59 & RG6 CATV coaxial cables



44206 CATV/Satellite Stripper

Quickly & simply strips RG59 & RG6 coaxial cables for CATV "F" type connectors giving industry standard strip lengths of 6.35mm/.25" for both the braid and the conductor. Patented spring-like action and built-in stop eliminates the need for manual adjustment for different cables.

#44206	mm	Inch	Strip Length	lbs.	Pkg.
	83	3.3"	6.35mm/.25" Braid/Conductor	.05	1

SHOP

Adjustable Screw
For Precise Blade
Positioning

4 Cable V-blocks

Reversible
Cassettes
Long LifeStepped Stripping
Depth For
Reduced Friction**2 Step**

	44237	44238	44239	44240
	Blue	Red	Yellow	Orange
"B" mm	6.8	6.0	12.0	9.2
"B" Inch	0.27"	0.24"	0.47"	0.36"
"A"	User adjusted			

Blue Cassette Stripping Tool Kit


2 Step

Cables: RG
58/59/62/174/180/188/
195/316/6/ Belden 8281**2 Step Red Cassette Stripping Tool Kit**

2 Step

Cables: RG
58/59/62/174/180/188/
195/316/6/ Belden 8281**2 Step Yellow Cassette Stripping Tool Kit**

2 Step

Cables: RG
58/59/62/174/180/188/
195/316/6/ Belden 8281**2 Step Replacement Stripping Cassettes**Cables: RG
58/59/62/174/180/
188/195/316/6/
Belden 8281**SHOP****Stripping Tool - No Cassette****44200 Cassette Hand-Stripping Tool** Accurate & versatile coaxial
hand-stripping tool. Holds all 2 or 3 step cassettes.

#44200	lbs.	Pkg.
	.07	1

SHOP**44227 Blue Cassette Hand-Stripping Tool Kit**Accurate & versatile coaxial hand-stripping tool, designed to provide
2 strip steps on chosen cable. Enclosed V-blocks make stripper useful
for cables in range of 2.5-7.6mm. Universal tool body accepts all
cassettes. High quality steel blade cassettes with razor sharp edges
for long, effective use.

#44227	mm	Inch	Strip Range	Strip Dim.	lbs.	Pkg.
	90	3.54	1.87-7.6mm	6.8mm	.09	1
			0.10"-0.30"	0.27"		

SHOP**44222 2 Step Red Cassette Hand-Stripping Tool Kit**Accurate & versatile coaxial hand-stripping tool, designed to provide
2 strip steps on chosen cable. Enclosed V-blocks make stripper useful
for cables in range of 6.0mm/.24". Universal tool body accepts all
cassettes. High quality steel blade cassettes with razor sharp edges
for long, effective use.


#44222	mm	Inch	Strip Range	Strip Dim.	lbs.	Pkg.
	90	3.54	1.87-7.6mm	6.0mm	.09	1
			0.10"-0.30"	0.24"		

SHOP**44224 2 Step Yellow Cassette Hand-Stripping Tool Kit**Accurate & versatile coaxial hand-stripping tool, designed to provide
2 strip steps on chosen cable. Enclosed V-blocks make stripper useful
for cables in range of 12.0mm/.47". Universal tool body accepts all
cassettes. High quality steel blade cassettes with razor sharp edges
for long, effective use.

#44224	mm	Inch	Strip Range	Strip Dim.	lbs.	Pkg.
	90	3.54	1.87-7.6mm	12.0mm	.09	1
			0.10"-0.30"	0.47"		

SHOP**442 2 Step Replacement Stripping Cassettes** High quality steel
blade cassettes with razor sharp edges for long, effective use.

Item No.	Color	Strip Range	Strip Dim.	lbs.	Pkg.
44237	Blue	1.87-7.6mm	6.8(0.27")	.01	1
44238	Red	1.87-7.6mm	6.0(0.24")	.01	1
44239	Yellow	1.87-7.6mm	12.0(0.47")	.01	1
44240	Orange	1.87-7.6mm	9.2(0.36")	.01	1

Stripping Tool Set**44290 10 Piece Set, Cassette Hand-Stripping Tool**Accurate & versatile coaxial hand-stripping tool, designed to provide 2
strip steps on chosen cable. Universal tool body accepts all cassettes.

#44290	Set includes: Stripping Tool, L-key, 4 Cable V-blocks & 4 Stripping Cassettes	lbs.	Pkg.
		.10	1

SHOP



Adjustable Screw
For Precise Blade
Positioning



4 Cable V-blocks



Reversible
Cassettes
Long Life



Stepped Stripping
Depth For Reduce
Friction

3 Step					
	A	B	C		
	44251	44255	44259	44260	44261
	Brown	Green	White	Dk. Brown	Black
"C" mm	8.3	6.0	6.8	7.5	5.5
"B" mm	2.7	6.0	2.5	3.5	5.5
"A"	User adjusted				

3 Step Brown Cassette Kit



Cables: RG
58/59/62/174/180/188/
195/316/6/ Belden 8282



44241 3 Step Brown Cassette Kit

Accurate & versatile coaxial hand-stripping tool, designed to provide 3 strip steps on chosen cable. Enclosed V-blocks make stripper useful for cables in range of 2.5-7.6mm. Universal tool body accepts all cassettes. High quality steel blade cassettes with razor sharp edges for long, effective use.

#44241	mm	Inch	Strip Range	Strip Dim.	lbs.	Pkg.
	90	3.54	1.87-7.6mm	8.3mm(B)	.08	1
			0.10"-0.30"	2.7mm(C)		

[SHOP](#)

3 Step Green Cassette Kit



Cables: RG
58/59/62/174/180/188/
195/316/6/ Belden 8283



44245 3 Step Green Cassette Kit

Accurate & versatile coaxial hand-stripping tool, designed to provide 3 strip steps on chosen cable. Enclosed V-blocks make stripper useful for cables in range of 2.5-7.6mm. Universal tool body accepts all cassettes. High quality steel blade cassettes with razor sharp edges for long, effective use.

#44245	mm	Inch	Strip Range	Strip Dim.	lbs.	Pkg.
	90	3.54	1.87-7.6mm	6.0mm(B)	.08	1
			0.10"-0.30"	6.0mm(C)		

[SHOP](#)

3 Step White Cassette Kit



Cables: RG
58/59/62/174/180/188/
195/316/6/ Belden 8284



44249 3 Step White Cassette Kit

Accurate & versatile coaxial hand-stripping tool, designed to provide 3 strip steps on chosen cable. Enclosed V-blocks make stripper useful for cables in range of 2.5-7.6mm. Universal tool body accepts all cassettes. High quality steel blade cassettes with razor sharp edges for long, effective use.


#44249	mm	Inch	Strip Range	Strip Dim.	lbs.	Pkg.
	90	3.54	1.87-7.6mm	6.8mm(B)	.08	1
			0.10"-0.30"	2.5mm(C)		

[SHOP](#)

3 Step Replacement Stripping Cassettes



Cables: RG
58/59/62/174/180/188/
195/316/6




[SHOP](#)

442 3 Step Replacement Stripping Cassettes

Accurate & versatile coaxial hand-stripping tool, designed to provide 3 strip steps on chosen cable. High quality steel blade cassettes with razor sharp edges for long, effective use.

Item No.	Color	Strip B	Strip C	lbs.	Pkg.
44251	Brown	2.7mm/.11"	8.3mm/.33"	.01	1
44255	Green	6.0mm/.24"	6.0mm/.24"	.01	1
44259	White	2.5mm/.10"	6.8mm/.27"	.01	1
44260	Dk.Brown	3.5mm/.14"	7.5mm/.30"	.01	1
44261	Black	5.5mm/.22"	5.5mm/.22"	.01	1

Stripping Tool Set



44292 11 Piece Set, Cassette Hand-Stripping Tool

Accurate & versatile coaxial hand-stripping tool, designed to provide 3 strip steps on chosen cable. Universal tool body accepts all cassettes.

#44292	Set includes: Stripping Tool, L-key,	lbs.	Pkg.
	4 Cable V-blocks, 5 Stripping Cassettes	.11	1

[SHOP](#)

Item No. Page	Item No. Page	Item No. Page	Item No. Page	Item No. Page	Item No. Page
26000 9	26135 10	26449 12	26702 9	26927 16	26993 18
26001 9	26136 10	26455 12	26703 9	26928 16	26995 19
26008 4	26140 10	26457 12	26704 9	26929 16	26996 19
26010 4	26142 10	26459 12	26705 9	26932 16	26997 19
26012 4	26145 10	26461 12	26706 9	26933 16	26999 19
26015 4	26190 5	26463 12	26707 9	26934 16	28000 15
26018 4	26192 5	26465 12	26708 9	26935 16	28001 15
26020 4	26193 10	26467 12	26709 9	26936 16	28002 17
26022 4	26194 5	26490 7	26710 9	26937 16	28003 17
26023 4	26199 5	26491 7	26715 9	26938 16	28004 17
26025 4	26205 6	26493 12	26720 9	26939 16	28005 17
26027 4	26210 6	26499 7	26721 11	26940 16	28006 17
26028 4	26307 6	26510 8	26723 11	26941 16	28007 17
26030 4	26309 6	26515 8	26725 11	26942 16	28008 17
26032 4	26313 6	26520 8	26727 11	26943 16	28009 17
26033 4	26315 6	26523 8	26729 11	26944 16	28010 17
26034 4	26316 6	26525 8	26731 11	26945 16	28011 17
26035 4	26320 6	26527 8	26732 11	26946 16	28012 17
26040 4	26323 6	26530 8	26733 11	26947 16	28013 17
26041 4	26325 6	26531 8	26735 11	26948 16	28014 17
26042 4	26327 6	26532 8	26736 11	26949 16	28015 17
26050 10	26330 6	26535 8	26737 11	26950 16	28016 17
26051 10	26331 6	26536 8	26739 11	26951 15	28017 17
26052 10	26333 6	26539 8	26741 11	26952 15	28021 16
26053 10	26336 6	26540 8	26743 11	26953 15	28023 16
26054 10	26340 6	26545 8	26745 11	26954 15	28024 16
26055 10	26341 12	26547 8	26747 11	26955 15	28025 16
26056 10	26343 12	26550 8	26749 11	26956 15	28026 16
26060 10	26345 12	26555 8	26751 11	26957 15	28027 16
26061 10	26347 12	26556 8	26790 9	26958 17	28028 16
26063 10	26349 12	26560 8	26791 9	26959 17	28029 16
26065 10	26351 12	26563 8	26792 9	26960 17	28033 16
26066 10	26353 12	26570 8	26793 11	26961 17	28034 16
26068 10	26363 12	26571 13	26796 11	26962 16	28035 16
26070 10	26367 12	26572 13	26798 11	26963 16	28036 16
26072 10	26369 12	26573 13	26799 9	26964 16	28037 16
26073 10	26371 12	26574 13	26810 9	26965 16	28080 18
26074 10	26390 6	26575 13	26815 11	26966 16	28084 19
26076 10	26391 6	26576 13	26900 15	26967 16	28087 19
26079 10	26392 12	26577 13	26901 15	26968 16	28091 19
26080 10	26393 12	26578 13	26903 15	26969 16	28094 18
26090 4	26399 6	26579 13	26904 15	26971 15	28097 19
26092 5	26413 7	26581 13	26905 15	26972 15	28620 7
26093 10	26415 7	26582 13	26911 15	26973 15	28622 7
26099 4	26416 7	26583 13	26912 15	26974 15	28624 7
26100 5	26419 7	26584 13	26913 16	26975 17	28626 7
26101 5	26420 7	26585 13	26914 16	26976 17	28627 7
26102 5	26423 7	26586 13	26915 16	26977 17	28629 7
26105 5	26425 7	26587 13	26916 16	26978 17	28632 7
26107 5	26427 7	26588 13	26917 16	26979 17	28633 7
26108 5	26430 7	26589 13	26918 16	26980 17	28637 7
26109 5	26431 7	26590 8	26919 16	26981 17	28638 7
26110 5	26436 7	26591 8	26920 16	26982 17	28644 7
26113 5	26439 7	26592 8	26921 16	26985 17	40010 13
26114 5	26440 7	26593 13	26922 15	26987 19	40410 31
26115 5	26441 12	26596 13	26923 16	26989 19	40414 31
26130 10	26443 12	26598 8	26924 16	26990 18	40420 31
26132 10	26445 12	26599 8	26925 16	26991 18	40422 31
26133 10	26447 12	26701 9	26926 16	26992 18	40424 31

Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Notes:
40425	31	45212	29	75040	20	75989	21	
40426	31	45213	29	75093	23	75990	21	
40430	31	45802	30	75094	23	75991	22	
42012	29	45803	30	75095	23	75992	22	
42142	28	46069	28	75096	23	75994	22	
42150	28	46500	28	75105	20	75996	22	
43010	26	46610	30	75110	20	75999	22	
43221	32	46612	31	75115	20	91118	8,13	
43222	32	46613	31	75120	20	92190	9	
43223	32	46615	31	75307	20	92191	9	
43224	32	46616	31	75309	20	95190	14	
43225	32	46619	31	75313	20	96800	14	
43226	32	46950	26	75315	20			
43228	32	46970	26	75320	20			
43252	32	46971	26	75322	21			
43253	32	46972	26	75325	20			
43271	30	46987	26	75327	21			
43272	30	48050	30	75330	20			
43273	30	48075	30	75332	21			
43414	28	48307	28	75340	20			
43419	28	49150	29	75342	21			
43612	33	49158	29	75350	20			
43618	33	49159	29	75352	20			
43624	33	49185	26	75354	20			
43643	33	49215	28	75356	20			
43799	28	49368	26	75358	20			
43800	26	49375	26	75360	20			
43948	28	49378	26	75362	21			
43949	28	49381	27	75364	21			
44159	28	49382	27	75366	21			
44200	36	49383	27	75368	21			
44206	35	49387	27	75370	21			
44212	34	49478	27	75372	21			
44213	34	49584	28	75395	22			
44214	34	49587	28	75703	21			
44217	35	49779	27	75704	21			
44218	35	49879	27	75705	21			
44220	35	56801	25	75706	21			
44221	35	56812	24	75707	21			
44222	36	56813	25	75708	21			
44224	36	56815	24	75709	21			
44227	36	56818	24	75710	21			
44237	36	56825	24	75715	21			
44238	36	56830	25	75720	21			
44239	36	56833	25	75727	21			
44240	36	56871	25	75728	21			
44241	37	62990	14	75729	21			
44245	37	62993	14	75735	21			
44249	37	62994	14	75739	21			
44251	37	62995	14	75742	21			
44255	37	65090	14	75792	22			
44259	37	75008	20	75800	20			
44260	37	75012	20	75801	20			
44261	37	75015	20	75900	20			
44269	34	75018	20	75901	20			
44290	36	75020	20	75902	21			
44292	37	75025	20	75981	23			
44590	18	75030	20	75983	23			
45113	29	75035	20	75985	23			

(800) 494-6104
 fax: (800) 494-7456
 email: cservice@wihatools.com
 www.wihatools.com

**SEE OUR GREAT
 WEB SPECIALS!**



Wiha Quality Tools

1348 Dundas Circle
 Monticello, MN 55362
 tel: 763.295.6591
 fax: 763.295.6598

Wiha Tools Canada Ltd.

www.wihatools.ca
 Brampton, ONT L6T 4X4
 tel: 866.494.0096 or 763.295.6591
 fax: 763.295.6598

To:

Catalog Item No. 99006.w0
 version - 10/1/13

Subject to change without notice

©2013 Willi Hahn Corporation

®Torx is a registered trademark of
 Acument Intellectual Properties LLC.



91330.w0 - Tooling Catalog



99004.w0 - Shop Tools Catalog



99914.w0 - TORX Catalog



99002.w0 - Screwdrivers Catalog




99951.w0 - Bits Catalog




99001.w0 - TorqueControl Catalog



99934.w0 - Hex Tools Catalog



99919.w0 - Insulated Catalog



99945.w0 - ESD Catalog



99977.w0 - Pliers/Crimpers Catalog