, K	MarsasavaM	100A NULL BALANCE CURRENT SENSOR	CATALOGUE LISTING CSN SERIES		TUIC	THIS DRAWING IS FOR REFERENCE O				
DO NOT ALE PRINT	Honeywell		MTG-CSN-224		IHI2 L	JKAWIN	G 15 F	UR REFERENCE	UNLY.	
DC	CAT. LISTING I	SSUE NO. OPERATING TEMPERATURE	SUPPLY RANGE	HOUSING MATERIAL		G RANGE MAXIMUM	OUTPUT NOMINAL	MAXIMUM COIL RESISTANCE AT 70°C	NUMBER OF TURNS	
	CSNT651-006	1 -40° C TO +85° C	±12V ±15V		50A	150A	<u>+</u> 25mA	100 Ohms	2000±1	
SERIES -CSN-224	CSNG251-006	1 -40° C TO +85° C	+15V -15V	GLASS FILLED P.B.T	100A	180A	<u>+</u> 50mA	100 Ohms	2000±1	
→ Z	CSNP661-008	1 -40° C TO +85° C	±12V ±15V		50A	90A	<u>+</u> 50mA	30 Ohms	1000±1	
SE CS	CSNR151-004	1 -40° C TO +85° C	±12V ±15V		125A	200A	± 62.5mA	100 Ohms	2000±1	
ISSUE Chaming Number Num	(6 . 9) + v	-V O/P MADE IN U.K.	– DATE CODE	<u>-</u>				TING HOLES 0.90 COLOUR BLACK.	DIA.	
REVISIONS DSK 09NOV09 CO-0022429			9.00	6.55	Ø0.8	30 (3)		5.08 — 27.94	29.60	
CHECK DESIGN AUTHOR'N	THE COPYRIGHT OF THI THE DRAWING IS SUPPL ANY PURPOSE OTHER TH	S DRAWING IS THE PROPERTY OF HONEY IED IN CONFIDENCE AND MUST NOT BE HAN THAT FOR WHICH IT IS SUPPLIED.	WELL LTD. TH:	IRD ANGLE OJECTION	.E :- 2/I	DIMENSIONS AR	IN MODIFY SYST	ON CAD3D EM ONLY		