


Stellaris® Intelligent Display Module Single-Board Computer

The Stellaris® Intelligent Display Module Single-Board Computer (IDM-SBC) offers a complete QVGA touch-screen user interface for control, automation, and instrumentation applications and is the first reference design featuring the powerful Tempest-class LM3S9B92 microcontroller. The IDM-SBC offers USB, Ethernet, 8 MB of SDRAM, 1 MB of serial Flash, integrated 256 KB flash, and 96 KB SRAM, and provides simplified software development for the RDK using the comprehensive Stellaris graphics library and ARM development tools from ARM tools partners. The 8 MB of SDRAM is connected to the LM3S9B92 microcontroller using the new External Peripheral Interface (EPI) bus available as a new feature on Tempest-class devices.

Stellaris® IDMs are the first display modules available with the efficient performance and robust integration of an ARM® Cortex™-M3 microcontroller, positioning them for use in building access controllers and security systems, intelligent white goods and home appliances, thin clients, and factory automation applications.

Features



The IDM-SBC has the following features:

- Bright QVGA LCD touch-screen display
 - 262 K colors, 3.5" QVGA 320 x 240 pixels
 - White LED backlight with resistive touch panel
- Serial connectivity options
 - USB 2.0 Host
 - 10/100 Ethernet MAC and PHY
- 1 MBPS Controller Area Network (CAN)
- I²C Interface for external peripherals and sensors
- UART serial port with TTL signal levels
- High-performance microcontroller
 - 32-bit ARM® Cortex™-M3 core

- 256 KB single-cycle Flash, 96 KB single-cycle SRAM, and 80 MHz operation
- Versatile board-level memories
 - 8 MB SDRAM connected by EPI
 - 1 MB serial flash connected by SPI
 - microSD card slot
 - USB Host connector for external mass-storage devices
- Power supply
 - Wide input range 12-40 Vdc power supply with auxiliary 5 V power output
- I²S mono Codec for high-quality audio with 0.8 W amplifier for external 8-Ohm speaker
- Screw terminal block for I²C, CAN, and power connections
- Compact 2.0" x 3.0" PCB footprint
- Easy to customize
 - Includes full source code, example applications, and design files
 - Develop using tools supporting the IDM-SBC from Keil, IAR, Code Sourcery, and Code Red (using a Stellaris evaluation kit or preferred ARM Cortex-M3 debugger)
 - Supported by Stellaris Graphics Library and StellarisWare® Peripheral Driver Library
 - Comes with factory-programmed quickstart game demo application
 - Ethernet boot loader for firmware update

Reference Design Kit



The Stellaris® IDM-SBC is offered as a complete open-tool reference design kit (RDK-IDM-SBC) and ships with everything needed to quickly evaluate the IDM-SBC including:

- Stellaris® IDM-SBC board
- MDL-ADA2 10-pin to 20-pin adapter
- USB flash drive (128 MB)
- 24 V power supply with international plug-set

Stellaris® Intelligent Display Module Single-Board Computer (continued)

- Ethernet cable
- 8 Ohm speaker
- CD with tools, documentation and source code including: Quickstart Guide, User's Manual, Software Reference Manual, Board Data Sheet, BOM, schematics, and Gerber files

Ordering Information

Product Number	Description
RDK-IDM-SBC	Stellaris® Intelligent Display Module Single-Board Computer Reference Design Kit (RDK)

Texas Instruments • 108 Wild Basin, Suite 350 • Austin, TX 78746
Main: +1-512-279-8800 • Fax: +1-512-279-8879 • <http://www.luminarymicro.com>

Copyright © 2009 Texas Instruments, Inc. All rights reserved. Stellaris and StellarisWare are registered trademarks of Texas Instruments. ARM and Thumb are registered trademarks, and Cortex is a trademark of ARM Limited. Other names and brands may be claimed as the property of others.



IMPORTANT NOTICE

Texas Instruments Incorporated and its subsidiaries (TI) reserve the right to make corrections, modifications, enhancements, improvements, and other changes to its products and services at any time and to discontinue any product or service without notice. Customers should obtain the latest relevant information before placing orders and should verify that such information is current and complete. All products are sold subject to TI's terms and conditions of sale supplied at the time of order acknowledgment.

TI warrants performance of its hardware products to the specifications applicable at the time of sale in accordance with TI's standard warranty. Testing and other quality control techniques are used to the extent TI deems necessary to support this warranty. Except where mandated by government requirements, testing of all parameters of each product is not necessarily performed.

TI assumes no liability for applications assistance or customer product design. Customers are responsible for their products and applications using TI components. To minimize the risks associated with customer products and applications, customers should provide adequate design and operating safeguards.

TI does not warrant or represent that any license, either express or implied, is granted under any TI patent right, copyright, mask work right, or other TI intellectual property right relating to any combination, machine, or process in which TI products or services are used. Information published by TI regarding third-party products or services does not constitute a license from TI to use such products or services or a warranty or endorsement thereof. Use of such information may require a license from a third party under the patents or other intellectual property of the third party, or a license from TI under the patents or other intellectual property of TI.

Reproduction of TI information in TI data books or data sheets is permissible only if reproduction is without alteration and is accompanied by all associated warranties, conditions, limitations, and notices. Reproduction of this information with alteration is an unfair and deceptive business practice. TI is not responsible or liable for such altered documentation. Information of third parties may be subject to additional restrictions.

Resale of TI products or services with statements different from or beyond the parameters stated by TI for that product or service voids all express and any implied warranties for the associated TI product or service and is an unfair and deceptive business practice. TI is not responsible or liable for any such statements.

TI products are not authorized for use in safety-critical applications (such as life support) where a failure of the TI product would reasonably be expected to cause severe personal injury or death, unless officers of the parties have executed an agreement specifically governing such use. Buyers represent that they have all necessary expertise in the safety and regulatory ramifications of their applications, and acknowledge and agree that they are solely responsible for all legal, regulatory and safety-related requirements concerning their products and any use of TI products in such safety-critical applications, notwithstanding any applications-related information or support that may be provided by TI. Further, Buyers must fully indemnify TI and its representatives against any damages arising out of the use of TI products in such safety-critical applications.

TI products are neither designed nor intended for use in military/aerospace applications or environments unless the TI products are specifically designated by TI as military-grade or "enhanced plastic." Only products designated by TI as military-grade meet military specifications. Buyers acknowledge and agree that any such use of TI products which TI has not designated as military-grade is solely at the Buyer's risk, and that they are solely responsible for compliance with all legal and regulatory requirements in connection with such use.

TI products are neither designed nor intended for use in automotive applications or environments unless the specific TI products are designated by TI as compliant with ISO/TS 16949 requirements. Buyers acknowledge and agree that, if they use any non-designated products in automotive applications, TI will not be responsible for any failure to meet such requirements.

Following are URLs where you can obtain information on other Texas Instruments products and application solutions:

Products

Amplifiers	amplifier.ti.com
Data Converters	dataconverter.ti.com
DLP® Products	www.dlp.com
DSP	dsp.ti.com
Clocks and Timers	www.ti.com/clocks
Interface	interface.ti.com
Logic	logic.ti.com
Power Mgmt	power.ti.com
Microcontrollers	microcontroller.ti.com
RFID	www.ti-rfid.com
RF/IF and ZigBee® Solutions	www.ti.com/lprf

Applications

Audio	www.ti.com/audio
Automotive	www.ti.com/automotive
Broadband	www.ti.com/broadband
Digital Control	www.ti.com/digitalcontrol
Medical	www.ti.com/medical
Military	www.ti.com/military
Optical Networking	www.ti.com/opticalnetwork
Security	www.ti.com/security
Telephony	www.ti.com/telephony
Video & Imaging	www.ti.com/video
Wireless	www.ti.com/wireless

Mailing Address: Texas Instruments, Post Office Box 655303, Dallas, Texas 75265
Copyright © 2009, Texas Instruments Incorporated